

Township 4, Range 2-7 Ranges

(Fractions 11, 13, 14, 15, 16 and 17, with the adjoining Sections, and Kimberlys grant, being sold before the passing of the land law of 1800, the re-survey of the Ohio is omitted.)

Township 4, Range 3-7 Ranges

North Boundary

Beginning at the North East Corner of Township 5, Range 4. A Post, from which a Red Oak, 20 ins. diam. bears N. 3/4 W. 22 links, and a W. Oak, 18 ins. diam. bears S. 8 W. 48 1/2 lbs. distant. Thence on North Boundary-

- East 1st Mile - [North side of Sec. 36, T. 4, R. 3.]
- 17.50 A Branch, 3 yards wide, runs S. 60 E., through a Bottom 2 1/2 chains wide.
- 19.00 A Gum, 11 inches diameter.
- 44.90 A B. Oak, 16 inches diameter.
- 49.14 A W. Oak, 8 inches diameter.
- 62.07 A W. Oak, 8 inches diameter.
- 80.00 Set Post [corner to Sections 30 & 36,] where a Red Oak, 16 ins. diam. bears N. 69 W. 10 links, and a W. Oak, 14 ins. diam. bears S. 91 E. 40 links distant.

The first 50 chains, and the last 5 chains, tillage-able hills; a soil answerable to the production of wheat; Timber, Oak, Ash, Hickory, also Poplar and Walnut, but not in great plenty. From 50 chains to 75 chains, on the north side of a ridge, rich land, would produce large crops of Indian corn; shaded with Bl. & W. Walnut, Sugar, Hickory, Ash, Oak, Cherry, Beech and Poplar.

- East 2^d Mile - [North side of Section 30, T. 7, R. 3.]
- 2.70 A Brook, 2 1/2 yards wide, runs S. 80 E.
- 21.38 A Maple, 16 inches diameter.
- 32.90 A small Branch, 3 links wide, S. 10 W.
- 44.50 A Branch, 4 feet wide, runs S. 10 W.
- 49.40 A B. Oak, 20 inches diameter.

Township 4, Range 3-7 Ranges.

chs. lks.
 57.50 A Brook, 1 yard wide, runs S. 10 E.
 61.60 A Breech, 11 inches diameter.
 80.00 Set Post, [corner to Secs. 24 & 30] from which a Hickory, 8 ins. diam. bears S. 78 1/2 W. 7 1/2 links, and a B. Oak, 26 ins. diam. bears S. 30 1/2 E. 57 1/2 links distant.

Land - The first 23 1/2 chains the line passed alternately on the sides and between two high ridges; land rich and stony. From 23 1/2 to 40 chains, over ridges too steep to cultivate, a thin soil, and the land stony. Timber, Oak, Hickory and Dogwood. From 40 to 50 1/2 chains, down a steep East descent, and up an ascent, land rich and stony; the cultivation would be difficult; Timber, Oak, Ash, Hickory, Poplar, B. & W. Walnut grow there, but not in great plenty. From 50 1/2 to 68 1/2 chains, the soil is thin, but would bring good crops of wheat; Timber, Oak and Hickory. From 68 1/2 chains to the end of the mile, the land is rich, and may be easily tilled; shaded with Sugar, B. Walnut, Ash and Poplar.

East 3^d Mile - [North side of Section 24.]
 12.75 A Rivulet, 45 links wide, S. 30 E.
 14.15 A W. Oak, 18 inches diameter.
 30.72 A W. Oak, 36 inches diameter.
 42.00 A Rivulet, 23 links wide, runs S. 30 E.
 45.00 A Rivulet, 18 links wide, runs S. 40 W.
 51.40 A Branch, 1 yard wide, runs N. 75 W.
 80.00 Set Post, [corner to Sections 18 & 24] from which a W. Oak, 15 ins. diam. bears S. 29 1/2 W. 24 links, and a Hickory, 10 ins. diam. bears N. 43 1/2 E. 20 links distant.

The first 14 chains down an Eastern descent, land rich, shaded with Oak, Sugar, Cherry, Poplar, Ash, Hickory

Township 4, Range 3-7 Ranges.

chs. lks.
 B. & W. Walnut. From 14 to 22 1/2, and from 22 to 55 chains, the land is much broken, and the cultivation of it would be difficult; Timber, Oak, Ash, Hickory. From 22 1/2 to 42, and from 55 chains to end of the mile, up a steep ascent, and on the top of a ridge. Land equal to the production of wheat, or good crops of indian corn; shaded with Red, B. & W. Oak, Hickory, Ash, Sugar, Poplar.

East 4th Mile - [North side of Section 18.]
 14.90 A Rivulet, 25 links wide, course S. 35 E.
 26.24 A W. Oak, 14 inches diameter.
 55.46 A W. Oak, 36 inches diameter.
 56.00 A Rivulet, 12 links wide, runs S. 60 E.
 80.00 Set Post, [corner to Secs. 12 & 18] from which a B. Oak, 26 ins. diam. bears S. 71 1/2 E. 10 1/2 links, and a W. Oak, 15 ins. diam. bears N. 30 1/2 E. 26 1/2 links distant.

The first 15 chains, and from 36 to 50 1/2 chains, descended the sides of two high ridges, rich land, shaded with B. & W. Walnut, Sugar, Poplar, Poplar and Lym. From 15 chs. to 36 chs., and from 50 1/2 to 65 chs., land poor and uncultivable. The last 15 chains of this mile on the top of a ridge; the land would produce good crops of indian corn; shaded with Oaks and Hickory.

East 5th Mile - [North side of Section 12.]
 30.00 A Branch, 25 links wide, runs S. 30 E.
 31.53 A Maple, 6 inches diameter.
 57.90 A Branch, 2 yards wide, runs —
 62.98 A Breech, 16 inches diameter.
 80.00 Set Post, [corner to Secs. 6 & 12] where a Sugar, 12 ins. diam. bears S. 66 1/4 W. 16 1/2 links, and a

Township 4, Range 3-7 Ranges.

chs. Lhs.

Sugar, 12 ins. diam. bears N. 7 E. 15 links distant. First 19 chs. on the top of a high ridge; rich land, equal to the production of good crops of indian corn; Timber, Oaks of various kinds, Hickory, and there grows the Poplar, Sugar. From 19 to 30, and from 4 1/2 to 60 chs, down the sides of two ridges, very steep; and the last 15 chs. of this mile, over moderate sides and descents, the land is exuberantly rich, shaded with W. & B. Walnut, Ash, Sugar and Buckeye. From 30 to 42 1/2 chs, the side of a high ridge; and from 60 to 65 chs. the land is poor; Timber, Oak and Hickory.

- East 6th Mile [North side of Section 6.]
- 30.50 A Rivulet, 80 links wide, runs S. 50 E.
- 38.60 A W. Oak, 16 inches diameter.
- 35.94 A Sugar, 17 inches diameter.
- 58.00 A Branch, 30 links wide, runs S. 20 W.
- 80.00 [Post, the North East corner of Township, where] a Sugar, 14 ins. diam. bears N. 13 1/4 W. 50 links, and a Sugar, 16 ins. diam. bears S. 26 3/4 E. 49 links distant.

The first 35 chs. the land is exuberantly rich, shaded with Sugar, Poplar, Cherry, Locust, Buckeye, B. & W. Walnut. The bottom of the rivulet is covered with limestone, and in its margin there is stone coal. From 35 to 50 chs, passing up the South West side of a steep, high ridge, progressively gaining the top; land stony, the soil sufficiently strong to produce wheat, but the cultivation impracticable; Timber, Oaks, Ash, Hickory, Pepper age. From 50 to 60 chs. down a descent, and over the bottom, through which the branch runs; the land is rich and excellent for meadow, shaded with

Township 4, Range 3-7 Ranges.

chs. Lhs.

B. & W. Walnut, Cherry, Sugar, Buckeye and Sycamore. From 60 to 73 1/2 chs. up the side of a mountain, the perpendicular height of which is 800 feet, too steep for tillage; the soil is thin, and the land stony; Timber, Oaks, Ash, Hickory and Beech. The last 6 1/2 chs. of this mile is down a gentle descent of rich land, shaded with Sugar, Oak, and White Walnut.

West Boundary.

Beginning at a Post, the North West corner of this Township, (T. 4, R. 3,) from which a Red Oak, 20 ins. diam. bears N. 3 1/4 W. 22 links, and a W. Oak, 18 ins. diam. bears S. 8 W. 48 1/2 links distant. Thence on West Boundary-

- South 1st Mile [West side of Section 36, T. 4, R. 3.]
- 14.04 A W. Oak, 8 inches diameter.
- 20.62 A W. Oak, 14 inches diameter.
- 31.50 A Water course, 3 yards wide, runs S. E.
- 68.34 A W. Oak, 12 inches diameter.
- 73.50 A Rivulet, 4 yards wide, runs S. E.
- 80.00 Set Post, [corner to Sections 35 & 36.] from which a W. Oak, 18 ins. diam. bears S. 9 W. 24 links, and a W. Oak, 12 ins. diam. bears N. 57 1/4 W. 19 links distant.

Land, 1 1/2 mile is broken and uneven, thin soil, and stony. The other half mile would produce good crops of wheat, though the land is uneven; Timber, Oak, Hickory and Sugar.

- South 2^d Mile [West side of Section 35, T. 4, R. 3.]
- 11.10 A Red Oak, 20 inches diameter.
- 27.94 A B. Oak, 8 inches diameter.

Township 4, Range 3-7 Ranges.

Chs. Lks.	
59.50	A Poplar, 42 inches diameter.
69.24	A Sugar, 8 inches diameter.
80.00	Set Post, [corner of Secs. 34 & 35,] from which a W. Oak, 18 ins. diam. bears S. 50° E. 20 links, and a W. Oak, 10 ins. diam. bears N. 116° 23 links distant. Land along the first half mile would produce good crops of wheat; the last half mile the soil is thin, and the land very uneven; Timber, Oaks, Hickory, Sugar and Poplar.
South 3 ^d Mile - [West side of Section 34, T. 4, R. 3.]	
34.97	A W. Oak, 15 inches diameter.
41.31	A Sugar, 14 inches diameter.
59.98	A W. Ash, 10 inches diameter.
80.00	Set Post, [corner to Sections 33 & 34,] from which a W. Oak, 12 ins. diam. bears S. 85 1/4° W. 21 links, and a W. Oak, 8 ins. diam. bears S. 91 1/6° W. 43 links distant. Land of a very poor quality, being of a thin soil, broken and uneven; Timber, Hickory, Oak, Maple, Ash.
South 4 th Mile - [West side of Section 33, T. 4, R. 3.]	
19.38	A White Walnut, 36 inches diameter.
21.50	Coptiva creek, 30 yards wide, runs S. E. through a Bottom 25 chains wide.
31.85	A Red Oak, 36 inches diameter.
58.50	A Sugar, 9 inches diameter.
74.54	A W. Oak, 12 inches diameter.
80.00	Set Post, [corner to Sections 32 & 33,] from which a Red Oak, 24 ins. diam. bears N. 56 1/2° W. 28 links, and a R. Oak, 20 ins. diam. bears S. 64 1/2° E. 57 links distant.

Township 4, Range 3-7 Ranges.

Chs. Lks.	
	The first 25 chains the land is level and exuberantly rich; Timber, Sugar, Hoop Ash, R. W. Walnut, Sycamore and Buckeye. In the remainder of the mile the land is suitable to the production of wheat. The hills are high; Timber, Oak, Hickory and Sugar.
South 5 th Mile - [West side of Section 32, T. 4, R. 3.]	
29.09	A Sugar, 10 inches diameter.
40.06	A Red Oak, 16 inches diameter.
48.14	A Red Oak, 10 inches diameter.
80.00	Set Post, [corner to Sections 31 & 32,] from which a Bk. Walnut, 12 ins. diam. bears S. 81 1/2° E. 49 links, and a Bk. Walnut, 14 ins. diam. bears N. 11 1/2° W. 84 links distant. The land, in general, along this mile, is very proper for tillage, and would produce good crops of wheat; Timber, Hickory, Oaks, Sugar, and B. Walnut.
South 6 th Mile - [West side of Section 31, T. 4, R. 3.]	
25.63	A W. Oak, 12 inches diameter.
32.50	A B. Oak, 18 inches diameter.
41.10	A Hickory, 14 inches diameter.
80.00	Set Post, [S. W. corner of Township,] from which a Hickory, 10 ins. diam. bears N. 84° W. 12 lks., and a Sugar, 13 ins. diam. bears S. 44° E. 13 links distant. The soil along this mile is proper for the production of wheat or Indian corn; Timber, Oaks, Hickory, Sugar, and Dogwood, large and thrifty; the land is uneven, though not so as to render the cultivation difficult. 38 lks. South of this Township corner, is 95 lks. due East of the S. E. corner of Township 4, Range 4.

Township 4, Range 3-7 Ranges.

Chs. Lks.

South Boundary.

Beginning at a point 8 links South of the S.E. Corner of Township 4, in Range 4, where a Hickory, 14 ins. diam. bears N. 53 1/2 W. 14 lks., and a Hickory, 15 ins. diam. bears S. 26 E. 11 links distant. Thence on the South Boundary -

East 1st Mile - [South side of Section 31.]

5.08 A W. Oak, 8 inches diameter.

31.09 A B. Oak, 14 inches diameter.

36.06 A W. Oak, 24 inches diameter.

46.50 A Branch of Captina Creek, runs S. E.

80.00 Set Post, [corner to Sections 25 & 31.] from which a W. Oak, 24 ins. diam. bears S. 23 1/2 W. 43 links, and a Hickory, 7 ins. diam. bears S. 50 E. 24 links distant.

The land along this mile is exceedingly uneven, much broken with stones; in many places the hills are so steep as to render their cultivation very difficult; the soil is of a poor quality, and thin, shaded with Oaks, Hickory and Sugar. The bottom through which the branch of Captina Creek runs, is very narrow; timber, like the uplands.

East 2^d Mile - [South side of Section 25.]

5.66 A Hickory, 8 inches diameter.

13.75 A Sugar, 8 inches diameter.

16.50 A branch of Captina Creek - the same as was crossed on the last mile, runs N. E.

21.57 An Elm, 24 inches diameter.

35.75 A Stream, 5 yards wide, runs N.

54.52 A B. Oak, 18 inches diameter.

70.06 A Hickory, 8 inches diameter.

Township 4, Range 3-7 Ranges.

Chs. Lks.

80.00 Set Post, [corner to Sections 19 & 25,] from which a Chestnut, 20 ins. diam. bears S. 60 E. 6 links, and a Poplar, 10 ins. diam. bears N. 30 E. 25 lks. distant. The first 10 chains down a steep descent of poor land, into a narrow bottom, through which runs a branch of Captina Creek. The land in this bottom is proper for meadow or tillage, shaded with W. B. Walnut, Sugar, Hoop Ash, Honey Locust. From 20 chains to the end of the mile, the line passes over the points of exceedingly high ridges, mostly too steep for cultivation; the soil is thin, shaded with Oaks, Hickory, Chestnut, Sugar, Beech, Poplar, Dogwood.

East 3^d Mile - [South side of Section 19.]

41.97 A W. Oak, 20 inches diameter.

57.41 A B. Oak, 12 inches diameter.

78.19 A Chestnut, 16 inches diameter.

80.00 Set Post, [corner of Sections 13 & 19] from which a Sugar, 15 ins. diam. bears S. 27 1/2 E. 10 lks., and a Sugar, 6 ins. diam. bears N. 44 W. 28 links distant.

Land of a good quality, very proper for the cultivation of indian corn, wheat, rye, flax, hemp, or tobacco; is not broken with hills; shaded with Oak, Hickory, Sugar, Beech.

East 4th Mile - [South side of Section 13.]

16.43 A W. Ash, 16 inches diameter.

41.42 A W. Oak, 16 inches diameter.

58.61 A Hickory, 7 inches diameter.

80.00 Set Post, [corner of Sections 7 & 13,] from which a Red Oak, 30 ins. diam. bears S. 24 W. 26 links, and a Hickory, 7 ins. diam. bears N. 59 W. 6 links distant. Land same as last mile.

Township 4, Range 3. - 7 Ranges.

6th Lks.
 East 5th Mile. [South side of Section 7.]
 26.75 An Elm, 18 inches diameter.
 32.34 The bank of the Ohio River; runs, here, south-
 westerly. Set Post, from which a W. Walnut,
 10 ins. diam. bears S. 26 W. 17 links, and a
 Buckeye, - ins. diam. bears N. 80 1/4 W. 15 links
 distant.
 The first 25 chains down an exceedingly steep
 descent to the East; rich land. The remaining
 7 chs. 34 lks., Ohio River bottoms; the soil is ex-
 uberantly rich, shaded with Sycamore, B. W.
 W. Walnut, Buckeye, Sugar, Poplar and Grape
 Vines.

East Boundary.

Beginning at the North East Corner of this Town-
 ship. Thence

South 1st Mile. [East side of Section 6.]
 80.00 Set Post, [corner to Sections 5 & 6,] where a Su-
 gar, 12 ins. diam. bears N. 69 1/2 W. 21 links, and
 a Beech, 10 ins. diam. bears S. 61 1/4 E. 25 links
 distant.
 Soil on this mile, middling good quality.

South 2^d Mile. - East side of Section 5.
 42.50 To the bank of the Ohio River.
 + The soil on this mile is generally very rich,
 covered with Oak, Hickory, Sugar, Ash, Beech,
 Poplar, and Walnut. The soil is suitable for
 meadow, and would raise hemp, tobacco, in-
 dian corn, &c. to great perfection.

Township 4, Range 3. - 7 Ranges.

Meanders of the Ohio River.
 Beginning at Post in East Boundary. Thence
 down stream:

Course.	6th Lks.	7th Lks.
N. 65 1/4 W.	6.00	Bottom 20 links wide.
N. 69 W.	4.00	
N. 73 1/2 W.	4.50	
N. 76 W.	25.00	At 50 lks. a Creek, 30 links wide.
5 N. 88 1/2 W.	21.00	
S. 82 W.	9.00	
S. 73 1/2 W.	7.50	
S. 64 W.	10.50	
S. 57 W.	9.50	Bottom ends.
10 S. 35 1/2 W.	4.00	
S. 23 1/2 W.	16.00	
S. 12 W.	22.00	
S. 2 1/2 W.	15.50	
S. 15 E.	15.00	
15 S. 17 E.	8.00	
S. 22 E.	5.50	
S. 19 E.	16.50	
S. 24 1/2 E.	17.50	
S. 28 1/2 E.	30.50	
20 S. 36 E.	4.00	
S. 40 E.	40.50	
S. 33 E.	8.00	
S. 28 1/2 E.	8.00	
S. 25 E.	3.20	
25 S. 20 1/4 E.	2.30	
S. 15 1/2 E.	5.50	
S. 11 1/2 E.	5.00	
S. 13 1/2 E.	3.00	
S. 19 E.	4.00	
30 S. 17 E.	2.00	

Township 4, Range 3 - 7 Ranges

	Courses.	Chs. & Lks.	Meanders continued.
	S. 14 1/4 E.	2.00	
	S. 16 1/2 E.	2.70	Passing a creek, 30 links wide. Bottom 18 chs. wide.
	S. 10 1/4 E.	2.80	
	S. 14 1/2 E.	10.00	
35	S. 23 1/2 E.	3.00	
	S. 24 E.	6.00	
	S. 11 1/2 E.	3.00	
	S. 13 1/4 E.	8.30	
	S. 2 1/2 E.	1.50	
40	S. 4 1/4 E.	5.50	
	S. 1 1/2 E.	3.50	
	S. 7 1/4 W.	2.30	
	S. 2 1/4 W.	2.20	
	S. 7 1/4 W.	6.50	
45	S. 13 1/2 W.	4.00	
	S. 18 1/4 W.	2.00	
	S. 21 1/2 W.	2.50	
	S. 25 1/4 W.	3.00	
	S. 29 W.	4.00	
50	S. 33 1/4 W.	3.50	
	S. 37 W.	6.50	
	S. 38 1/4 W.	3.50	
	S. 42 1/2 W.	7.00	
	S. 48 1/2 W.	2.50	
55	S. 46 W.	2.50	
	S. 50 W.	6.00	
	S. 52 W.	7.50	
	S. 55 W.	8.00	Passing Captina creek, 140 links wide.
	S. 47 1/2 W.	2.00	Bottom 45 chains wide.
60	S. 53 1/2 W.	3.50	
	S. 58 1/2 W.	6.60	
	S. 64 W.	3.00	
	S. 61 W.	3.90	

Township 4, Range 3 - 7 Ranges

	Courses.	Chs. & Lks.	Meanders continued.
	S. 58 1/4 W.	4.00	
65	S. 62 1/4 W.	5.50	Bottom is apparently rich, expanding along the River several miles.
	S. 65 1/4 W.	4.50	
	S. 64 1/4 W.	2.50	
	S. 58 1/2 W.	5.50	
	S. 65 1/4 W.	4.50	
70	S. 67 W.	2.50	
	S. 60 W.	3.00	
	S. 63 1/4 W.	4.50	
	S. 61 W.	2.50	
	S. 55 1/2 W.	2.00	
75	S. 58 W.	13.00	
	S. 55 1/2 W.	2.50	
	S. 57 W.	2.50	
	S. 52 1/2 W.	16.00	
	S. 47 W.	4.00	
	S. 45 1/2 W.	5.00	
	S. 43 W.	1.50	

Surveyed in 1786, by
 Isaac Sherman,
 Surveyor on the part of Connecticut.

Township 4, Range 3-7 Ranges

Chs. Lks.

Saturday, 4th Sept. 1802.

South Boundary.

On the Bank of the Ohio River, South Boundary of Township No. 4, of Range No. 3, and South Boundary of Section No. 7. Found the Old Bearing Trees. Put a Post, where a W. Walnut, 16 ins. diam. bears S. 26 W. 16 1/2 links, and another W. Walnut, 18 ins. diam. bears N. 12 W. 28 lks. distant.

West 7:00 On South Boundary of Section 7, T. 4, R. 3. Across rich bottom land. 32:60 Old corner of Sections 7 & 13, top of hill, high and steep. Put a Post, where a Hickory, 15 ins. diam. bears N. 59 W. 6 links, and a Red Oak, 30 ins. diam. bears S. 25 W. 26 links distant.

West 16:60 On South Boundary of Section 13. A Drain, course South. 80:60 Old Corner of Sections 13 & 19. Put a Post, where a Sugar tree, 20 ins. diam. bears S. 27 1/2 E. 9 1/2 links, and another Sugar tree, 10 ins. diam. bears N. 45 W. 28 lks. distant. This mile hilly broken land; Timber, Oak, Sugar and Beech.

West 41:50 On South Boundary of Section 19, T. 4, R. 3. A Drain, course N. E. 79:80 Old corner of Sections 19 & 25. Put a Post, where a Chestnut, 24 ins. diam. bears S. 60 E. 6 links, and a Poplar, 12 ins. diam. bears N. 30 E. 25 links distant. This mile broken land, middling soil; Timber, Oak, Beech, Sugar, some Poplar, Chestnut & Hickory.

Township 4, Range 3-7 Ranges

Chs. Lks.

West 50 On South Boundary of Section 35, T. 4, R. 3. A Drain, course N. 16:20 A Drain, course N. 44:90 A Run, 5 links, course N. 64:00 A Branch of Captina, 40 links wide, course N. 50 E.; rapid water. 80:93 To Old Post, corner of Sections 25 & 31. Put a Post, where a W. Oak, 30 ins. diam. bears S. 24 W. 42 links, and a Hickory, 12 ins. diam. bears S. 50 E. 24 links distant. This mile hilly stony land; Timber, Oak, Sugar, Beech, Ash, Hickory, &c.

West 20:50 On South Boundary of Section 31, T. 4, R. 3. A Branch of Captina Creek, 30 link wide, course S. 25 E. 33:00 A Stream, 20 links wide, course N. E. 78:72 Township Corner, Post standing. A Hickory, 18 ins. diam. bears S. 27 E. 11 links, and another Hickory, 18 ins. diam. bears N. 53 1/2 W. 14 links distant. This mile hilly stony land; Timber, Oak, Hickory, Beech, Sugar tree.

In looking for the Range Line, found it ran South from this Post, and North from a corner 1:00 links East. Found the Post hole and bearing trees; the course of the bearing trees agrees with the old minutes, and the distance of the Hickory, but the other is a Maple instead of Sugar tree. Put a Post, from which a Hickory, 12 ins. diam. bears N. 84 E. 12 links, and a Maple, 15 ins. diam. bears S. 14 E. 30 links distant. This line runs S. 59 W.

West Boundary.

North 25:00 On the Range Line, West Boundary of Sec. 31, T. 4, R. 3. A Run, 8 links, course S. E.

Township 4, Range 3-7 Ranges

Chs. Lks.	
58.20	A Run, 5 links, course E.
79.50	A Run, 8 links, course S. E.
79.93	Old corner. Put a Post, where a B. Walnut, 18 ins. diam. bears N. 11 $\frac{1}{2}$ W. 84 links, and a B. Walnut, 15 ins. diam. bears S. 81 $\frac{1}{4}$ E. 49 links distant. This mile very hilly, broken, poor land; Timber, chiefly Oak, some Beech, Sugar and Dogwood.
North 80.43	On West Boundary of Section 32, T. 4, R. 3. Old corner of Sections 32 & 33. Put a Post, where a B. Oak, 27 ins. diam. bears S. 64 $\frac{1}{2}$ E. 57 links, and a Beech, 10 ins. diam. bears N. 63 W. 9 links distant. This mile high hills; Timber, Oak, Sugar and Beech.
North 57.00	On Range Line, West Boundary of Section 33. Over hilly land, to Captina Creek, 1.50 links wide, course East; lively running water.
80.38	Old Corner of Sections 33 & 34. Over good rich land, some bottom; Timber, Sugar, B. Walnut, some Oak and Hickory. Put a Post, corner to Sections 33 & 34, where a W. Oak, 18 ins. diam. bears S. 85 $\frac{1}{4}$ W. 21 links, and a W. Oak, 10 ins. diam. bears S. 79 E. 25 links distant. Sunday, 5 th September.
North 81.09	On the Range Line, West Boundary of Sec. 34, T. 4, R. 3. The Old corner. Put a Post, corner to Sections 34 & 35, where a W. Oak, 24 ins. diam. bears S. 50 E. 20 links, and a W. Oak, 15 ins. diam. bears N. 11 E. 22 links distant. This mile very hilly, broken with drafts

Township 4, Range 3-7 Ranges

Chs. Lks.	
	that make into the creek, which is in places about 10 or 15 chains West of the line; Timber, Oak, Sugar and Hickory.
North 15.30	On Range Line, West Boundary of Sec. 35, T. 4, R. 3. A Drain, course West.
29.50	A Drain, course S. W.
71.20	A Drain, course East.
80.18	Old Corner. Put a Post, corner to Sections 35 & 36, where a W. Oak, 24 ins. diam. bears S. 9 W. 24 links, and a W. Oak, 12 ins. diam. bears N. 57 E. 18 links distant. This mile hilly land; Timber chiefly Oak, some Sugar, Beech and Hickory.
North 6.10	On Range Line, West Boundary of Sec. 36, T. 4, R. 3. A Run, 8 links wide, course S. E.
32.00	A Road leading from Grave Creek to Muskegon Salt Works, course S. E. & N. W.; a ridge.
48.40	A Run, 8 links wide, course S. E.
80.64	To Township corner. Put a Post, where a W. Oak, 15 ins. diam. bears S. 50 W. 19 links, and a W. Oak, 12 ins. diam. bears N. 76 E. 13 links distant. This mile hilly thin land; Timber chiefly B. & W. Oak. The course of the west Boundary is N. 58 W.
East 17.60	North Boundary. On Township line, North Boundary of Sec. 36. corner of Township 5, Range 3. A Run, 10 links wide, course S. E.
75.58	Road leading from Grave Creek to Salt Works.
81.00	Old corner, on the road. Put a Post, corner to Sections 30 & 36, where a W. Oak, 12 ins. diam.

Township 4, Range 3-7 Ranges

- 6 hrs. Lks. bears S. 31 E. 40 links, and a Red Oak, 16 ins. diam. bears N. 69 W. 10 links distant. This mile hilly thin land; Timber chiefly Oak.
- 5:00 On Township Line, North Boundary of Sec. 30, T. 4, R. 3. Road turns N. W. A Run, 10 links, course East.
- 14:58 Biggs' 5 Mile Post. Run turns North.
- 23:00 A Stream, 25 links wide, course S. 75 E., at the Road, which leads down the Run.
- 45:70 A Run, 5 links, course South.
- 81:26 Old Corner. Put a Post, corner to Sections 24 & 30, where a Hickory, 12 ins. diam. bears S. 78 1/2 W. 7 1/2 links, and a Sugar tree, 10 ins. diam. bears S. 80 E. 8 links distant. This mile hilly land, middling soil; Timber, Oak, Sugar and Hickory.
- East On North Boundary of Section 24, T. 4, R. 3.
- 13:50 A Run, 10 links, course S.
- 14:57 Biggs' Post, 4 notches.
- 43:00 A Run, 10 links, course South.
- 46:40 A Run, 10 links, course S. W.
- 81:59 Old Corner. Put Post, corner to Section 18 & 24, where a W. Oak, 18 ins. diam. bears S. 39 1/2 W. 24 links, and a Hickory, 9 ins. diam. bears N. 59 E. 27 links distant. This mile hilly broken land; Timber chiefly Oak, some Hickory and Sugar tree.
- East On Township Line, North Boundary of Sec. 18, T. 4, R. 3.
- 13:90 Biggs' Post, 3 notches.
- 15:20 A Run, 10 links, course S.
- 48:00 A Run, 8 links, course S.
- 60:00 A Drain, course S. W.

Township 4, Range 3-7 Ranges

- 6 hrs. Lks. 80:49 Old Corner. Put a Post, corner to Sections 12 & 18, where a R. Oak, 30 ins. diam. bears S. 71 1/2 E. 10 links, and a W. Oak, 16 ins. diam. bears N. 36 W. 25 links distant. This mile high hills, middling soil; Timber, Oak, Sugar tree & Hickory. Monday, 6th Sept.
- East On North Boundary of Sections 12, T. 4, R. 3.
- 11:60 A small Spring Run, course S. 5 chains North, A. Dilla's House; high flat land.
- 13:30 In Dilla's field; lies mostly North of the line.
- 17:00 Leave the field.
- 58:60 A Run, 5 links, course S.
- 80:67 Old Corner. Put Post, corner to Sections 6 & 12, where a Sugar tree, 12 ins. diam. bears N. 7 E. 15 links, and a Sugar tree, 12 ins. diam. bears S. 66 W. 17 links distant. This mile hilly, soil middling; Timber, Oak, Sugar tree and Hickory.
- East On Township Line, North Boundary of Sec. 6, T. 4, R. 3.
- 7:50 A Path, course S. E. 4 N. W.
- 12:92 Biggs' 1 Mile Post.
- 38:50 A Run, 20 links, course S. E.
- 56:80 A Run, 5 links, course S. W.
- 80:40 Old bearing trees.
- 85:70 A Run, 5 links, course S. E.
- 91:57 Biggs' New Township Corner, where a Beech, 8 ins. diam. bears S. 24 1/2 W. 9 links, and a Sugar, 16 ins. diam. bears N. 24 1/2 E. 4 links distant. This mile high hills, good soil; Timber, Oak, Sugar tree, Hickory, Ash and B. Walnut.

(See Page 84.)

Township 4, Range 3. - 7 Ranges.

Chs. Lks.	
South	On Range Line, East Boundary of fractional Section No. 5, Town 4, Range 3.
5.00	A corn field.
15.00	Across corn field.
25.21	To bank of the Ohio River. Put a Post, corner of fraction No. 5, where a Sugar tree, 18 ins. diam. bears N. 89 E. 25 links, and a Sugar tree, 10 ins. diam. bears S. 74 1/2 W. 15 links distant. Good Bottom.
East	Between Sections 34 & 35, of T. 4, R. 3.
13.54	A Hickory, 20 inches diameter.
37.72	A Spanish Oak, 27 inches diameter.
48.50	A Stream, 20 links wide, course S. E.
70.00	A Run, 10 links, course South.
72.80	A Hickory, 12 inches diameter.
80.69	Put a Post, corner to Sections 28, 29, 34, 35, on a hill, where a Rock Oak, 12 ins. diam. bears S. 52 W. 19 links, and another Rock Oak, 9 ins. diam. bears N. 25 W. 10 links distant. This mile high hills, thin soil; Timber, Oak and Hickory, some Beech, Dogwood, &c.
East	Between Sections 28 & 29, of T. 4, R. 3.
7.45	A Drain, course S.
24.23	A Hickory, 12 inches diameter.
39.65	A Drain, course S.
39.69	A Hickory, 14 inches diameter.
73.86	A Sugar tree, 15 inches diameter.
80.69	Put a Post, corner to Sections 22, 23, 28, 29; where a W. Oak, 20 ins. diam. bears N. 82 E. 6 links, and a Beech, 8 ins. diam. bears S. 31 1/2 W. 39 links distant. Hilly land, middling soil; Timber, Oak, Sugar, Hickory, & some Beech.

Township 4, Range 3. - 7 Ranges.

Chs. Lks.	
South	Between Sections 24 & 30, of T. 4, R. 3.
30.50	Pipe Creek, 30 links wide, course East. A Road along the creek, from Grass Creek to Salt works near Washington.
67.80	A Run, 5 links, course East.
80.00	Put Post. This mile hilly, middling soil; Timber, Oak, Hickory and Sugar tree; Hickory and Dogwood Saplings. Thursday, 9 th .
South	Between Sections 23 & 29, of T. 4, R. 3.
30.50	A Run, 5 links, course S. E.
80.20	Intersect, 120 links East of Post, corner of Sections 22, 23, 28, 29. Blaze the line North. Put a Post, corner to Sections 23, 24, 29, 30; where a B. Oak, 27 ins. diam. bears S. 30 1/2 W. 6 links, and a Beech, 12 ins. diam. bears N. 29 1/2 E. 26 links distant. This mile high ridges, middling soil; Timber, Oak, Hickory, Sugar tree, &c.; Dogwood and Hickory Saplings.
East	Between Sections 32 & 33, of T. 4, R. 3.
41.00	A Drain, course North.
80.21	Put Post, corner to Sections 26, 27, 32, 33; where a W. Oak, 18 ins. diam. bears N. 59 W. 38 links, and a Sycam, 15 ins. diam. bears N. 26 1/2 E. 6 links distant. This mile high hills, thin soil; Timber, Oak, Hickory and Dogwood.
East.	Between Sections 26 & 27, of T. 4, R. 3.
1.00	A Run, 5 links, course N.
40.00	A Sugar tree, 10 inches diameter.
50.00	A Run, 10 links, course N. E.
65.10	A Run, 10 links, course N.

Township 4, Range 3. - 7 Ranges.

Chs. Lks.	
69.04	A Hickory, 18 inches diameter.
80.21	Put Post, corner to Sections 20, 21, 26, 27, where a Sugar tree, 18 ins. diam. bears N. 7 1/2 W. 4 links, and a Sugar tree, 15 ins. diam. bears S. 35 E. 35 Chs. distant. The first half of this mile poor steep hills; Timber, Oak. The last half good land, descends North; Timber chiefly Sugar and Hickory, some Oak & B. Walnut.
South	Between Sections 20 & 26, of T. 4, R. 3.
50.00	A Drain, course South.
80.00	Put round Post. This mile high land, broken, thin soil; Timber, Oak, Hickory, &c.
South	Between Sections 19 & 25, T. 4, R. 3.
11.60	A Run, 8 links, course East.
18.00	Cats Run, 30 links wide, course N. 6.
78.95	Intersected, 2.40 East of Old Post. This mile high, stony, poor hills; Timber, Oak and Dogwood. Close the line North. Put Post, corner to Sections 19, 20, 25, 26; where a Sugar tree, 9 ins. diam. bears N. 26 W. 16 links, and a Sugar tree, 10 ins. diam. bears N. 82 E. 33 links distant.
South	Between Sections 22 & 28, of T. 4, R. 3.
30.50	A Drain, course S. E.
42.50	A Drain, course S. E.
80.00	Hilly land, soil thin; Timber, Oak and Hickory Put Post.
South	Between Sections 21 & 27, of T. 4, R. 3.
40.00	Over hilly land, to Coptina Creek, 1.25 link wide,

Township 4, Range 3. - 7 Ranges.

Chs. Lks.	
78.56	course S. 20 E. A Road on that bank. Over rich Bottom land; Timber, Sugar, B. Walnut and Hickory. Intersect 35 links East of Post. Close the line North. Put Post, corner to Sections 21, 22, 27, 28, where a W. Ash, 15 ins. diam. bears S. 23 W. 28 links, and a W. Ash, 27 ins. diam. bears N. 40 1/2 E. 29 links distant. Saturday, 11 th Sept. 1802.
East	Between Sections 20 & 21, of T. 4, R. 3.
14.70	Coptina Creek, 1.50 links wide, course S. E.
26.30	Same Creek, course North. Stony.
34.00	Across good Bottom; then rise a bank.
40.00	A small corn field, perhaps two acres.
49.54	A Beech, 24 inches diameter.
59.50	A Run, 5 links, course N.
79.00	A Drain, course North.
80.48	Over low ridges, good soil; Timber, all small saplings, Oak, Hickory, Sugar tree, Ash and Sassafras. A Sassafras, 8 ins. diam. corner tree, where a B. Oak, 8 ins. diam. bears N. 63 W. 16 links, and a Sassafras, 7 ins. diam. bears S. 68 1/2 E. 15 links distant.
East	Between Sections 14 & 15, of T. 4, R. 3.
18.00	Coptina Creek, course S. E.; over low ridges.
22.50	Across bottom, then rise a hill.
45.00	Top of high hill.
49.14	A Hoop Ash, 18 inches diameter.
66.60	A Drain, course S. E.
80.48	Over high broken hills; Timber, Oak and Sugar tree. Put a Post, corner to Sections 8, 9, 14, 15; where a W. Oak, 15 ins. diam. bears S. 21 E. 12 links, and a W. Oak, 12 ins. diam. bears N. 22 E. 38 links distant.

Township 4, Range 3-7 Ranges

66
 South Between Sections 8 & 14, of T. 4, R. 3.
 8.00 A Drain, course S. E.
 28.05 A Drain, course S. E.
 50.00 Hilly land, to Bottom.
 55.00 Captina Creek, 150 links wide, course N. 20 E.
 60.00 Across Bottom.
 80.00 Rise gradually good land; Timber, Oak, Sugar tree and Hickory.

South Between Sections 7 & 13, of T. 4, R. 3.
 15.00 A Run, 12 links, course N. E.
 50.00 Top of high hill.
 78.60 Intersect, 4.50 East of Old Post.
 This mile hilly land; Timber, Oak, Sugar tree and Hickory.

Run North. Put Post, corner to Sections 7, 8, 13, 14, at average measure; where a B. Oak, 18 ins. diam. bears N. 75 W. 3 links, and a Hickory, 12 ins. diam. bears S. 85 E. 6 links distant.

East Between Sections 8 & 9, of T. 4, R. 3.
 27.00 A Drain, course S.
 45.00 A Drain, course S.
 80.00 Put Post, corner to Sections 2, 3, 8, 9; where a Poplar, 15 ins. diam. bears S. 29 1/2 W. 37 links, and a Beech, 8 ins. diam. bears N. 43 E. 24 links distant.
 This mile hilly broken poor land; Timber chiefly Oak, some Hickory and Sugar tree.

East Between Sections 2 & 3, of T. 4, R. 3.
 7.00 A Run, 15 links, course S. E.
 32.75 A W. Oak, 20 inches diameter.

Township 4, Range 3-7 Ranges

67
 40.00 Over high broken poor hills; Timber, Oak, Dog-wood and Oak sapling.
 61.06 Descending to the bank of the Ohio River; good side hill land. Put a Post, corner to fractions 2 & 3; where an Elm, 30 ins. diam. bears S. 33 E. 39 links, and a Sugar tree, 15 ins. diam. bears N. 82 1/2 W. 34 links distant. This Post opposite an Island.

East Between Sections 22 & 23, of T. 4, R. 3.
 10.50 A Run, 10 links, course South.
 21.50 A B. Oak, 30 inches diameter.
 30.00 A Run, 8 links wide, course South.
 42.40 A B. Oak, 24 inches diameter.
 51.00 A Drain, course S. E.
 54.75 A W. Oak, 15 inches diameter.
 60.15 A Drain, course South.
 70.40 A Chestnut, 24 inches diameter.
 80.76 Put Post, corner to Sections 16, 17, 22, 23; where a Sugar tree, 15 ins. diam. bears S. 28 E. 5 links, and a Sugar tree, 12 ins. diam. bears N. 67.45 W. 53 links distant.

This mile hilly thin land; Timber, Oak, some Hickory, Sugar tree and Chestnut.

East Between Sections 16 & 17, of T. 4, R. 3.
 24.96 A Sugar tree, 12 inches diameter.
 31.00 A Drain, course North.
 44.88 A Hickory, 20 inches diameter.
 80.76 Put a Post, corner to Sections 10, 11, 16, 17; where a Sugar tree, 9 ins. diam. bears S. 19 W. 22 links, and a Hickory, 12 ins. diam. bears N. 1 1/2 E. 26 links distant. This mile hilly broken land, soil middling; Timber, Oak, Sugar tree, Hickory and Beech.

Township 4, Range 3 - 7 Ranges

Chs. Lks.
 East Between Sections 10 & 11, of T. 4, R. 3.
 4.50 A Run, 20 links wide.
 12.00 Leave Run, course S. 70 E. Rocky high hills on each side.
 61.90 Over high rocky hills; then down a steep hill to the bank of the Ohio River. Put a Post, corner to fractions 10 & 11, of T. 4, R. 3; where a R. Locust, 14 ins. diam. bears S. 16. 18 links, and a Sugar tree, 15 ins. diam. bears N. 24 W. 6 links distant.

South Between Sections 12 & 18, of T. 4, R. 3.
 80.00 Over high thin land; Timber, Oak, Hickory, some Beech, and Sugar tree. After running another mile South, put a Post, corner to Sections 11, 12, 17, 18, to average measure; where a Sugar tree, 18 ins. diam. bears S. 22 E. 20 links, and another Sugar tree, 18 ins. diam. bears N. 16 1/2 W. 28 links distant.

South Between Sections 11 & 17, of Town 4, R. 3.
 3.60 Pipe creek, 50 links wide, course S. 70 E.
 72.50 A rocky Run, 20 links wide, course S. E.
 80.70 Intersect, 85 links East of Post. Tuesday, 4th Sept.
 This mile over a high extensive hill, soil middling; Timber, Oak, Hickory, Beech, Sugar tree, &c.

South Between Sections 10 & 16, of T. 4, R. 3.
 3.00 A Run, 5 links, course E.
 45.00 A Drain, course E.
 80.00 Put a Post. This mile high ridges, middling soil; Timber, Oak, Hickory, &c. At the averaging; the Post, corner of sections 9, 10, 15, 16; from which a W. Oak, 10 ins. diam. bears N. 86 W. 25 links, and a Rock Oak, 24 ins. diam. bears N. 65 E. 17 links distant.

Township 4, Range 3 - 7 Ranges

Chs. Lks.
 South Between Sections 9 & 15, of T. 4, R. 3.
 3.50 A Drain, course S. E.
 36.50 A Run, 15 links wide, course East
 80.30 Intersect, 60 links West of Post, corner to Sections 9, 9, 14, 15.
 This mile hilly, broken, thin, stony land; Timber chief by Oak, some Hickory, Beech, &c.

South East corner of Fraction No. 5, of T. 3, R. 3, on the bank of the Ohio River measured -

N. 68 W. 12.25
 N. 75 1/2 W. 37.00 At 15.00, mouth of Run, 30 links wide. At 37.00, a Run, 20 links wide.
 N. 87 W. 15.30
 S. 86 W. 18.30 Narrows, or hills; comes in close to River.
 S. 67 1/2 W. 10.13
 S. 54 1/2 W. 14.15 At 3.00, a Coal bank, large quantity. At 10.80, mouth of Pipe creek.
 S. 35 1/2 W. 10.50
 S. 21 1/2 W. 13.37
 S. 6 W. 34.00 To Post, corner to Fractions 10 & 11.
 S. 8 E. 23.50 At 11.00, mouth Narrows Run, 25 links wide.
 S. 25 E. 44.25
 S. 31 E. 26.40
 S. 40 E. 41.20
 S. 27 E. 12.60
 S. 20 E. 6.00
 S. 15 E. 21.50 At 10.00, head of Coptina Island. At 15, a House and about 2 acres improved land. Post, corner to fractions 2 & 3, of Town 4, Range 3; at the upper end of Coptina Bottom, Sept. 16th.

Surveyed by Jonathan Seafield, Deputy Surveyor.

Township 4, Range 3-7 Ranges

Subdivision of "2 Mile Blocks."

Ch. Lk.
 East On Random Line between Sections 35 & 36.
 8.50 A small Run, course South.
 20.00 A Run, 8 links wide, runs South
 40.00 Set temporary Quarter Section Post.
 65.00 A small Run, course South.
 80.00 Set temporary Center Post.
 This mile steep hills, middling soil; Timber,
 Oak, Beech, Hickory, &c.; much small brush.

East Continued Random Line, between Sections 29 & 30.
 40.00 Set temporary Quarter Section Post.
 83.66 Fell 29 links South of Post. Land same.

South On Random Line between Sections 30 & 36.
 40.00 Set temporary Quarter Section Post.
 46.00 A small Run, course S. E.
 81.06 Fell 1.96 links East of temporary Center Post.
 Land hilly, good soil; Timber, Oak, Ash, Sugar,
 Walnut, &c.

South Continued Random Line, between Sections 29 & 35.
 39.00 A Brook, 14 links wide, course S. W.
 40.00 Set temporary Quarter Section Post.
 81.30 Fell 60 links East of Post.
 This mile over steep hills, thin soil; Timber,
 Oak, &c.

Corrected between Sections 35 & 36, and set Dr.
 Section Post at average distance; from which
 a Sugar, 14 ins. diam. bears S. 84 W. 21 Ms,
 and a Dogwood, 5 ins. diam. bears N. 52 E.
 18 links distant.
 Set Center Post at the intersection of true lines;

Township 4, Range 3-7 Ranges

Ch. Lk.
 from which a Sugar, 12 ins. diam. bears
 S. 66 E. 14 links, and a W. Ash, 9 ins. diam. bears
 N. 12 W. 26 links distant.

Corrected between Sections 30 & 36. Set Quarter
 Section Post at average measure; from which
 a Beech, 12 ins. diam. bears N. 23 E. 20 links,
 and a Beech, 12 ins. diam. bears S. 5 W. 38
 links distant.

Corrected between Sections 29 & 30. Set Quarter
 Section Post at average measure; from which
 a Hickory, 14 ins. diam. bears N. 63 W. 16 links,
 and a Hickory, 8 ins. diam. bears S. 2 1/2 E. 33
 links distant.

Corrected between Sections 29 & 35. Set Quarter
 Section Post at average measure; from which
 a Poplar, 10 ins. diam. bears N. 59 W. 23 Ms.,
 and an Elm, 8 ins. diam. bears S. 33 E. 25 Ms.
 distant.

East On Random Line between Sections 23 & 24.
 26.50 A small Run, course North.
 40.00 Set temporary Quarter Section Post.
 70.00 Pipe Creek, 50 links wide, course S. E.
 80.00 Set temporary Center Post.
 Land, first 40 chains steep hills, middling soil;
 Timber, Oak, Beech, Hickory, and much small
 brush; residue good bottom, timber Oak, Sugar, &c.

East Continued line between Sections 17 & 18.
 50 Out of Pipe Creek.
 5.50 Creek, 50 links wide, course S. E.

Township 4, Range 3-7 Ranges

Chs. Lks.	
8:00	A Road.
40:00	Set temporary Quarter Section Post.
42:00	Creek, 50 links
70:00	Same, course S. E.
81:36	Fell 43 links North of Post. This side steep hills, good soil; Timber, Oak, Sugar, &c.
North	On Random Line between Sections 17 & 23.
40:00	Set temporary Quarter Section Post.
79:00	Pipe creek, 50 links wide, course N. 70 E.
80:54	Fell 28 links West of temporary Center Post. This side, rich Sugar tree land.
North	Continued Random Line between Sections 18 & 24.
40:00	Set temporary Quarter Section Post.
79:38	Fell 3:30 links West of Post [on Township line.] High hill land; Timber, Oak, Sugar, &c.
	Corrected between Sections 17 & 18. Set Quarter Section Post at average measure; from which a W. Walnut, 14 ins. diam. bears S. 62 E. 33 links, and a Sugar, 9 ins. diam. bears N. 28 W. 25 links distant.
	Set Center Post at intersection of true lines, corner to Sections 17, 18, 23, 24; from which an Elm, 10 ins. diam. bears S. 75 E. 50 links, and an Elm, 15 ins. diam. bears N. 61 W. 75 links distant.
	Corrected between Sections 23 & 24. Set Quarter Section Post at average measure; from which a Sugar, 10 ins. diam. bears N. 22 W. 2 links, and a W. Oak, 15 ins. diam. bears S. 14 W. 20 links distant.

Township 4, Range 3-7 Ranges

Chs. Lks.	
	Corrected between Sections 17 & 23. Set Quarter Section Post at average measure; from which a W. Oak, 15 ins. diam. bears S. 9 E. 25 links, and a W. Oak, 12 ins. diam. bears N. 30 E. 14 links distant.
	Corrected between Sections 18 & 24. Set Quarter Section Post at average measure; from which a Sugar, 14 ins. diam. bears N. 9 E. 25 links, and a Lynn, 24 ins. diam. bears S. 57 W. 50 links distant.
East	On Random Line between Sections 11 & 12.
40:00	Set temporary Quarter Section Post.
80:00	Set temporary Center Post. This side steep River hills, very broken.
East	Continued Random Line between Sections 5 & 6.
37:50	A Brook, 10 links wide, course South.
45:00	Set temporary Quarter Section Post.
102:22	Fell 48 links North of Post (on Range Line.) First hill land; residue rich bottom, soil of 1st rate quality; Timber, Sugar, Oak, Ash, &c.
North	On Random Line between Sections 6 & 12.
37:00	A Run, 8 links wide, course East.
40:00	Set temporary Quarter Section Post.
80:20	Intersected true East and West line, 569 links East of temporary Center Post on Random Line. Here set Post, corner of Sections 5, 6, 11, 12; from which a Beech, 10 ins. diam. bears S. 24 W. 9 links, and a Beech, 10 ins. diam. bears S. 76 E. 10 links distant. This side steep rich hills; Timber, Sugar, Oak, Beech, &c.

6th. Sec.
 South 16.17 Between Sections 5411, T. 4, R. 3 - True Line.
 A Sugar, 10 ins. diam. is the corner of Sections
 5411, on the bank of the Ohio River.
 Very steep broken hills; Timber, Oak, Hickory, &c.
 Corrected between Sections 6412. Set Quarter
 Section Post at average measure; from which a
 Sugar, 13 ins. diam. bears N. 40 E. 5 links, and
 a Sugar, 16 ins. diam. bears S. 27 W. 45 links
 distant.

Corrected the line between Sections 546. Set
 Quarter Section Post at average measure;
 from which a Beech, 16 ins. diam. bears
 S. 18 W. 39 links, and a Beech, 15 ins. diam.
 bears N. 50 E. 32 links distant.

Corrected the line between Sections 11412. Set
 Quarter Section Post at average measure;
 from which a Red Oak, 22 ins. diam.
 bears S. 38 W. 25 links, and a R. Oak, 17 ins.
 diam. bears N. 72 E. 20 links distant.

South On Random Line between Sections 28434.
 40.00 Set temporary Quarter Section Post.
 40.50 A Creek, 30 links wide, course S. 20 E.
 48.00 Leave Creek, course S. 20 E.
 80.00 Set temporary Center Post.
 Rich hill land, very steep; Timber, Oak, Sa-
 gar, &c.; some Bottoms on the Creek.

South Continued Random line between Secs. 27433.
 25.00 A Creek, 150 links wide, course N. 80 E.
 40.00 Set temporary Quarter Section Post.

Ch. Sta.
 31.00 Sawe Creek, 150 links wide, course West.
 74.00 Sawe Creek, 150 links wide, course S. E.
 82.00 Fell 32 links West of Post.
 Rich bottom land along the creek, the residue
 rich hill land, steep and rocky; Timber,
 Sugar, &c. June 7th, 1805.

East On Random line between Sections 33434.
 40.00 Set temporary Quarter Section Post.
 80.00 Fell 72 links South of temporary Center Post.
 Land hilly, good soil; Timber, Oak, Hickory, &c.

East Continued Random Line, between Secs. 27428.
 16.00 A Brook, 20 links wide, course South.
 40.00 Set temporary Quarter Section Post.
 48.50 A Run, 6 links wide, course South.
 81.75 Fell 130 links North of Post.
 This whole steep hills, middling soil; Timber,
 Oak, Hickory, &c.

Corrected the line between Sections 27433. Set
 Dr. Sec. Post at average measure; from which
 a Sugar, 5 ins. diam. bears N. 84 E. 16
 links, and a Sugar, 5 ins. diam. bears N.
 77 W. 8 links distant.

Corrected the line between Secs. 28434. Set
 Dr. Sec. Post at average measure; from which
 a Sycamore, 30 ins. diam. bears N. 13 W. 72
 links, and a Sugar, 10 ins. diam. bears S. 81
 E. 28 links distant.

Corrected between Sections 27428. Set Dr. Sec.
 Post at average measure; from which a Sugar,

Township 4, Range 3-7 Ranges.

64. 1/2. 8 ins. diam. bears S. 77 E. 20 links, and a Sugar, 10 ins. diam. bears N. 88 W. 32 links distant.
 Set center Post at intersection of true lines, corner to Secs. 27, 28, 33, 34; from which a W. Walnut, 8 ins. diam. bears N. 62 E. 6 links, and a W. Ash, 10 ins. diam. bears S. 5 W. 25 links distant.
 Corrected the line between Secs. 33 & 34, and set Tr. Sec. Post at average measure, in a field; no bearing trees.

June 10, 1805

East On Random Line between Secs. 21 & 22.
 24.50 A Brook, 8 links wide, course South.
 40.00 Set temporary Quarter Section Post.
 78.00 A Brook, 8 links wide, course South.
 80.00 Set temporary center Post.
 This mile very steep, rich hills; Timber, Sugar, Oak, Walnut, &c.
 East On Random Line between Sections 15 & 16.
 40.00 Set temporary Quarter Section Post.
 84.47 Fell 446 links South of Post.
 Steep hills, middling soil; Timber, Oak, &c.
 South On Random Line, between Sections 16 & 22.
 40.00 Set temporary Quarter Section Post.
 62.00 A small Run, course South West.
 80.00 Fell 10 links East of average measure, on East and West Line.
 This mile steep hills, middling soil; Timber, Oak, Hickory, &c.

Township 4, Range 3-7 Ranges.

64. 1/2. South Continued Random Line between Secs. 15 & 21.
 40.00 Set temporary Quarter Section Post.
 72.50 A creek, 180 links wide, course East.
 80.00 Fell 20 links East of the Post.
 This mile middling good soil; Timber, Oak, Hickory, &c.

Corrected between Sections 15 & 16, and set Tr. Sec. Post at average measure, which is a B. Oak, 10 ins. diam. for corner.
 Set center Post at intersection of true lines, corner to Sections 15, 16, 21, 22; from which a Hickory, 9 ins. diam. bears S. 35 W. 6 links, and a Beech, 10 ins. diam. bears N. 26 W. 15 links distant.

Corrected between Sections 21 & 22, and set Tr. Sec. Post at average measure; from which a B. Oak, 20 ins. diam. bears N. 35 E. 35 links, and a B. Oak, 8 ins. diam. bears S. 66 W. 20 links distant.

Corrected between Sections 15 & 21, and set Tr. Sec. Post at average measure; from which a W. Oak, 18 ins. diam. bears S. 40 E. 23 links, and a W. Walnut, 14 ins. diam. bears N. 16 W. 18 links distant.

Corrected between Sections 16 & 22, and set Tr. Sec. Post at average measure; from which a W. Oak, 13 ins. diam. bears S. 34 W. 31 links, and a W. Oak, 14 ins. diam. bears S. 87 E. 10 links distant.

Township 4, Range 3-7 Ranges.

6hr. Lk.
 East On True line between Sections 9 & 10, T. 4, R. 3.
 33.00 A Run, 10 links wide, course S. E.
 40.00 Set Dr. Sec. Post, from which a Chestnut Oak,
 14 ins. diam. bears N. 59 E. 11 links, and a
 Chestnut Oak, 14 ins. diam. bears S. 22 W. 4
 links distant.
 58.00 A small Run, course South.
 80.00 Set Post, corner of Sections 3, 4, 9, 10; from
 which a W. Oak, 13 ins. diam. bears S.
 43 E. 28 links, and a R. Oak, 36 ins. diam.
 bears N. 38 W. 47 links distant.
 The first 33 chains good hill land, residue steep
 Run banks, and flat ridges, good soil; Tim-
 ber, Oak, Sugar, &c.

East On True Line between Sections 3 & 4, T. 4, R. 3.
 11.50 Down steep River hill, to the bank of the Ohio.
 Set Post, corner to Sections 3 & 4; from which
 a Sycamore, 40 ins. diam. bears N. 4 E. 62
 links, and a Hoop Ash, 14 ins. diam. bears
 S. 48 E. 40 links distant.

North On True Line between Sections 4 & 10.
 20.08 Down steep River hill, to the bank of the Ohio
 River. Set Post, corner to Sections 4 & 10; from
 which a Sugar, 16 ins. diam. bears N. 32 E.
 13 links, and a Sugar, 30 ins. diam. bears
 S. 35 W. 37 links distant.
 Rich soil; Timber, Oak, Sugar, &c.

South On Random Line between Sections 3 & 9.
 18.00 A Run, 14 links wide, runs S. 20 E.
 24.50 Same Run, course S. 20 W.
 40.00 Set temporary Quarter Section Post.

Township 4, Range 3.

6hr. Lk.
 78.00 A Brook, 15 links wide, course East.
 79.70 Fell 200 links East of Post.
 Land hilly, middling soil; Timber, Oak, Beech, &c.
 Corrected between Sections 3 & 9, and set Dr.
 Sec. Post at average measure; from which
 a Beech, 11 ins. diam. bears S. 4 W. 44 links,
 and a Beech, 10 ins. diam. bears N. 4 E. 40
 links distant.

West On Random Line between Sections 25 & 26.
 20.00 A Branch, 6 links wide, course S. E.
 40.00 Set temporary Quarter Section Post.
 41.50 A Run, 8 links wide, course South.
 80.00 Set temporary Center Post.
 This mile steep hills, good soil; Timber, Oak, &c.

West On Random Line between Sections 31 & 32.
 40.00 Set temporary Quarter Section Post.
 82.24 Fell 286 links South of Post.
 Land steep hills, middling soil; Timber, Oak, &c.

South On Random ^{line} between Sections 26 & 32.
 40.00 Set temporary Quarter Section Post.
 79.00 Fell 20 links East of Post set at average measure
 on True East and West line.
 This mile steep hills, middling soil; Timber, Oak, &c.

South Continued Random line between Sections 25 & 31.
 40.00 Set temporary Quarter Section Post.
 40.50 A Run, 6 links wide, course East.
 80.72 Fell 325 links East of Post.
 Soil and timber as last mile.

Township 4, Range 3-7 Ranges

Chs. Lks.
 Corrected between Sections 31 & 32. Made a Beech, 8 ins. diam, the Quarter Section corner. Set Section Post at intersection of true lines, for corner of Sections 25, 26, 31, 32; from which a Beech, 14 ins. diam. bears N. 45 E. 7 links, and a Sugar, 16 ins. diam. bears S. 36 E. 30 links distant.

Corrected between Sections 25 & 26. A Sugar, 12 ins. diam. at average measure, is Quarter Section corner.

Corrected between Sections 26 & 32, and set Dr. Sec. Post at average measure; from which a Sugar, 8 ins. diam. bears N. 15 W. 8 links, and a Dogwood, 6 ins. diam. bears S. 63 E. 24 links distant.

Corrected between Sections 25 & 31. A W. Oak, 14 ins. diam. is Quarter Section corner, at average measure.

South On Random Line between Sections 14 & 20.
 40.00 Set temporary Quarter Section Post.
 56.50 A Run, 20 links wide, course East.
 80.00 Set temporary Center Post.
 This mile good soil; Timber, Sugar, Oak, &c.

South Continued Random Line between Sections 13 & 19.
 40.00 Set temporary Quarter Section Post.
 60.00 A Run, 8 links wide, course East.
 77.76 Fell 376 East of Post [on Township Line.]
 This mile middling soil; Timber, B. & W. Oak, Sugar, &c.

Township 4, Range 3-7 Ranges

Chs. Lks.
 East On Random between Sections 19 & 20.
 20.00 Mill Dam.
 37.50 A Run, 8 links wide, course N. E.
 40.00 Set temporary Quarter Section Post.
 78.70 Fell 18 links South of temporary Center Post, set on N. & S. Random Line.
 This mile steep hills, middling soil; Timber, Oak.

East Continued Random Line between Secs. 13 & 14.
 40.00 Set temporary Quarter Section Post.
 81.67 Fell 262 links South of Post.
 This mile steep points of hills, middling soil; Timber, Oak, &c. June 11, 1805.

Corrected between Sections 13 & 19, and set Dr. Sec. Post at average measure; from which a W. Oak, 30 ins. diam. bears S. 30 W. 23 links, and a Maple, 10 ins. diam. bears N. 72 E. 20 links distant.

Corrected between Sections 13 & 14, and set Dr. Sec. Post at average measure; from which a W. Walnut, 9 ins. diam. bears N. 85 W. 13 links, and a B. Oak, 20 ins. diam. bears N. 20 E. 26 links distant.
 Set Center Post at intersection of true lines, corner to Sections 13, 14, 19, 20; from which a W. Oak, 12 ins. diam. bears S. 39 E. 7 links, and a Beech, 10 ins. diam. bears S. 76 W. 14 links distant.

Corrected between Sections 19 & 20, and set Quarter Section Post at average measure; from which a W. Walnut, 10 ins. diam. bears

Township 4, Range 3-7 Ranges

Chs. Lks.

Corrected between Sections 31 & 32. Made a Beech, 8 ins. diam, the Quarter Section corner. Set Section Post at intersection of true lines, for corner of Sections 25, 26, 31, 32; from which a Beech, 14 ins. diam. bears N. 48 E. 7 links, and a Sugar, 16 ins. diam. bears S. 36 E. 30 links distant.

Corrected between Sections 25 & 26. A Sugar, 12 ins. diam. at average measure, is Quarter Section corner.

Corrected between Sections 26 & 32, and set Dr. Sec. Post at average measure; from which a Sugar, 8 ins. diam. bears N. 15 W. 8 links, and a Dogwood, 6 ins. diam. bears S. 63 E. 24 links distant.

Corrected between Sections 25 & 31. A W. Oak, 14 ins. diam. is Quarter Section corner, at average measure.

South On Random Line between Sections 14 & 20.
40.00 Set temporary Quarter Section Post.
56.50 A Run, 20 links wide, course East.
80.00 Set temporary Center Post.
This mile good soil; Timber, Sugar, Oak, &c.

South Continued Random Line between Sections 13 & 19.
40.00 Set temporary Quarter Section Post.
60.00 A Run, 8 links wide, course East.
77.76 Fell 376 East of Post [on Township Line].
This mile middling soil; Timber, B. & W. Oak, Sugar, &c.

Township 4, Range 3-7 Ranges

Chs. Lks.

East On Random between Sections 19 & 20.
20.00 Mill Dam.

37.50 A Run, 8 links wide, course N. E.

40.00 Set temporary Quarter Section Post.

78.70 Fell 18 links South of temporary Center Post, set on N. & S. Random Line.

This mile steep hills, middling soil; Timber, Oak.

East Continued Random Line between Secs. 13 & 14.

40.00 Set temporary Quarter Section Post.

81.67 Fell 262 links South of Post.

This mile steep points of hills, middling soil; Timber, Oak, &c. June 11, 1805.

Corrected between Sections 13 & 19, and set Dr. Sec. Post at average measure; from which a W. Oak, 30 ins. diam. bears S. 30 W. 23 links, and a Maple, 10 ins. diam. bears N. 72 E. 20 links distant.

Corrected between Sections 13 & 14, and set Dr. Sec. Post at average measure; from which a W. Walnut, 9 ins. diam. bears N. 85 W. 13 links, and a B. Oak, 20 ins. diam. bears N. 20 E. 26 links distant.

Set Center Post at intersection of true lines, corner to Sections 13, 14, 19, 20; from which a W. Oak, 12 ins. diam. bears S. 39 E. 7 links, and a Beech, 10 ins. diam. bears S. 76 W. 14 links distant.

Corrected between Sections 19 & 20, and set Quarter Section Post at average measure; from which a W. Walnut, 10 ins. diam. bears

Township 4, Range 3-7 Range

Chw. Lk. N. 53 W. 14 links, and a Beech, 30 ins. diam. bears S. 53 E. 36 links distant.

Corrected between Sections 14 & 20, and set in Sec. Post at average measure; from which a W. Oak, 30 ins. diam. bears N. 63 E. 27 links, and a Cherry, 24 ins. diam. bears S. 25 E. 40 links distant.

South On Rainbow line between Sections 2 & 8. 39.50 Set temporary Quarter Section Post. 80.00 Set temporary Center Post. This mile good hill land; Timber, Sugar, Oak.

East Between Sections 7 & 8, T. 4, R. 3. 40.00 Set temporary Quarter Section Post. 53.00 A Road. 58.00 A creek, 200 links wide, course S. 20 E. Foot of an Island.

83.25 Fell 121 links North of Post set for temporary Center. Here set Post for the corner of Sections 1, 2, 7, 8; from which an Elm, 18 ins. diam. bears S. 76 W. 49 links, and a W. Walnut, 10 ins. diam. bears S. 86 E. 56 links distant. This mile first rate hill and bottom land.

East On True Line between Sections 1 & 2. 40.00 Set Quarter Section Post; from which a B. Walnut, 24 ins. diam. bears N. 79 W. 25 links, and an Elm, 12 ins. diam. bears East 7 links distant.

56.00 Set Post on River bank; from which a Sugar, 12 ins. diam. bears S. 9 W. 10 links, and an

Township 4, Range 3-7 Ranges.

Chw. Lk. Elm, 24 ins. diam. bears N. 65 W. 30 links distant. Land first rate Bottom; Timber, Sugar, Oak, Ash.

South On True Line between Sections 1 & 7. 14.50 A creek, 200 links wide, course East. 40.00 Set Post on the River bank; from which a Sycamore, 30 ins. diam. bears S. 78 W. 9 links, and an Elm, 18 ins. diam. bears N. 49 E. 58 links distant. Rich Bottom land; Timber, Sugar, Oak, &c.

Between Sections 2 & 8, T. 4, R. 3. Set Quarter Section Post; from which a B. Ash, 14 ins. diam. bears S. 42 E. 32 links, and a B. Ash, 14 ins. diam. bears N. 32 W. 30 links distant.

Between Sections 7 & 8, T. 4, R. 3. Set Quarter Section Post; from which a Sugar, 14 ins. diam. bears S. 83 W. 56 links, and a Hoop Ash, 10 ins. diam. bears N. 73 E. 22 links distant.

Surveyed in June, 1805, by

Levi Barber,

Deputy Surveyor.

(Omitted at page 61.)

South Corner of Sections 35 & 36, of Town 1, Range 2.
 6.00 To Bottom land.
 17.59 Which added to 62.25, makes 80.04, the distance from the Township corner.
 80.04 Put a Post, corner to Sections 5 & 6, of Town 4, Range 3; where a Beech, 9 ins. diam. bears N. 20 1/2 W. 12 links, and a Poplar, 24 ins. diam. bears S. 33 W. 20 links distant.

Chs. Lks.

North Boundary.

Beginning at [a Post] the North East corner of Township 6, in Range 4, [which is the North West corner of this Township] where a W. Oak, 30 ins. diam. bears S. 70 W. 27 1/2 links, and a W. Oak, 12 ins. diam. bears S. 18 E. 31 1/2 links distant. Thence on North Boundary -
 East 1st Mile - [North side of Section 36, T. 5, R. 3.]
 25.72 A Hickory, 7 inches diameter.
 43.11 A B. Oak, 14 inches diameter.
 56.38 A W. Oak, 9 inches diameter.
 78.50 A Rivulet, 5 yards wide, runs S. E.
 80.00 Set Post, [corner to Secs. 30 & 36] from which a W. Oak, 14 ins. diam. bears S. 6 W. 13 links, and a W. Oak, 18 ins. diam. bears N. 10 1/2 E. 43 links distant.
 On the first 76 chains the land is uneven, and the soil thin, shaded with Beech, Maple, Hickory, Oak. The remainder of the mile is through a Bottom, the soil of which is of a quality fully answerable to the production of grass; Timber, Oak, Maple, Hickory and Sycamore.
 East 2^d Mile - [North side of Section 30, T. 5, R. 3.]
 10.60 A W. Oak, 16 inches diameter.
 21.85 A B. Oak, 20 inches diameter.
 41.66 A W. Oak, 12 inches diameter.
 47.50 A Rivulet, 4 yards wide, runs South.
 80.00 Set Post, [corner to Sections 24 & 30] from which a Red Oak, 24 ins. diam. bears N. 35 W. - links, and a W. Oak, 18 ins. diam. bears S. - links distant.

Soil thin, but would produce wheat a number of years without manure; land very uneven, and the hills high and steep; Timber, Oak, Hickory and Maple.