

(Omitted at page 61.)

South Corner of Sections 35 & 36, of Town 1, Range 2.
 6.00 To Bottom land.
 17.59 Which added to 62.25, makes 80.04, the distance from the Township corner.
 80.04 Put a Post, corner to Sections 5 & 6, of Town 4, Range 3; where a Beech, 9 ins. diam. bears N. 20 1/2 W. 12 links, and a Poplar, 24 ins. diam. bears S. 33 W. 20 links distant.

Chs. Lks.

North Boundary.

Beginning at [a Post] the North East corner of Township 6, in Range 4, [which is the North West corner of this Township] where a W. Oak, 30 ins. diam. bears S. 70 W. 27 1/2 links, and a W. Oak, 12 ins. diam. bears S. 18 E. 31 1/2 links distant. Thence on North Boundary -
 East 1st Mile - [North side of Section 36, T. 5, R. 3.]
 25.72 A Hickory, 7 inches diameter.
 43.11 A B. Oak, 14 inches diameter.
 56.38 A W. Oak, 9 inches diameter.
 78.50 A Rivulet, 5 yards wide, runs S. E.
 80.00 Set Post, [corner to Secs. 30 & 36] from which a W. Oak, 14 ins. diam. bears S. 6 W. 13 links, and a W. Oak, 18 ins. diam. bears N. 10 1/2 E. 43 links distant.
 On the first 76 chains the land is uneven, and the soil thin, shaded with Beech, Maple, Hickory, Oak. The remainder of the mile is through a Bottom, the soil of which is of a quality fully answerable to the production of grass; Timber, Oak, Maple, Hickory and Sycamore.
 East 2^d Mile - [North side of Section 30, T. 5, R. 3.]
 10.60 A W. Oak, 16 inches diameter.
 21.85 A B. Oak, 20 inches diameter.
 41.66 A W. Oak, 12 inches diameter.
 47.50 A Rivulet, 4 yards wide, runs South.
 80.00 Set Post, [corner to Sections 24 & 30] from which a Red Oak, 24 ins. diam. bears N. 35 W. - links, and a W. Oak, 18 ins. diam. bears S. - links distant.

Soil thin, but would produce wheat a number of years without manure; land very uneven, and the hills high and steep; Timber, Oak, Hickory and Maple.

Township 5, Range 3-7 Ranges.

Chs. Lks.	
East	3 ^d Mile [North side of Section 24, T. 5, R. 3.]
7.00	A Rivulet, 6 yards wide, runs South. 50 links South of the line, is a perpendicular fall of 12 feet; - little water in dry seasons.
18.35	A W. Oak, 8 inches diameter.
26.00	A Sugar, 14 inches diameter.
48.34	A W. Oak, 24 inches diameter.
52.80	A branch of Mc Mahan's creek, 5 yards wide, runs S.
59.00	Same branch, runs N. 78° E.
67.90	Same branch, runs South.
80.00	Set Post, [corner to Sections 18 & 24,] from which a Hickory, 12 ins. diam. bears N. 49 $\frac{1}{2}$ ° E. 19 links, and a Hickory, 8 ins. diam. bears S. 54 $\frac{1}{2}$ ° E. 17 links distant.
	On the first 40 chains the land is uneven, the hills steep, and the soil thin; Timber, Oak and Hickory. The next 8 chains is down an easterly descent, of good land. From 48 to 70 chains, the line passes over a rich bottom, shaded with Maple, Oak, Hickory, B. & W. Walnut and Cherry. Through this bottom meanders of Mc Mahan's creek. The remainder of the mile, up an East ascent, steep, soil rich, answerable to the production of indian corn or wheat; Timber, Oak, Hickory, and B. Walnut.
East	4 th Mile [North side of Section 18, T. 5, R. 3.]
9.02	A Red Oak, 20 inches diameter.
12.94	A W. Oak, 10 inches diameter.
29.12	A Hoop Ash, 10 inches diameter.
33.76	A B. Walnut, 14 inches diameter. 50 links S. W. of this tree, is a bank of stone coal, and a Deer Lick.
54.00	Mc Mahan's creek, 16 yards wide, runs N. 80° E.
80.00	Set Post, [corner of Sections 12 & 18,] from which a Sugar, 10 ins. diam. bears N. 42° W. 24 links,

Township 5, Range 3-7 Ranges.

Chs. Lks.	
	and a R. Oak, 24 ins. diam. bears N. 11° E. 57 links distant.
	The first 35 chs. the land is very uneven, hills high and steep, soil thin; Timber, Oak and Hickory. - From 35 to 65 chs. through an excellent bottom, the soil rich, shaded with B. & W. Walnut, Sycamore, Hickory, Oak and Honey Locust. The remainder of the mile runs along the side of an exceedingly steep hill, descending to the South into the aforesaid bottom, too steep for tillage; Timber, Oak and Hickory.
East	5 th Mile [North side of Section 12, T. 5, R. 3.]
12.73	A Sugar, 20 inches diameter.
16.34	Mc Mahan's creek, --- links wide, runs S. E.
24.68	A W. Oak, 16 inches diameter.
64.07	A Maple, 10 inches diameter.
71.00	Mc Mahan's creek, --- links wide, runs N. W.
80.00	Set Post, [corner to Sections 6 & 12,] from which a Hoop Ash, 14 ins. diam. bears N. 16 $\frac{1}{2}$ ° E. 17 links, and a W. Walnut, 12 ins. diam. bears S. 33 $\frac{1}{2}$ ° W. 26 links distant.
	The first 5 chs. is down a very steep descent to the East, poor land. From 5 to 24 chs. over an exceedingly rich bottom, shaded with Sycamore, and B. & W. Walnut. From 24 to 65 chs. over uneven land, hills very steep, and soil thin; Timber, Oak and Hickory. The remainder of the mile bottom land, like the bottom above described.
East	6 th Mile [North side of Section 6, T. 5, R. 3.]
5.62	A Sugar, 12 inches diameter.
11.00	Mc Mahan's creek, --- links wide, runs S.; a small island.

Township 5, Range 3-7 Ranges.

Chs. Lk.
 16.00 Over Island, to the other branch of Creek, near S.
 28.05 A W. Oak, 8 inches diameter.
 52.30 A Hickory, 10 inches diameter.
 70.12 A W. Ash, 9 inches diameter.
 80.00 Set Post, [for North East corner of Township,] where
 a W. Oak, 12 ins. diam. bears S. 57 W. 35
 links, and a R. Oak, 14 ins. diam. bears S.
 68 E. 14 links distant.
 Land, first 20 chs. the bottom last mentioned on
 5th Mile. The remainder is uneven, soil
 suitable for wheat; Timber, Oak, Hickory, Sa-
 gas, B. Walnut.

East Boundary.

South 1st Mile - [along the East side of Section 6,
 from the North East corner of the Township.]
 80.00 A Sugar tree, 36 inches diameter, [is corner
 for Sections 5 & 6.]
 The soil at this corner is rich, but on this
 mile it is in general of a poor quality; some
 of the hills are too steep to be tilled.

South 2nd Mile - [East side of Section 5, T. 5, R. 3.]
 1.20 A B. Oak, 14 inches diameter.
 80.00 Set Post, [corner to Sections 4 & 5,] from which
 a W. Oak, 10 ins. diam. bears N. 31 E. 18 1/2 links,
 and a W. Oak, 14 ins. diam. bears S. 37 W.
 25 links distant.
 Soil, this mile, generally of a good quality.

South 3rd Mile - [East side of Section 4, T. 5, R. 3.]
 80.00 Set Post, [corner to Sections 3 & 4,] from which
 a Beech, 12 ins. diam. bears S. 13 W. 25 links,
 and a Lynn, 14 ins. diam. bears S. 32 E. 21
 links distant.

Township 5, Range 3-7 Ranges.

Chs. Lk.
 Land, first 40 chains good; residue generally
 poor.
 South 4th Mile - [East side of Section 3, T. 5, R. 3.]
 80.00 Set corner [to Sections 2 & 3,] at which a R. Oak,
 24 ins. diam. is the corner tree, and is notched
 on E. W. N. & S. sides, and blazed on N. & S. sides.
 The soil is generally of a good quality, and
 some parts rich; Timber, in general, W. & B. Oak,
 in some places Ash, W. & B. Walnut.

South 5th Mile - [East side of Section 2, T. 5, R. 3.]
 15.00 A Deer Lick 50 links East of line.
 36.50 A W. Oak, 36 inches diameter.
 80.00 A Poplar, 48 ins. diam. [is corner of Secs. 1 & 2,]
 marked on the E. W. N. & S. sides with 5 notches,
 and blazed on N. & S. sides.
 Forty chs. of this mile, the soil is of a middling
 good quality, but the remainder is generally
 poor.

South 6th Mile - [East side of Section 1, T. 5, R. 3.]
 40.00 A W. Oak, 30 inches diameter.
 80.00 An Ash, 6 ins. diam. [corner of this Township,]
 marked 6 notches and a blaze on N. & S.
 sides, and 6 notches on the E. & W. sides.
 The soil is generally very rich; timbered with
 Walnut, Oak, Hickory, Sugar, Ash.

West Boundary.

Beginning at the North East corner of Township 6, in
 Range 4. A Post, from which a W. Oak, 30
 ins. diam. bears S. 70 W. 27 1/2 links, and a W. Oak,
 12 ins. diam. bears S. 18 E. 31 1/2 links distant.

Township 5, Range 3-7 Ranges

Chs. Lks.

Thence on West Boundary of the Township.

South 1st Mile - [West side of Section 36, T. 5, R. 3.]

7.00 A branch of Mc Mahan's creek.

18.97 A W. Oak, 18 inches diameter.

33.49 A Red Oak, 15 inches diameter.

53.08 A W. Oak, 30 inches diameter.

80.00 Set Post, [corner to Sections 35 & 36,] from which a W. Oak, 18 ins. diam. bears S. 44 W. 23 links, and a Lymn, 18 ins. diam. bears S. 12° 8' W. 34 links distant.

Hills most improvable. First 40 chs. and last 20 chs. land generally of a good quality, equal to the production of wheat or indian corn; from 40 to 60 chs. a thin soil, answerable to the production of wheat; Timber, Oak & Hickory, and there grows Ash, Poplar, B. & W. Walnut.

South 2^d Mile - [West side of Section 35, T. 5, R. 3.]

17.25 A Sugar, 8 inches diameter.

20.00 Entered a Bottom.

31.65 Mc Mahan's Creek, 100 links wide, runs S. 70 E.

46.70 A Stream, 40 links wide, runs S. 80 E.; a Bottom, 5 chs. 30 lks. wide.

50.00 A Sugar, 30 inches diameter.

80.00 Set Post, [corner to Sections 34 & 35,] from which a Hickory, 18 ins. diam. bears N. 25 1/2 E. 22 1/2 links, and a Sugar, 18 ins. diam. bears S. 57 1/2 E. 43 links distant.

The uplands along this mile are of a good soil, except the south side of a high ridge, which divides Mc Mahan's creek from the branch, where the soil is thin, mixed with sandstone; and this (S.) side of the ridge

Township 5, Range 3-7 Ranges

Chs. Lks.

is too steep to be cultivated. The appearance of Stone coal on the north side of the ridge, and the south side of Mc Mahan's creek, indicates a coal mine. The beds of the creek and branch are covered with limestone, and the intervals [intervals?] through which they run are exuberantly rich, shaded with Buckeye, B. & W. Walnut, Sugar and Sycamore. The upland is timbered with Oak, Hickory, Ash, Walnut, Locust and Sugar.

South 3^d Mile - [West side of Section 34, T. 5, R. 3.]

15.19 A W. Oak, 26 inches diameter.

27.25 A W. Oak, 18 inches diameter.

30.10 A Branch, - links wide, runs nearly East.

57.00 A Branch, 1 yard wide, runs East.

58.90 A W. Oak, 8 inches diameter.

80.00 Set Post, [corner to Sections 33 & 34,] from which a Gum, 6 ins. diam. bears N. 57 1/2 W. 10 links, and a B. Oak, 20 ins. diam. bears N. 33° 8' E. 25 1/2 links distant.

The hills along this mile are tillageable, and the soil answerable to the production of wheat, rye and barley; Timber, Oak, Hickory & Cherry

South 4th Mile - [West side of Section 33, T. 5, R. 3.]

31.98 A W. Oak, 15 inches diameter.

42.04 A Hickory, 12 inches diameter.

71.50 Entered a Bottom.

73.00 A Branch, 2 1/2 yard wide, runs S. 70 E.

74.23 A W. Oak, 6 inches diameter.

80.00 Set Post, [corner to Secs. 32 & 33,] from which a Chestnut, 12 ins. diam. bears S. 80 W. 19 lks., & a Poplar, 18 ins. diam. bears N. 42 1/2 E. 8 links distant.

Township 5, Range 3-7 Ranges.

Chs. Lks.
The upland is generally unsuited for the production of wheat, or good crops of indian corn; Timber B. W. R. & Spruce Oak, Ash, W. Walnut, and Hickory. The bottom through which the Brook runs, is proper for meadow or tillage.

South 5th Mile - [West side of Section 32, T. 5, R. 3.]

- 26.00 A W. Oak, 11 inches diameter.
- 30.08 A Branch runs through a bottom 2 1/2 chs. wide.
- 37.60 A Red Oak, 16 inches diameter.
- 52.60 A Branch, 3 yards wide, runs S. 75 E. through a Bottom 2 chs. wide.
- 51.31 A Sugar, 7 inches diameter.
- 76.40 The line cuts a Bottom.
- 77.20 A Branch, 2 1/2 yards wide, runs N. 80 E.
- 79.00 A Branch, 2 1/2 yards wide. - These unite 1/2 ch on the right [left?]

80.00 Set Post, [corner to Sections 31 & 32] from which a Red Elm, 9 ins. diam. bears S. 26 W. 53 Ms, and a Red Oak, 30 ins. diam. bears S. 42° 50' E. 60 links distant.

Upland along this mile are proper for the cultivation of wheat, timbered with Oak and Hickory. Bottom excellent for meadow, shaded with W. R. Oak, Sugar, Cherry, Plum. From 66 to 76 chs. the soil is thin, and the land stony.

South 6th Mile - [West side of Section 31, T. 5, R. 3.]

- 15.30 A W. Oak, 17 inches diameter.
- 30.40 A Branch, 1 1/2 yards wide, runs S. 30 E.
- 34.51 A Hickory, 7 inches diameter.
- 56.08 A Red Oak, --- inches diameter.
- 67.70 A Branch, 2 yard wide, runs S. 80 E.

Township 5, Range 3-7 Ranges.

- Chs. Lks.
70.24 A Red Oak, 20 inches diameter.
- 80.00 Set Post, [South West corner of Township,] where a B. Oak, 20 ins. diam. bears S. 15 1/2 W. 13 1/2 Ms, and a Hickory, 13 ins. diam. bears S. 26° 11' E. 22 1/2 links distant.

This line continued (2) 1 chain 71 links, is [at that point] 93 links due East of the North East corner of Township 5, in Range 4.

This mile tillable land; the North sides of the hills would produce good crops of indian corn, the South sides good wheat land; Timber, W. R. & B. Oak, Hickory, Poplar, Sugar, Ash.

South Boundary.

Beginning at Post, North East corner of Township 5, in Range 4, [from which Post] a Red Oak, 20 ins. diam. bears N. 3 1/2 W. 22 links, and a W. Oak, 18 ins. diam. bears S. 8 W. 48 1/2 links distant.

Thence along South Boundary of this Township - East 1st Mile - [South side of Section 31, T. 5, R. 3.]

- 17.50 A Branch, 3 yards wide, runs S. 60 E. through a Bottom 2 1/2 chains wide.
- 19.00 A Gum, 11 inches diameter.
- 44.90 A B. Oak, 16 inches diameter.
- 49.14 A W. Oak, 8 inches diameter.
- 62.07 A W. Oak, 8 inches diameter.

80.00 Set Post, [corner of Sections 25 & 31,] from which a R. Oak, 16 ins. diam. bears N. 69 W. 10 links, and a W. Oak, 14 ins. diam. bears S. 31 E. 40 links distant.

Land, the first 50, and the last 5 chains, tillable hills, of a soil suitable to the production of wheat; Timber, Oak, Ash, Hickory, and there grows Poplar and W. Walnut. From 50 to 75 chs. is on

Township 5, Range 3-7 Ranges

The North side of a ridge, rich land, would produce large crops of indian corn, shaded with B. & W. Walnut, Sugar, Hickory, Ash, Oak, Cherry, Beech and Poplar.

East 2^d Mile - [South side of Section 25, T. 5, R. 3.]

2.70 A Brook, 2 1/2 yards wide, runs S. 80 E.

21.38 A Maple, 16 inches diameter.

32.90 A small Branch, 2 feet wide, runs S. 10 W.

44.50 A Branch, 4 feet wide, S. 10 W.

49.40 A B. Oak, 20 inches diameter.

57.50 A Brook, 1 yard wide, runs S. 10 E.

61.60 A Beech, 11 inches diameter.

80.00 Set Post, [corner to Sections 19 & 25,] from which a Hickory, 8 ins. diam. bears S. 78 3/4 W. 7 1/2 W., and a B. Oak, 26 ins. diam. bears S. 32 5/2 E. 5 1/2 links distant.

The first 23 1/2 chains the line ran alternately on the sides of, and between, two high ridges of rich ^{from 23 to 40 chs. over ridges of thin soil and stony land} stony land, so steep as to render their cultivation difficult; Timber, Oak, Hickory and Dogwood. From 40 to 50 1/2 chains down a steep Eastern descent, and up an ascent; land of good quality, but stony, and cultivation difficult; Timber, Oak, Ash and Hickory, Poplar, B. & W. Walnuts, the latter not plenty. From 50 1/2 to 68 1/2 chs. the soil is thin, but would yield good wheat; Timber, Oak and Hickory. From 68 1/2 chs. to end, rich land, may be easily tilled, shaded with B. & W. Walnut, Sugar, Ash and Poplar.

East 3^d Mile - [South side of Section 19, T. 5, R. 3.]

12.75 A Rivulet, 45 links wide, runs S. 30 E.

14.15 A W. Oak, 18 inches diameter.

Township 5, Range 3-7 Ranges

Chs. Lks.

30.72 A W. Oak, 36 inches diameter.

42.00 A Stream, 23 links wide, runs S. 30 E.

45.00 A Stream, 18 links wide, runs S. 40 W.

51.40 A Branch, 1 yard wide, runs N. 75 W.

80.00 Set Post, [corner to Sections 13 & 19,] from which a W. Oak, 15 ins. diam. bears S. 29 3/4 W. 24 links, and a Hickory, 10 ins. diam. bears N. 43 3/4 E. 20 links distant.

Just 14 chs. down an easterly descent of rich land, shaded with Oak, Sugar, Cherry, Poplar, Ash, Hickory, B. & W. Walnut. From 14 to 22 1/2 chs. & from 42 to 55 chs. the land much broken, and the cultivation of it would be difficult; Timber, Oak, Ash and Hickory. From 22 1/2 to 42 chs. and from 55 to the end of the mile, up a steep ascent, and on the top of a ridge of land, equal to the production of wheat, or good crops of indian corn, shaded with Red, Blk. & W. Oak, Hickory, Ash, Sugar, Poplar.

East 4th Mile. - [South side of Section 13, T. 5, R. 3.]

14.90 A Stream, 25 links wide, runs S. 35 E.

26.24 A W. Oak, 14 inches diameter.

55.46 A W. Oak, 36 inches diameter.

56.00 A Stream, 12 links wide, runs S. 60 E.

80.00 Set Post, [corner to Sections 7 & 13,] from which a B. Oak, 26 ins. diam. bears S. 71 1/2 E. 10 1/2 W., and a W. Oak, 15 ins. diam. bears N. 30 3/4 E. 26 1/2 links distant.

The first 15 chs. and from 36 to 50 1/2 chs. down the sides of two high ridges, rich land, shaded with B. & W. Walnut, Sugar, Maple, Poplar, Cherry, Oak, Ash, Hickory, Beech, Elm, Linn, & Peppercorn. From 15 to 36 chs. and from 50 1/2 to 65 chs. the

Township 5, Range 3-7 Ranges.

chs. lks.

land is poor and untillable. The last 15 chs. of this mile, on the top of a ridge of good land, which would produce good crops of indian corn, shaded with Oak and Hickory.

- East 5th Mile. [South side of Section 7, T. 5, R. 3.]
- 30.00 A Stream, 25 links wide, runs S. 30 E.
- 31.53 A Maple, 6 inches diameter.
- 37.90 A Branch, 2 yards wide, runs —
- 62.98 A Beech, 16 inches diameter.
- 80.00 Set Post, [corner to Sections 1 & 7,] from which a Sugar, 12 ins. diam. bears N. 7 E. 15 links, and a Sugar, 12 ins. diam. bears S. 66 1/2 W. 16 1/2 links distant.

The first 19 chs. on the top of a high ridge, the land of a quality equal to the production of good crops of indian corn; Timber, Oaks of various kinds, Hickory, Poplar and Sugar. From 19 to 30 chs. and from 42 1/2 to 60 chs. down the sides of two ridges, very steep; and the last 15 chs. of this mile over moderate rises and descents, the land is exuberantly rich, shaded with W. & B. Walnut, Ash, Sugar and Buckeye. From 30 to 42 1/2 chs. up the side of a high ridge, and from 60 to 65 chs. the land is poor, and the cultivation difficult; Timber, Oak & Hickory.

- East 6th Mile [South side of Section 1, T. 5, R. 3.]
- 30.50 A Stream, 80 links wide, runs S. 50 E.
- 35.60 A W. Oak, 16 inches diameter.
- 55.94 A Sugar, 17 inches diameter.
- 58.00 A Branch, 30 links wide, runs S. 20 W.
- 80.00 Set Post, [corner to Section 1,] South East corner of this Township; from which a Sugar,

Township 5, Range 3-7 Ranges.

chs. lks.

14 ins. diam. bears N. 13 1/4 W. 15 links, and a Sugar, 16 ins. diam. bears S. 26 1/2 E. 49 links distant.

The first 35 chs. the land is exuberantly rich, shaded with Sugar, Cherry, Poplar, Locust, Buckeye, B. & W. Walnut. The bed of the stream is covered with limestone, and on its margin there is stone coal. From 35 to 50 chs. up the S. W. side of a steep high ridge, progressively gaining the top; land stony, soil sufficiently strong to produce wheat, but the cultivation is impracticable; Timber, Oak, Ash, Hickory and Pepperage. From 50 to 60 chs. down a steep descent, and over the bottom through which the Branch runs; the land is rich, and excellent for meadow, shaded with B. & W. Walnut, Cherry, Sugar, Buckeye, Sycamore. From 60 to 73 1/2 chs. up the sides of a mountain, the perpendicular height of which is 800 feet, too steep for tillage; soil thin, the land stony; Timber, Oak, Ash, Hickory, Beech. The last 6 1/2 chs. of this mile, down a gentle descent of rich land, shaded with Sugar, Oak, and W. Walnut.

Trees in the line are marked with one notch on each side, in line. Trees at the corner of Townships, with 6 notches and a blaze below them. Those at the corners of lots [i.e. sections] with notches denoting the number of miles from the Township corner where the line commenced. At the end of each mile, fixed a Post, notched as the trees.

Township 5, Range 3-7 Ranges

Surveyed in 1786, by

Isaac Sherman, Surveyor
from Connecticut.

Township 5, Range 3-7 Ranges

April 18th, 1801.

Found the Town Corner, West of the Range
Line. Then run East 11 chains 74 links, to
the Range Line; where a W. Oak, 11 inches
diameter, bears N. 55 $\frac{1}{2}$ E. 27 links, and a Beech,
7 ins. diam. bears S. 20 $\frac{1}{2}$ W. 9 links distant.
Trees marked by plan. Then -

Beginning at the South East corner of Town-
ship No. 5, in Range No. 3. Thence -

- North On East Boundary of Section 1.
15.00 A Brook, 5 links wide, runs S. 45 W.
17.33 S. W. Corner of Town 2, in the 3^d Range.
40.00 A Brook, 4 links wide, course W.
54.75 A B. Oak, 16 inches diameter.
57.50 A W. Oak, 30 inches diameter.
80.00 1 Mile Post, corner to Sections 1 & 2; from which
a Beech, 12 ins. diam. bears S. 32 E. 33
links, and a Spruce, 15 ins. diam. bears N.
45 W. 21 $\frac{1}{2}$ links distant. Trees marked by
plan.

Over very hilly land, soil of a middling qual-
ity; Timber, Oak, Hickory, some Sugar trees
and Beech.

- North Continued, on East Boundary of Section 2.
22.00 Weege Creek, 40 links wide, East
54.96 A B. Walnut, 12 inches diameter.
61.43 A W. Oak, 34 inches diameter.
67.50 A Brook, 3 links, East.
73.00 A Brook, 2 links, East.
74.50 A Brook, 8 links, S. 45 E.
80.00 2 Mile Post, corner to Sections 2 & 3; from which
a Beech, 16 ins. diam. bears N. 53 W. 33
links, and a Beech, 11 ins. diam. bears

Township 5, Range 3-7 Ranges

66.40 links distant. Trees marked by plan.
 Over very hilly land, soil good; Timber, Oak, Hickory, some Beech, Sugar, Ash, &c.

North continued, on East Boundary of Section 3.
 42.92 A Beech, 10 inches diameter.
 46.50 A Brook, 3 links, N. 10 E.
 51.00 A Brook, 12 links, East.
 55.62 A B. Oak, 48 inches diameter.
 60.12 A M. Oak, 36 inches diameter.
 63.20 A B. Oak, 20 inches diameter.
 80.00 3 Mile Post, corner to Sections 3 & 4; from which a Sugar, 12 ins. diam. bears N. 5 E. 24 links, and a Sugar, 10 ins. diam. bears S. 55 W. 7 links distant. Trees marked by plan.
 Land same as the last mile.

North continued, on East Boundary of Section 4.
 17.50 A Brook, 8 links, E.
 28.00 A Brook, 10 links, E.
 35.00 A Brook, 6 links, S. 10 E.
 80.00 4 Mile Post, corner to Sections 4 & 5; from which a Sugar, 17 ins. diam. bears S. 12 W. 3 links, and a Sugar, 11 ins. diam. bears N. 23 E. 7 1/2 links distant. Trees marked by plan.
 Land same.

North continued, on East Boundary of Section 5.
 5.41 A Hickory, 12 inches diameter.
 7.00 A Brook, 12 links, W.
 15.50 A Brook, 2 links, W.

Township 5, Range 3-7 Ranges

66.40 links distant. Trees marked by plan.
 Over very hilly land, soil good; Timber, Oak, Hickory, some Beech, Sugar, Ash, &c.

37.00 A Creek, 40 links, East.
 63.73 A Chestnut, 32 inches diameter.
 66.63 A M. Oak, 24 inches diameter.
 71.63 A B. Oak, 46 inches diameter.
 80.00 5 Mile Post, corner to Sections 5 & 6; from which an Elm, 7 ins. diam. bears S. 10 W. 22 links, and a Beech, 13 ins. diam. bears N. 25 W. 33 links distant. Trees marked by plan.
 Land same.

North continued, East Boundary of Section 6.
 6.00 Mc Mahons Creek, 100 links wide, course N. 60 E.
 9.00 A M. Oak, 12 inches diameter.
 56.32 A B. Oak, 23 inches diameter.
 67.16 A M. Oak, 13 inches diameter.
 80.00 6 Mile corner not found
 82.00 New Post set, from which a Sugar, 13 ins. diam. bears S. 29 W. 21 1/2 links, and a Poplar, 28 ins. diam. bears N. 67 E. 22 1/2 links distant.
 Land same. April 18, 1801.

Began at the S. E. corner of Section 1. Thence
 West On South Boundary of Section 1.
 5.33 A Brook, 7 links, S.
 11.74 Old corner.
 13.96 A M. Walnut, 8 inches diameter.
 19.44 A M. Oak, 12 inches diameter.
 21.00 A B. Oak, 14 inches diameter.
 36.00 A Brook, 12 links, S.
 36.46 A Sugar, 17 inches diameter.
 44.82 A Hickory, 9 inches diameter.
 49.30 A Beech, 6 inches diameter.

Township 5, Range 3-7 Ranges

Ch. Lk.	
57.50	A Brook, 3 links, S.
60.50	A Brook, 40 links, S. 70 E.
80.00	1 Mile Post, corner to Sections 1 & 7; from which an Ash, 9 ins. diam. bears N. 22 W. 2 1/2 links, and an Ash, 9 ins. diam. bears S. 19 E. 14 links distant. Trees marked by plan. Over steep hills, rich soil; Timber, Oak, Hickory, Sugar tree, Beech, Poplar, &c.
West Continued, on South Boundary of Section 7.	
4.06	A Sugar tree, 6 inches diameter.
13.50	A Brook, 3 links, S.
13.91	A Sugar tree, 12 inches diameter.
15.83	A W. Walnut, 18 inches diameter.
27.64	A W. Oak, 7 inches diameter.
35.50	A Brook, 6 links, S.
61.18	A Beech, 12 inches diameter.
64.00	A Brook, 12 links, S.
67.27	A W. Oak, 13 inches diameter.
80.00	2 Mile Post, corner to Sections 7 & 13; from which a B. Oak, 16 ins. diam. bears East 37 links, and a W. Oak, 42 ins. diam. bears S. 42 1/2 W. 44 1/2 links distant. Trees marked by plan. Over hilly land, good soil; Timber, Oak, Hickory, Sugar tree, Beech, Poplar, &c.
North Between Sections 7 & 13.	
8.18	A Poplar, 32 inches diameter.
10.00	A Brook, 3 links, N. 45 E.
13.00	A Brook, 9 links, E.
29.00	A Brook, 3 links, N. 20 E.
44.00	A Brook, 15 links, E; rapidly.

Township 5, Range 3-7 Ranges

Ch. Lk.	
50.44	A Sugar tree, 13 inches diameter.
66.09	A W. Oak, 7 inches diameter.
80.00	1 Mile Post, corner to Sections 7, 8, 13, 14; from which a W. Oak, 12 ins. diam. bears N. 71 W. 18 links, and a B. Oak, 16 ins. diam. bears S. 42 E. 30 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak, Hickory, Beech, &c.
North Continued, between Sections 8 & 14.	
14.23	A Beech, 14 inches diameter.
13.67	A Beech, 11 inches diameter.
25.50	Wedge Creek, 30 links wide, C. Road leads W.
33.50	A Brook, 5 links, E.
48.00	A Brook, 12 links, S. 20 E.
50.18	A Sugar tree, 13 inches diameter.
60.67	A W. Oak, 30 inches diameter.
62.55	A B. Oak, 17 inches diameter.
80.00	2 Mile Post, corner to Sections 8, 9, 14, 15; from which a W. Oak, 16 ins. diam. bears S. 15 E. 9 links, and a Beech, 10 ins. diam. bears N. 42 1/2 W. 11 links distant. Trees marked by plan. Land same.
East Random line, between Sections 8 & 9.	
80.00	Random Post.
East Random line between Sections 2 & 3.	
80.00	Range Line corner, N. 26 links.
West Between Sections 2 & 3.	
3.50	A Brook, 7 links, S.
5.52	A Sugar tree, 12 inches diameter.

Township 5, Range 3-7 Ranges

Chs. Lks.	
11.45	A W. Walnut, 13 inches diameter.
24.00	A Brook, 8 links, S.
25.34	An Elm, 17 inches diameter.
46.50	A Brook, 15 links, S.
50.57	A Sugar tree, 17 inches diameter.
53.50	A Brook, N. 75 E.
63.27	A Hickory, 12 inches diameter.
73.50	A Brook, 4 links, S.
80.00	1 Mile Post, corner to Sections 2, 3, 8, 9; from which a B. Oak, 36 ins. diam. bears East 34 links, and a Beech, 6 ins. diam. bears S. 67 1/2 W. 7 links distant. Trees marked by plan. Over steep hilly land, East sides of hills rich, West sides poor; Timber, Oak, Hickory, Ash, Sugar tree, Beech, &c.
West Continued, between Sections 8 & 9.	
8.00	A Brook, 3 links, S. 80 W.
13.50	A Brook, 14 links, S.
15.00	A Brook, 2 links, N. 80 E.
22.37	A dead Oak, 48 inches diameter.
39.28	A B. Oak, 12 inches diameter.
51.00	A Brook, 4 links, S. 45 W.
60.00	A Brook, 12 links, S. April 20 th , 1801.
60.30	A Poplar, 46 inches diameter.
72.33	A B. Oak, 15 inches diameter.
80.00	2 Mile Post, [corner of Sections 8, 9, 14, 15.] Land same as last mile.
North Between Sections 9 & 15.	
17.34	A Poplar, 10 inches diameter.
19.92	A Hickory, 14 inches diameter.
49.76	A Beech, 16 inches diameter.
50.40	A Brook, 4 links, E.

Township 5, Range 3-7 Ranges.

Chs. Lks.	
53.50	A Brook, 6 links, E.
61.43	A W. Oak, 14 inches diameter.
70.25	A Brook, 7 links, E.
74.76	A Poplar, 14 inches diameter.
79.49	A Poplar, 16 inches diameter.
80.00	3 Mile Post, corner to Sections 9, 10, 15, 16; from which an Ash, 8 ins. diam. bears N. 36 1/2 W. 6 links, and a Hickory, 10 ins. diam. bears S. 59 1/2 E. 52 links distant. Trees marked by plan. Over uneven land, good soil; Timber, Oak, Hickory, Ash, Sugar tree, Poplar, &c.; undrains, Spruce.
North Continued, between Sections 10 & 16.	
21.48	A Poplar, 30 inches diameter.
29.00	A Brook, 12 links, E.
30.25	A Brook, 5 links, S. 20 E.
31.93	A W. Oak, 16 inches diameter.
48.57	A W. Oak, 13 inches diameter.
50.50	A Brook, 4 links, E.
54.50	A Brook, 10 links, S. 30 E.
61.18	A W. Oak, 22 inches diameter.
71.00	A Brook, 5 links, W.
80.00	4 Mile Post, corner to Sections 10, 11, 16, 17; from which a Chestnut, Oak, 13 ins. diam. bears S. 71 W. 15 links, and a Chestnut, 10 ins. diam. bears N. 61 E. 24 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak, Hickory, some Beech, &c.
East On Random Line between Secs. 10 & 11.	
80.00	Random Post.
East Continued Random Line between Secs. 4 & 5.	
80.00	Range Line corner, North 1.70 links.

Township 5, Range 3-7 Ranges.

Ch. No.	
	West Between Sections 4 & 5.
7.50	A Brook, 3 links, N.
17.50	A Brook, 2 links, N. 45 E.
22.29	A Sugar tree, 12 inches diameter.
24.14	A Sugar tree, 14 inches diameter.
45.00	A Brook, 4 links, S.
48.42	A Sugar tree, 16 inches diameter.
57.50	A Brook, 12 links, S.
69.50	A W. Oak, 10 inches diameter.
75.00	A Brook, 6 links, S.
80.00	1 Mile Post, corner to Sections 4, 5, 10, 11; from which a Sugar tree, 18 ins. diam. bears N. 73 E. 14 1/2 links, and a Sugar tree, 12 ins. diam. bears S. 58 W. 19 links distant. Over steep hilly land soil rich; Timber, Oak, Hickory, Ash, Sugar, Beech, &c.
	West Continued, between Sections 10 & 11.
33.67	A Sugar tree, 9 inches diameter.
45.56	A Chestnut, 36 inches diameter.
56.04	A W. Oak, 30 inches diameter.
80.00	To Post, already set. Over uneven thin Oak land. April 21 st , 1801.
	North Between Sections 11 & 17.
18.90	A B. Oak, 11 inches diameter.
23.52	A B. Oak, 18 inches diameter.
31.44	A B. Walnut, 15 inches diameter.
33.50	A Spring, N. 10 E.
41.00	A Brook, 3 links, W.
43.00	A Brook, 5 links, W.
59.00	A Brook, 15 links, N. 30 E.
60.34	An Elm, 12 inches diameter.
67.50	A Brook, 8 links, E.
70.88	A Hickory, 14 inches diameter.
80.00	5 Mile Post, corner to Sections 11, 12, 17, 18; from

Township 5, Range 3-7 Ranges.

Ch. No.	
	which are Ironwood, 5 ins. diam. bears N. 78 E. 2 links, and a W. Oak, - ins. diam. bears S. 15 W. 18 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak, Hickory, some Beech.
	North Continued between Sections 12 & 18.
26.34	A Hickory, 15 inches diameter.
29.50	A Brook, 4 links, E.
32.50	A Brook, 8 links, E.
36.70	A B. Oak, 34 inches diameter.
45.50	A Brook, 3 links, N. 30 E.
54.50	A Brook, 3 links, E.
57.97	A Beech, 9 inches diameter.
58.50	Touching Mr. Maki's back, on the West side.
64.81	A Sycamore, 60 inches diameter.
79.00	6 Mile Post, in Town Line; from which a Hoop Ash, 6 ins. diam. bears South 10 links, and a Hoop Ash, 5 ins. diam. bears S. 47 1/2 W. 7 links distant. Trees marked by plan. Land same as the last side to the creek; then over a small nick Bottom.
	East On Random line, N. Boundary of Section 12.
80.00	Random Post.
	East Continued Random line, N. Boundary of Sec. 6.
68.00	Old Town corner.
79.00	Range Line Corner, N. 2 links. A Sugar tree, 13 ins. diam. bears S. 29 W. 21 1/2 links, and a Poplar, 25 ins. diam. bears N. 67 E. 23 1/2 links distant. Trees marked by plan.

Township 5, Range 3-7 Ranges,

6 hrs. 1/2.
 West On North Boundary of Section 6.
 9.88 A W. Oak, 14 inches diameter.
 10.21 A W. Oak, 18 inches diameter.
 11.00 Old Town Corner.
 17.58 A W. Oak, 13 inches diameter.
 21.70 A W. Oak, 13 inches diameter.
 28.71 A Sugar tree, 14 inches diameter.
 32.50 A Brook, 15 links, S.
 63.62 A W. Oak, 12 inches diameter.
 71.97 A W. Oak, 14 inches diameter.
 73.00 A Stone Quarry.
 73.96 A Hackberry, 14 inches diameter.
 78.50 Mc Mackin's Creek, 100 links, S.
 79.50 1 Mile Post, corner to Sections 6 & 12; from which a Locust, 8 ins. diam. bears N. 7 1/4 W. 6 links, and a Locust, 5 ins. diam. bears S. 23 1/2 W. 23 1/2 links distant. Trees marked by plan.
 Over steep hills, soil rich; Timber, Oak, Hickory, Sugar tree, Walnut, &c.

West On North Boundary of Section 12.
 6.00 A Sugar tree, 13 inches diameter.
 20.00 Mc Mackin's Creek, 100 links, N.
 29.05 A Sugar tree, 10 inches diameter.
 32.22 A Hackberry, 10 inches diameter.
 43.00 A Brook, 4 links, S.
 48.50 A Brook, 4 links, S.
 62.00 An Ash, 6 inches diameter.
 73.82 A Sugar tree, 10 inches diameter.
 76.50 Mc Mackin's Creek, 100 links, S.
 79.50 2 Mile Post, corner of Sections 12 & 18.
 Steep hills, soil rich; Timber, Oak, Hickory, Sugar tree, Walnut, &c.

Township 5, Range 3-7 Ranges.

6 hrs. 1/2.
 West On South Boundary of Section 13.
 15.88 A W. Oak, 30 inches diameter.
 18.17 A B. Oak, 16 inches diameter.
 21.00 A Brook, 3 links, S.
 37.50 A Brook, 7 links, S.
 38.09 A W. Oak, 34 inches diameter.
 46.00 A Brook, 8 links, S. 60 E.
 61.30 A W. Oak, 23 inches diameter.
 61.63 A W. Oak, 33 inches diameter.
 67.96 A W. Oak, 13 inches diameter.
 70.50 A Brook, 3 links, S.
 75.13 A Dogwood, 6 inches diameter.
 79.00 A Brook, 10 links, S. 60 E.
 80.00 3 Mile Post, corner to Sections 13 & 19; from which a W. Walnut, 10 ins. diam. bears N. 15 W. 3 1/2 links, and a Sugar tree, 8 ins. diam. bears S. 8 1/4 E. 11 links distant. Trees marked by plan.
 Over poor and hilly Oak land.

West Continued, on South Boundary of Section 19.
 16.13 A B. Oak, 23 inches diameter.
 24.12 A B. Oak, 14 inches diameter.
 38.54 A Hickory, 7 inches diameter.
 41.94 A Beech, 12 inches diameter.
 42.50 A Brook, 3 links, N. 60 W.
 49.00 A Brook, 10 links, S. 45 W.
 52.50 A Brook, 15 links, S.
 54.50 A Brook, 3 links, N.
 61.89 A W. Oak, 13 inches diameter.
 78.13 A dead W. Oak, 6 inches diameter.
 80.00 4 Mile Post, corner to Sections 19 & 25; from which a W. Oak, 11 ins. diam. bears East 62 links, and a W. Oak, 12 ins. diam. bears

Township 5, Range 3-7 Ranges.

Chs. Lk.	
	S. 7 E. 4 1/2 links distant. Trees marked by plan. Over poor and hilly Oak land.
North	Between Sections 19 & 25.
3.59	A W. Oak, 11 inches diameter.
5.00	A Brook, 3 links, W. April 22 ^d , 1801.
12.00	A Brook, 3 links, W.
26.61	A W. Oak, 26 inches diameter.
32.00	A Beech, 12 inches diameter.
33.50	A Brook, 3 links, S.
41.02	A W. Oak, 13 inches diameter.
68.28	A Hickory, 14 inches diameter.
80.00	1 Mile Post, corner to Sections 19, 20, 25, 26; from which a W. Oak, 13 ins. diam. bears S. 81 E. 19 1/2 links, and a W. Oak, 18 ins. diam. bears S. 65 1/2 W. 29 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak.
North	Continued, between Sections 20 & 26.
21.50	A Brook, 8 links, S. 30 E.
30.69	A B. Oak, 13 inches diameter.
33.47	A Hickory, 4 inches diameter.
35.71	A Chestnut, 36 inches diameter.
48.00	A Brook, 5 links, E.
67.00	A Brook, 9 links, S. 30 E.
73.69	A B. Oak, 14 inches diameter.
80.00	2 Mile ^{W. Oak, 42 ins. diam.} corner to Sections 20, 21, 26, 27; from which a Hickory, 9 ins. diam. bears N. 36 E. 14 links, and a Beech, 12 ins. diam. bears S. 13 E. 16 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak, some Beech.

Township 5, Range 3-7 Ranges.

Chs. Lk.	
East	Random Line, between Secs. 20 & 21.
80.00	Random Post.
East	Continued between Sections 14 & 15.
79.84	North Line corner, North 70 links.
West	Between Sections 14 & 15.
2.82	A B. Oak, 14 inches diameter.
17.00	A Brook, 15 links, S.
25.07	A W. Oak, 12 inches diameter.
40.76	A B. Oak, 18 inches diameter.
65.00	A Brook, 15 links, S.
73.17	A Sugar tree, 13 inches diameter.
80.00	3 Mile Post, corner to Sections 14, 15, 20, 21; from which a B. Oak, 12 ins. diam. bears S. 12 W. 34 links, and a Gum, 12 ins. diam. bears N. 21 1/2 E. 32 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak, Hickory, Beech, &c.
West	Continued, between Sections 20 & 21.
20.50	A Brook, 4 links, S. 30 W.
21.00	A Brook, 12 links, S.
32.50	A B. Walnut, 15 inches diameter.
36.00	A W. Oak, 12 inches diameter.
38.00	A B. Oak, 36 inches diameter.
58.85	A W. Oak, 12 inches diameter.
59.00	Pultrey Road.
64.50	Said Road.
74.27	A B. Oak, 13 inches diameter. Road.
79.36	A B. Oak, 13 inches diameter.
80.00	4 Mile Post. Land same as last mile.
North	Between Sections 21 & 27.
3.50	Pultrey Road.

Township 5, Range 3-7 Ranges.

Chs. No.	Description
13.50	A Brook, 3 links, E.
16.00	A Brook, 3 links, E.
29.90	A Chestnut, 36 inches diameter.
33.00	A Brook, 4 links, E.
53.50	A Brook, 9 links, E.
58.00	A Brook, 7 links, S. 30 E.
67.25	A W. Oak, 14 inches diameter.
80.00	3 Mile Post, corner of Sections 21, 22, 27, 28; from which a W. Oak, 10 ins. diam. bears N. 9 E. 30 links, and a W. Oak, 9 ins. diam. bears S. 9 W. 66 links distant. Trees marked by plan. Over uneven land, soil 2 ^d rate; Timber, Oak, Hickory, Sugar tree, Beech, Chestnut, &c.
North Continued between Sections 22 & 28.	
12.03	A W. Oak, 14 inches diameter.
28.89	A W. Oak, 13 inches diameter.
32.80	A dead B. Oak, 15 inches diameter.
50.50	A Spring, W.
53.77	A Beech, 12 inches diameter.
61.18	A Sugar tree, 13 inches diameter.
70.71	A B. Oak, 15 inches diameter.
80.00	4 Mile Post, corner to Sections 22, 23, 28, 29; from which a Gum, 13 ins. diam. bears N. 35 E. 17 links, and a Poplar, 13 ins. diam. bears S. 4 E. 24 links distant. Trees marked by plan. Over hilly land, poor soil; Timber, Oak and Hickory, some Beech and Poplar.
East On Random Line, between Secs. 22 & 23.	
80.00	Random Post.

Township 5, Range 3-7 Ranges.

Chs. No.	Description
East Continued Random between Secs. 16 & 17.	
79.34	N. & S. Line corner, North 95 links.
West Between Sections 16 & 17.	
7.50	A Brook, 5 links, S.
9.69	A Beech, 17 inches diameter.
15.95	A W. Oak, 19 inches diameter.
37.96	A W. Oak, 15 inches diameter.
43.00	A Brook, 9 links, N.
72.50	A Brook, 7 links, N.
76.60	A W. Oak, 13 inches diameter.
80.00	3 Mile Post, corner to Sections 16, 17, 22, 23; from which a W. Oak, 13 ins. diam. bears N. 20 E. 18 links, and a W. Oak, 10 ins. diam. bears South 25 1/2 links distant. Trees marked by plan. Over hilly land, poor soil; Timber, Oak and Hickory, some Beech.
West Continued, between Sections 22 & 23.	
1.00	A Spring, S.
6.98	A W. Oak, 22 inches diameter.
22.19	A W. Oak, 20 inches diameter.
33.50	A Brook, 12 links, N. 23^d April, 1801.
49.80	A W. Oak, 14 inches diameter.
52.50	A Brook, 5 links, S.
61.41	A Poplar, 14 inches diameter.
66.62	A B. Oak, 20 inches diameter.
70.82	A W. Oak, 12 inches diameter.
80.00	4 Mile Post. Over poor and hilly Oak land.
North Between Sections 23 & 29.	
7.00	A Brook, 5 links, E.

Township 5, Range 3-7 Ranges.

Chs. Lks.	
17.48	A Poplar, 14 inches diameter.
20.00	A Spring, E.
22.50	A Brook, 3 links, E.
24.80	A Brook, 4 links, S. 30 E.
26.43	A W. Oak, 17 inches diameter.
34.90	A W. Oak, 16 inches diameter.
47.50	A W. Oak, 14 inches diameter.
61.00	McMakin's Creek, 75 links wide, East.
63.38	A W. Oak, 46 inches diameter.
80.00	5 Mile Post, corner to Sections 23, 24, 29, 30, from which an Elm, 24 ins. diam. bears N. 65 E. 20 links, and a Hickory, 17 ins. diam. bears S. 65 W. 66 links distant. Trees marked by plan. Over poor hilly Oak land, to the creek; then over small rich bottom.
North Between Sections 24 & 30.	
11.00	A Spring, East.
14.00	A Brook, 15 links, S. 30 E.
18.10	A W. Oak, 46 inches diameter.
24.00	A Brook, - links, S. 10 W., rapid.
35.11	A Hickory, 16 inches diameter.
39.50	A W. Oak, 36 inches diameter.
61.50	A Brook, 3 links, E.
63.53	A Sugar tree, 10 inches diameter.
67.00	A Brook, 3 links, N. 30 E.
70.00	A Brook, 12 links, S. 30 E.
77.50	6 Mile Post, corner to Secs. 24 & 30; from which a W. Oak, 13 ins. diam. bears N. 47 W. 28 1/2 lks., and a W. Oak, 10 ins. diam. bears S. 47 E. 9 links distant. Trees marked by plan. Over hilly land, rich soil; Timber, Oak, Hickory, Walnut, Ash, Sugar tree; undergrowth, Spice wood.

Township 5 - Range 3-7 Ranges.

Chs. Lks.	
East	
80.00	On Raudow, North side of Sec. 24, Raudow Post.
East	
78.00	Countd, Raudow, North side of Sec. 18, To Post, already set.
West	
19.17	On North Boundary of Section 18, A Sugar tree, 13 inches diameter.
27.25	A Brook, 9 links, N.
30.37	A W. Walnut, 23 inches diameter.
34.75	A W. Walnut, 50 inches diameter.
35.25	McMakin's Creek, 90 links, N. 70 E.
43.75	A large Slick, S.
57.27	A Brook, 10 links, S.
58.41	A W. Walnut, 15 ins. diam., by a large Slick, E.
61.06	A Buckeye, 8 inches diameter.
62.42	A Blackberry, 12 inches diameter.
70.07	A W. Oak, 13 inches diameter.
77.97	A W. Oak, 12 inches diameter.
79.00	3 Mile Post, corner to Sections 18 & 24; from which a W. Oak, 46 ins. diam. bears N. 71 E. 26 lks., and a Sugar tree, 8 ins. diam. bears West 11 1/2 links distant. Trees marked by plan. Over steep hills, soil rich; Timber, Oak, Hickory, Beech, Sugar tree, Walnut, &c.; Bottoms small and rich.
West	
6.50	On North Boundary of Section 24, Forks of a Brook, course S.
24.50	A Brook, 9 links, S.
28.07	A W. Oak, 36 inches diameter.
33.00	Large Brook, N.
39.00	Large Brook, S.
48.52	A Sugar tree, 9 inches diameter.

Township 5, Range 3-7 Ranges.

Chs. Lks.
 55.50 A Brook, 3 links, S. 70 E.
 59.80 A Hickory, 19 inches diameter.
 65.54 A Sugar tree, 18 inches diameter.
 79.00 Corner to Sections 24 & 30. *April 24, 1861.*
Over steep hills, soil tolerably good; Timber, Oak, Hickory, some
Sugar tree & Beech; creek bottoms on the left, very good, but small.
 Repaired to the South Boundary. Then
 West On South Boundary of Section 25.
 1.00 A Brook, 15 links, S.
 15.60 A Gum, 17 inches diameter.
 20.00 A Brook, 4 links, S.
 24.24 A B. Oak, 26 inches diameter.
 32.93 A Beech, 11 inches diameter.
 37.00 A Brook, 6 links, S.
 50.00 A Brook, 8 links, S.
 61.50 A Brook, 5 links, S.
 71.60 Grave Creek Road.
 72.50 Pipe Creek, 30 links, S. 60 E.
 75.96 An Ironwood, 5 inches diameter.
 77.94 A Poplar, 8 inches diameter.
 78.50 A Brook, 3 links, N.
 80.00 5 Mile Post, by a Brook, 4 links wide, course North.
 A Beech, 11 ins. diam. bears N. 69 W. 14 links,
 and a Beech, 14 ins. diam. bears S. 53 E.
 7 links distant. Trees marked by plan.
 Over hilly land, soil 2^d rate; Timber, Oak,
 Hickory, Walnut, Beech, Sugar, &c.
 West continued, on South Boundary of Section 31.
 5.20 A Brook, 12 links, N. 80 E.
 9.00 Grave Creek Road.
 11.50 A Brook, S. 80 E.
 12.00 Grave Creek Road.
 14.32 A B. Oak, 23 inches diameter.
 20.00 Leaving said Road to the left.

Township 5, Range 3-7 Ranges.

Chs. Lks.
 22.17 A W. Oak, 14 inches diameter.
 32.71 A W. Oak, 10 inches diameter.
 45.90 Dead W. Oak, 9 inches diameter.
 50.20 Dead B. Oak, 13 inches diameter.
 56.50 A Brook, 4 links, N.
 58.35 A W. Oak, 14 inches diameter.
 61.50 Fork of a Brook, 5 links, S. 60 W.
 73.61 A W. Oak, 9 inches diameter.
 77.50 A Brook, 10 links, S.
 91.70 A B. Oak, 26 inches diameter.
 92.15 A B. Oak, 16 inches diameter.
 93.50 6 Mile Post, S. W. Corner of Section 31. No
 corner made at the intersection. A W.
 Oak, 12 ins. diam. bears N. 25 1/2 E. 2 1/2
 links, and a Hickory, 10 ins. diam. bears
 S. 5 W. 26 1/2 links distant. Trees marked
 by plan.
 Over hilly land, thin soil; Timber, Oak and
 Hickory.
 North On Range Line, West Boundary of Sec. 31.
 1.75 Appears like Town corner, made.
 9.10 A Hickory, 10 inches diameter.
 11.64 A B. Oak, 26 inches diameter.
 14.00 A Brook, 6 links, E.
 23.90 A B. Oak, 28 inches diameter.
 24.65 A B. Oak, 13 inches diameter.
 25.93 A B. Oak, 11 inches diameter.
 34.17 A Hickory, 9 inches diameter.
 34.50 A Brook, 4 links, E.
 38.69 A W. Oak, 61 inches diameter.
 42.37 A Brook, 4 links, E.
 43.37 A W. Oak, 30 inches diameter.
 44.83 A W. Oak, 12 inches diameter.
 52.34 A Beech, 10 inches diameter.

Township 5, Range 3-7 Ranges

Chs. Lks.	
62.90	A B. Oak, 8 inches diameter.
66.28	A W. Oak, 15 inches diameter.
68.50	A Brook, 5 links, N. 30 E.
71.36	A B. Walnut, 13 inches diameter.
80.00	1 Mile Post, corner to Sections 31 & 32; from which an Elm, 10 ins. diam. bears N. 37 W. 34 links, and a W. Oak, 20 ins. diam. bears S. 35 E. 54 1/2 links distant. Trees marked by plan. Over poor and hilly Oak land.
North	Continued, on West Boundary of Section 32.
1.00	A Brook, 9 links, E.
3.00	A Brook, 9 links, S. 30 E.
20.41	A W. Oak, 13 inches diameter.
20.68	A Hickory, 10 inches diameter.
24.50	A Brook, 3 links, N. 20 E.
26.30	A Sugar tree, 9 inches diameter.
28.00	A Brook, 8 links, E.
39.80	A B. Oak, 14 inches diameter.
43.31	A B. Oak, 16 inches diameter.
47.00	A Brook, 4 links, N. 20 E.
50.00	A Brook, 9 links, E.
53.56	A W. Oak, 9 inches diameter.
59.60	A Poplar, 7 inches diameter.
61.80	A Dogwood, 8 inches diameter.
69.00	A Brook, 4 links, E.
71.28	A Poplar, 14 inches diameter.
80.00	2 Mile Post, corner to Sections 32 & 33; from which a W. Oak, 13 ins. diam. bears N. 26 W. 27 links, and a Poplar, 20 ins. diam. bears S. 81 1/2 E. 41 links distant. Trees marked by plan. Over tolerable good Oak land.

Township 5, Range 3-7 Ranges

Chs. Lks.	
East	On Randon, between Secs. 32 & 33.
92.89	Randon Post.
East	Continued Randon, between Secs. 26 & 27.
79.00	N. & S. line corner, S. 36 links.
West	Between Sections 26 & 27.
14.50	A Brook, 9 links, S. There is about 5 acres of clear land under cultivation, a cabin, &c. 27 th April, 1801.
20.00	A Fence.
24.20	A W. Oak, 17 inches diameter.
25.05	A Chestnut, 21 inches diameter.
26.50	Across the field.
28.22	A B. Oak, 26 inches diameter.
41.15	A B. Oak, 17 inches diameter.
47.63	A W. Oak, 27 inches diameter.
65.94	A Sugar tree, 12 inches diameter.
66.50	A Brook, 6 links, S.
68.00	A Brook, 6 links, S. 60 E.
75.00	A Spring, S. 80 E.
80.00	5 Mile corner. A B. Oak, 20 ins. diam. corner to Sections 26, 27, 32, 33. Trees marked by plan. Over uneven land, soil 2 ^d rate; Timber; Oak, Hickory, some Beech.
West	Continued, between Sections 32 & 33.
18.50	A Brook, 8 links, S.
25.50	A Spring, S.
30.37	A Sugar tree, 8 inches diameter.
33.50	A Brook, 8 links, S.
46.91	A W. Oak, 15 inches diameter.
56.78	A Hickory, 12 inches diameter.
64.50	A Brook, 3 links, S. 80 W.
66.00	A Brook, 4 links, S.

Township 5, Range 3-7 Ranges

Ch. No.	Description
76.50	A Brook, 9 links, S.
82.25	A Brook, 13 links, S.
91.87	6 Mile Post. Land same as the last mile.
North On West Boundary of Section 33.	
3.61	A W. Oak, 14 inches diameter.
4.36	A W. Oak, 12 inches diameter.
6.00	A Brook, 8 links, E.
23.70	A W. Oak, 12 inches diameter.
28.20	A Hickory, 12 inches diameter.
28.38	A B. Oak, 18 inches diameter.
28.82	A Chestnut, 12 inches diameter.
33.10	A W. Oak, 15 inches diameter.
37.44	A Hickory, 12 inches diameter.
41.18	A W. Oak, 12 inches diameter.
45.24	A Chestnut, 32 inches diameter.
47.53	A W. Oak, 12 inches diameter.
51.50	A Brook, 4 links, E.
54.00	A Brook, 3 links, S. 40 E.
57.54	A Hickory, 15 inches diameter.
59.00	A W. Oak, 15 inches diameter.
70.14	A Beech, 12 inches diameter.
70.46	A B. Oak, 15 inches diameter.
71.50	A Brook, 4 links, E.
77.08	A B. Oak, 15 inches diameter.
79.00	A B. Oak, 13 inches diameter.
80.00	3 Mile Post, corner to Sections 33 & 34; from which a W. Oak, 11 ins. diam. bears North 21 links, and a B. Oak, 17 ins. diam. bears S. 24 W. 30 links distant. Trees marked by plow. Over hilly land, thin soil; Timber, Oak and Hickory, some Beech.

Township 5, Range 3-7 Ranges

Ch. No.	Description
North continued, on West Boundary of Section 34.	
14.28	A Beech, 9 inches diameter.
14.66	A Hickory, 12 inches diameter.
18.50	A Brook, 4 links, N. 30 E.
20.75	A W. Oak, 10 inches diameter.
21.50	Forks of a Brook, 6 links, E.
33.29	A W. Oak, 10 inches diameter.
41.79	A Gum, 9 inches diameter.
47.00	A Brook, 4 links, E.
52.08	A W. Oak, 17 inches diameter.
56.97	A B. Oak, 15 inches diameter.
61.45	A W. Oak, 14 inches diameter.
62.50	A Brook, 2 links, E.
64.08	A W. Oak, 15 inches diameter.
69.50	A W. Oak, 14 inches diameter.
70.93	A W. Oak, 40 inches diameter.
71.86	A Hickory, 10 inches diameter.
72.14	A Dogwood, 3 inches diameter.
78.00	A Brook, 3 links, W.
80.00	4 Mile Post, corner of Sections 34 & 35; from which a W. Oak, 30 ins. diam. bears N. 60 W. 23 links, and a Hickory, 13 ins. diam. bears S. 55 E. 61 links distant. Trees marked by plow. Land same as the last mile.
East On Random Line, between Sections 34 & 35	
90.00	Random Post.
East continued, Random between Sections 28 & 29.	
81.86	North Line corner, S. 69 links.
West Between Sections 28 & 29.	
5.50	A Spring, N.

Township 5, Range 3-7 Range

Chs. Lks.	
9.00	A Spring, N.
19.19	A Beech, 9 inches diameter.
21.41	A Hickory, 9 inches diameter.
25.50	A Brook, 5 links, S.
41.80	An Ash, 21 inches diameter.
46.69	A W. Oak, 12 inches diameter.
56.50	A Brook, 4 links, S.
71.50	A Spring, N. 20 W.
72.00	A Brook, 18 links, N.
80.00	5 Mile - a Sugar tree, 9 ins. diam. Corner of Sections 28, 29, 34, 35. Trees marked by plan. Over steep hilly land, thin soil; Timber, Oak, Hickory, some Beech.
West	Continued between Sections 34 & 35.
20	A Brook, 6 links, N.
14.24	A W. Oak, 19 inches diameter.
20.23	A B. Oak, 36 inches diameter.
22.33	A W. Oak, 16 inches diameter.
24.50	A Brook, 20 links, N.
42.31	A Maple, 14 inches diameter.
43.35	A W. Oak, 15 inches diameter.
44.50	A Brook, 4 links, S.
56.50	A Brook, 3 links, S.
60.00	A Brook, 8 links, S. 70 E. and up the same.
72.13	A W. Oak, 13 inches diameter.
81.00	Fork of said Brook, one corner on the right, the other on the left.
91.00	6 Mile Post. Land same as the last mile.
North	On West Boundary of Section 35.
23.95	A Sugar tree, 35 inches diameter.

Township 5, Range 3-7 Range

Chs. Lks.	
30.95	A Lynn, 9 inches diameter.
31.50	A Brook, 30 links, E.
33.75	A W. Oak, 30 inches diameter.
36.43	An Ash, 8 inches diameter.
44.11	A Beech, 12 inches diameter.
47.50	McMakin's creek, 80 links wide, runs East.
60.58	A Sugar tree, 8 inches diameter.
61.11	A Lynn, 9 inches diameter.
62.00	A Sugar tree, 9 inches diameter.
64.92	A Sugar tree, 10 inches diameter.
80.00	5 Mile Post, corner of Sections 35 & 36; from which a Sugar tree, 8 ins. diam. bears N. 34 E. 4 1/2 links, and an Elm, 16 ins. diam. bears S. 26 E. 4 1/2 links distant. Trees marked by plan. Over steep hilly land, soil rich; Timber, Oak, Hickory, Beech, Sugar tree, &c.; Bottoms on the creek, rich and narrow.
North	Continued, on West Boundary of Sec. 36.
12.78	A Beech, 18 inches diameter.
13.00	A Brook, 2 links, W.
58.30	A B. Oak, 18 inches diameter.
59.66	A W. Oak, 15 inches diameter.
67.93	A Lynn, 13 inches diameter.
71.50	A Brook, 10 links, S. 30 E.
78.00	6 Mile Post, N.W. corner of Section 36; from which a W. Oak, 30 ins. diam. bears S. 70 W. 27 1/2 links, and a W. Oak, 12 ins. diam. bears S. 18 E. 31 1/2 links distant. Trees marked by plan. Land same as last mile. No Bottoms.
East	On Roadway, North Side of Section 36.
90.00	Roadway Post.

Township 5, Range 3 - 7 Ranges

Chs. Lks.	
81.00	East Contain Redoubt, North side of Section 30. Post, corner of Secs. 24 & 30.
West	On North Boundary of Section 30.
1.26	A Maple, 9 inches diameter.
5.50	A Brook, 12 links, S.
26.88	A Gum, 8 inches diameter.
36.58	A Hickory, 7 inches diameter.
37.79	A W. Oak, 13 inches diameter.
45.00	A Brook, 12 links, S.
50.72	A W. Oak, 14 inches diameter.
52.38	A B. Oak, 20 inches diameter.
59.54	A W. Oak, 17 inches diameter.
61.75	A Brook, 3 links, S. 70 W.
63.50	A Spring, S.
67.52	A Maple, 5 inches diameter.
70.50	A dead B. Oak, 24 inches diameter.
77.00	A Brook, 8 links, S.
80.00	5 mile Post, corner to Sections 30 & 36; from which a W. Oak, 11 ins. diam. bears N 67 W 17 1/2 links, and a W. Oak, 7 ins. diam. bears S 67 E 35 links distant. Trees marked by plow. Over hilly land, soil tolerable good; Timber, Oak, Hickory, some Beech and Sugar tree.
West	On North Boundary of Section 36.
1.34	A W. Oak, 21 inches diameter.
13.50	Forks of a Brook, 15 links, S.
14.86	A W. Oak, 36 inches diameter.
21.91	A W. Oak, 13 inches diameter.
24.50	A Brook, 3 links, N.
28.32	A W. Oak, 18 inches diameter.
29.15	A W. Oak, 12 inches diameter.

Township 5, Range 3 - 7 Ranges

Chs. Lks.	
34.92	A W. Oak, 12 inches diameter.
37.46	A Hickory, 19 inches diameter.
43.50	A Brook, 3 links, N.
48.61	A B. Oak, 18 inches diameter.
55.65	An Ash, 13 inches diameter.
60.94	A W. Oak, 8 inches diameter.
65.81	A Hickory, 11 inches diameter.
73.50	A Brook, 8 links, S.
79.50	A Brook, 4 links, S. 60 E.
91.00	N. W. corner of Section 36. Over hilly land, thin soil; Timber, Oak and Hickory. 29th April, 1801.

Surveyed in 1801, by
Laccheus Biggs,
Deputy Surveyor.

Township 5, Range 3-7 Range

Subdivision of "2 Mile Blocks."
 Thursday, August 5, 1805.
 From the corner of Sections 23, 24, 29, 30, ran-
 West Random Line between Sections 29 & 30.
 40.00 Set temporary Quarter Section Post.
 50.00 A Spring; runs South.
 80.00 Set temporary Center Post.
 Sideling ground; Timber, Oak, Sugar, &c.

West continued Random line between Sections 35 & 36.
 1.50 A Brook, 5 links wide, runs South.
 11.00 A Spring, runs South.
 41.50 A Brook, 3 links wide, runs South.
 45.00 Set temporary Quarter Section Post.
 75.00 A Brook, 15 links wide, runs South.
 92.00 Struck the corner of Sections 35 & 36, on the
 West Boundary of the Township.
 Hilly rich land; Timber, Oak, Sugar, Ash.

East Marked the line between Sections 35 & 36.
 46.00 Set temporary Quarter Section Post.

East Marked the line between Sections 29 & 30.
 From the corner of Sections 28, 29, 34, 35, ran-
 North On Random Line between Sections 29 & 35.
 20.00 A Brook, 3 links wide, runs N. E.
 26.00 A Brook, 75 links wide, runs East.
 40.00 Set temporary Quarter Section Post.
 46.00 A Brook, 9 links wide, runs S. E.
 76.00 A Brook, 5 links wide, runs S. E.
 80.00 Crossed East and West Line.
 Hilly land; Timber, Oak, Beech, Sugar.

Township 5, Range 3-7 Range

North continued Random Line between Secs. 30 & 36.
 11.00 A Spring, runs West.
 15.00 A Spring, runs West.
 40.00 Set temporary Quarter Section Post.
 68.00 A Brook, 15 links wide, course East.
 78.00 Fell 80 links East of Post, corner of Sections
 30 & 36, on North Boundary.
 Hilly land, poor soil; Timber, Oak, Dogwood, &c.

South Corrected the line between Sections 30 & 36. Set
 Quarter Section Post on true line at the average
 distance; from which a W. Oak, 18 ins. diam.
 bears South 17 links, and a W. Oak, 14 ins. diam.
 bears N. 57 W. 48 links distant.
 Crossed East and West Line at Center Post. Set
 Post, corner to Sections 29, 30, 35, 36; where
 a Beech, 8 ins. diam. bears South 4 links, and
 a W. Oak, 14 ins. diam. bears N. 4 W. 59 links
 distant.

South Corrected the line between Sections 29 & 35, and
 set the Dr. Sec. Post on the true line at average
 distance; from which a W. Oak, 9 ins. diam.
 bears West 6 links, and a Hickory, 9 ins. diam.
 bears S. 71 E. 66 links distant.

Saturday, Sept. 7, 1805.
 Went to Dr. Sec. Post, between Secs. 29 & 30, and
 established it; from which a W. Oak, 30 ins. diam.
 bears S. 66 W. 3 links, and a Sugar, 14 ins. diam.
 bears N. 66 E. 56 links distant.

Between Sections 35 & 36. Established Dr. Sec.
 Post, and took bearings, which are, an Ash,

Township 5, Range 3-7 Ranges.

Chs. Lk.	
	12 ins. diam. bears N. 74 W. 11 links, and an Chc, 12 ins. diam. bears S. 82 E. 55 links distant.
	Friday, September 6, 1865. From corner of Sections 27, 28, 33, 34, ran On Random line between Sections 27 & 28.
West	
3:50	A Spring, runs S. W.
9:50	A Brook, 3 links wide, runs South.
40:00	Set temporary Quarter Section Post.
41:00	A Spring, runs South.
59:00	A Road, bearing —
80:00	Set temporary Center Post. Willy, poor, brushy land; Timber, Oak, Dogwood, &c.
West	Continued Random Line between Secs. 33 & 34.
11:00	A Spring, runs South.
28:00	A Brook, 10 links wide, runs N. W.
45:00	A Spring, runs North.
46:00	Set temporary Quarter Section Post.
49:00	A Spring, runs North.
64:00	A Brook, 10 links wide, runs N. E.
90:00	A Brook, 3 links wide, runs South.
93:00	Fell 8 links South of the corner of Sections 33 & 34, on West Boundary. Willy land, rich soil; Timber, Oak, Poplar, Hick- ory, &c.
East	Corrected the line between Sections 33 & 34.
46:50	Moved temporary Dr. Sec. Post to average dis- tance on true line.
East	Corrected the line between Sections 27 & 28.
	From corner of Sections 28, 29, 34, 35, ran South On Random line between Sections 28 & 34.

Township 5, Range 3-7 Ranges.

Chs. Lk.	
21:00	A Spring, runs East.
35:00	A Road.
40:00	Set temporary Quarter Section Post.
57:00	A Spring, runs West.
63:00	A Brook, 3 links wide, runs N. W.
66:00	A Spring, runs East.
80:00	Crossed East and West Line. Willy land, good soil; Timber, Oak, Hickory, &c.
South	Continued Random Line between Secs. 27 & 33.
1:50	A Brook, 3 links wide, runs West.
20:00	A Brook, 3 links wide, runs West.
29:00	A Brook, 3 links wide, runs N. W.
40:00	Set temporary Quarter Section Post.
49:00	A Spring, runs East.
63:00	A Spring, runs East.
80:00	Fell 75 links East of corner of Secs. 26, 27, 32, 33. Willy rich land; Timber, Oak and Hickory.
North	Corrected the line between Sections 27 & 33. Mon- ed temporary Dr. Sec. Post to true line at average distance; from which a W. Oak, 10 ins. diam. bears S. 27 W. 22 links, and a W. Oak, 12 ins. diam. bears N. 14 E. 23 links distant. Set Center Post at intersection of the lines, corner to Sections 27, 28, 33, 34; from which a W. Oak, 17 ins. diam. bears S. 83 E. 19 links, and a Hickory, 12 ins. diam. bears S. 62 W. 54 links distant.
	West East between Sections 27 & 28, and set Dr. Sec. Post at average distance; from which a Pop- lar, 9 ins. diam. bears N. 1 E. 13 links, and a W. Oak, 14 ins. diam. bears S. 9 W. 35 links distant.

Township 5, Range 3-7 Ranges.

6 Ms. Lks.	
	Went West, between Sections 33 & 34, and set 2 ^d Sec. Post at average distance; from which a W. Oak, 7 ins. diam. bears N. 64 W. 9 links, and a W. Oak, 7 ins. diam. bears S. 45 E. 20 links distant.
	North Corrected between Sections 28 & 34, and set 2 ^d Sec. Post at average distance; where a W. Oak, 16 ins. diam. bears N. 10 W. 13 links, and a W. Oak, 18 ins. diam. bears South 24 Ms. distant.
Monday, September 9, 1805.	
	From corner of Sections 26, 27, 32, 33, ran
South	On Random Line between Sections 26 & 32.
10.00	A Spring, runs East.
14.00	A Brook, 5 links wide, course S. W.
40.00	Set temporary Quarter Section Post.
57.00	A Brook, 3 links wide, course West.
78.00	A Spring, runs West.
80.00	Set temporary Center Post.
	Generally good land; Timber, Oak, Hickory, &c.
	South Continued Random Line between Secs. 25 & 31.
40.00	Set temporary Quarter Section Post.
41.50	A Spring, Runs West.
58.50	A Brook, 30 links wide, runs S. E.
78.00	A Road.
79.00	A Brook, 4 links wide, runs East.
80.00	Fell 113 links West of corner of Secs. 25 & 31, on South Boundary.
	Hilly poor land; Timber, Oak, Dogwood, &c.
North	Corrected line between Secs. 25 & 31, and 26 & 32, and set temporary 2 ^d Sec. Posts, and Center Post, on true line.

Township 5, Range 3-7 Ranges. 131

6 Ms. Lks.	
	From corner of Sections 19, 20, 25, 26, ran
West	On Random Line between Sections 25 & 26,
16.00	A Brook, 3 links wide, runs S. W.
23.00	A Brook, 8 links wide, runs South.
34.00	A Brook, 3 links wide, runs S. E.
39.50	A Spring, runs North.
40.00	Set temporary Quarter Section Post.
80.00	Crossed North and South Line.
	The first half of this mile is hilly; the residue level and rich land; Timber, Oak, Poplar, &c.
	West Continued Random Line between Sections 31 & 32.
12.00	A Brook, 25 links wide, runs South.
40.50	A Brook, 5 links wide, runs S. E.
46.00	Set temporary Quarter Section Post.
54.00	A Brook, 10 links wide, course S. E.
58.00	Looped Brook [i.e. crossed a bend of it.]
82.00	A Spring, runs North.
86.00	A Spring, runs North.
92.75	Struck the corner of Sections 31 & 32, on the West Boundary Line.
	Hilly land, good soil; Timber, Hickory, Oak, Elm, &c.
	East Corrected the line between Sections 31 & 32. Set 2 ^d Sec. Post at average distance; where a Cherry, 9 ins. diam. bears N. 26 W. 4 links, and a W. Oak, 16 ins. diam. bears S. 26 E. 23 Ms. distant.
	Set Center Post at intersection of true lines, corner to Sections 25, 26, 31, 32; from which a Gum, 10 ins. diam. bears S. 30 W. 7 links, and a W. Oak, 16 ins. diam. bears N. 64 E. 38 links distant.

Township 5 - Range 3 - 7 Ranges

6 hrs. 1/2
West North Between Sections 26 & 32, and set
Dr. Sec. Post at average distance; from which
a Sugar, 16 ins. diam. bears N. 56 E. 14 links,
and a Hickory, 16 ins. diam. bears S. 72 W. 29
links distant.

South between Sections 25 & 31, and set Dr. Sec.
Post at average measure; from which a W. Oak,
15 ins. diam. bears S. 26 W. 11 links, and a Gum,
16 ins. diam. bears N. 28 E. 21 links distant.

East Corrected between Secs. 25 & 26, and set Dr. Sec.
Post at average distance; from which a Beech,
7 ins. diam. bears N. 41 E. 38 links, and a Beech,
24 ins. diam. bears S. 8 E. 47 links distant.

East From corner of Sections 19, 20, 25, 26, ran-
On Random Line between Sections 19 & 20.
17.50 A Brook, 5 links wide, runs S. E.
29.00 A Brook, 6 links wide, runs South.
40.00 Set temporary Quarter Section Post.
58.00 A Spring, Runs South.
80.00 Set temporary Quarter Post.
Uneven land, good soil; Timber, Hickory, Oak,
Poplar, &c.

East Continued Random Line between Secs. 13 & 14
29.00 A Brook, 4 links wide, runs S. E.
40.00 Set temporary Quarter Section Post.
80.00 Fell 68 links North of corner of Sections 7, 8, 13,
14.
Generally pretty good Oak land.

Township 5, Range 3 - 7 Ranges

6 hrs. 1/2
West Corrected ^{the line} between Sections 13 & 14, and between
Sections 19 & 20, and moved temporary Quarter
Section and Section Posts, on true line at the
average distance.

Tuesday, September 10, 1805.

North From corner of Sections 13 & 19, on S. Boundary, ran-
2.50 On Random Line between Sections 13 & 19.
A Brook, 8 links wide, runs S. E.
35.00 A Brook, 3 links wide, runs S. W.
40.00 Set temporary Quarter Section Post.
41.00 A Brook, 3 links wide, runs S. E.
80.00 Crossed East and West Line.
Hilly land; Timber, Oak and Beech, &c.

North Continued Random Line between Secs. 14 & 20.
6.00 A Spring, Runs East.
22.00 A Spring, runs East.
40.00 Set temporary Quarter Section Post.
46.50 A Brook, 3 links wide, runs East.
59.00 A Brook, 10 links wide, runs East.
60.00 A Road.
80.00 Struck the corner of Sections 14, 15, 20, 21.
Land very hilly, timbered with Oak & Sugar, &c.

South Corrected the line between Secs. 14 & 20. Quarter
Section corner, an Elm, 6 ins. diam; from which
an Ironwood, 8 ins. diam. bears S. 31 W. 11 links,
and a Red Oak, 16 ins. diam. bears S. 80 E. 36
links distant.
Set Quarter Post at intersection of true lines, corner to Sections
13, 14, 19, 20; from which a Hickory, 6 ins. diam. bears
S. 38 W. 10 links, and a W. Oak, 20 ins. diam. bears
N. 29 E. 43 links distant.

Township 5, Range 3-7 Ranges.

Chs. Lks.

East Between Sections 134 14, and set Quarter Section Post at average distance; from which a Sugar, 15 ins. diam. bears N. 65 E. 18 links, and a Sugar, 18 ins. diam. bears West 17 links distant.

West Between Sections 194 20, and set In. Sec. Post at average distance; from which a Hickory, 16 ins. diam. bears S. 71 E. 6 links, and a Beech, 15 ins. diam. bears N. 52 W. 24 links distant.

South Corrected the line between Secs. 134 19. Set In. Sec. Post at average distance; from which a Sugar, 16 ins. diam. bears South 8 links, and a Sugar, 16 ins. diam. bears N. 4 W. 39 links distant.

From corner of Sections 7, 8, 13, 14, ran-

East On Random Line between Sections 7 & 8.

12.00 A Brook, 3 links wide, runs South.

32.00 A Brook, 3 links wide, runs South.

40.00 Set temporary Quarter Section Post.

57.00 A Brook, 3 links wide, runs S. E.

80.00 Set temporary Center Post.
Hilly ^{rich} land; Timber, Oak, Sugar, Poplar.

East Continued Random Line between Sections 142.

6.50 A Brook, 4 links wide, course South.

40.00 Set temporary Quarter Section Post.

41.50 A Spring, runs S. E.

80.00 Fell 10 links South of corner of Sections 142, on East Boundary of Township.

West Corrected ^{the line} between Sections 142, and between Sections 7 & 8, and set the Quarter Section Posts on true line.

Township 5, Range 3-7 Ranges.

Chs. Lks.

From the corner of Sections 2, 3, 8, 9, ran-

South Between Sections 2 & 8, on Random Line.

23.00 A Brook, 8 links wide, runs S. E.

32.50 A Brook, 30 links wide, runs East.

35.00 A Road.

40.00 Set temporary Quarter Section Post.

67.00 A Spring, runs S. E.

80.00 Crossed the East and West Lines.
Hilly land; Timber, Oak, &c.

South Continued Random Line between Sections 147.

15.00 A Brook, 4 links wide, runs S. W.

33.00 A Brook, 10 links wide, runs S. E.

40.00 Set temporary Quarter Section Post.

60.00 A Brook, 15 links wide, runs S. E.

80.00 Fell 50 links west of corner of Sections 147, on South Boundary of the Township.
Sideling ground; Timber, Oak, Beech, Sugar.

North Corrected the line between Sections 147, and set In. Sec. Post at average distance; from which a Sugar, 6 ins. diam. bears S. 42 E. 18 links, and a Sugar, 10 ins. diam. bears N. 2 W. 30 links distant.

Set Center Post at intersection of the lines, corner to Sections 1, 2, 7, 8; from which a Poplar, 12 ins. diam. bears N. 86 E. 34 links, and a W. Oak, 18 ins. diam. bears N. 85 W. 28 links distant.

East Traveled between Secs. 142, and set In. Sec. Post at average distance; from which an Ash, 18 ins. diam. bears S. 43 E. 19 links, and a Sugar, 18 ins. diam. bears N. 62 W. 33 links distant.

Township 5, Range 3-7 Ranges

West Traveled between Sections 7 & 8, and set Dr. Sec. Post at average distances; from which a W. Oak, 16 ins. diam. bears N. 4 W. 9 links, and a Hickory, 7 ins. diam. bears S. 10 E. 11 links distant.

North Corrected line between Sections 2 & 8, and set Dr. Sec. Post at average distances; from which a Sugar, 5 ins. diam. bears N. 75 W. 17 links, and a Walnut, 6 ins. diam. bears S. 85 E. 34 links distant.

September 11, 1805.

From corner of Sections 2, 3, 8, 9, ran-
North On Random Line between Sections 3 & 9.
40.00 Set temporary Quarter Section Post.
51.00 A Brook, 25 links wide, runs S. E.
80.00 Set temporary Center Section Post.
Hilly rich land; Timber, Oak, Sugar, &c.

North Continued Random Line between Sections 4 & 10.
9.00 A Brook, 4 links wide, runs S. W.
23.00 A Spring, runs East.
40.00 Set temporary Quarter Section Post.
60.00 A Spring, runs N. W.
63.50 A Brook, 8 links wide, runs E.
80.00 Fell 100 links West of corner of Secs. 4, 5, 10, 11.
Rich hills, timbered with Sugar, Oak, &c.

South Corrected the line between Sections 4 & 10, and between Sections 3 & 9, and moved temporary Quarter Section and Center Posts to true line.

Saturday, September 15, 1805.

From corner of Sections 9, 10, 15, 16, ran-

Township 5, Range 3-7 Ranges 137

East On Random Line between Sections 9 & 10.
24.00 A Spring, runs S. E.
40.00 Set temporary Quarter Section Post.
41.50 A Brook, 20 links wide, runs S. E.
48.50 A Brook, 2 links wide, runs South.
56.00 A Brook, 4 links wide runs South.
75.00 A Brook, 12 link wide, runs South.
80.00 Crossed North and South Line.
Hilly rich land; Timber, Oak, Sugar, Beech.

East Continued Random Line between Secs. 3 & 4.
21.50 A Brook, 2 links wide, runs South.
40.00 Set temporary Quarter Section Post.
80.00 Fell 66 links North of corner of Sections 3 & 4, on the Range Line.
Generally uneven, Oak land.

West Corrected line between Sections 3 & 4, and set Dr. Sec Post at average measure; from which a W. Oak, 24 ins. diam. bears S. 52 W. 13 links, and a Walnut, 14 ins. diam. bears N. 57 E. 25 links distant.
Set Center Post at intersection of true lines, corner to Sections 3, 4, 9, 10; from which a Sugar, 12 ins. diam. bears N. 9 W. 9 links, and a Hickory, 15 ins. diam. bears S. 4 W. 51 links distant.

North Traveled between Sections 4 & 10, and set Dr. Sec. Post at average measure; from which a Sugar, 12 ins. diam. bears S. 6 E. 20 links, and an Ash, 10 ins. diam. bears N. 41 W. 55 links distant.

Township 5, Range 3-7 Ranges

Chs. Lks.	
South	Traveled between Sections 3 & 9, and set Dr. Sec. Post at average distance; from which a Sugar, 12 ins. diam. bears S. 35 E. 21 links, and a Sugar, 14 ins. diam. bears N. 54 W. 47 links distant.
West	Corrected the line between Sections 9 & 10, and set Dr. Sec. Post at average measure; from which a Beech, 14 ins. diam. bears N. 7 E. 9 links, and a Sugar, 18 ins. diam. bears S. 11 W. 28 links distant.
Wednesday, September 11, 1805.	
North	From corner of Sections 4, 5, 10, 11, ran- On Random Line between Sections 5 & 11.
4.00	A Spring, runs East.
21.50	A Brook, 10 links wide, runs S. E.
40.00	Set temporary Quarter Section Post.
49.00	A Spring, runs West.
80.00	Set temporary Center Post. Hilly rich land; Timber, Oak, Sugar, &c.
North	Continued Random Line between Secs. 6 & 12.
13.00	A Brook, 20 links wide, runs East.
40.00	Set temporary, Quarter Section Post.
66.50	A Brook, 4 links wide, runs East.
81.00	Fell 50 links West of corner of Section 6 & 12, on North Boundary of the Township. Hilly rich land; Timber, Oak, Sugar, &c.
South	Corrected the line between Sections 6 & 12, and between Sections 5 & 11, and moved temporary Quarter Section Posts and Center Post to true line.

Township 5, Range 3-7 Ranges

Chs. Lks.	
Saturday, September 14, 1805.	
East	From corner of Secs. 11, 12, 17, 18, ran- On Random, between Sections 11 & 12.
15.00	A Brook, 2 links wide, runs S. E.
35.00	A Brook, 5 links wide, runs S. E.
40.00	Set temporary Quarter Section Post.
40.50	A Brook, 15 links wide—keep down it, crossing of this.
48.50	Left the Brook, running N. E.
80.00	Crossed North and South Line. Hilly rich land; Timber, Oak, Ash, Sugar, &c.
East	Continued Random Line between Sections 5 & 6.
27.50	A Spring, runs North.
40.00	Set temporary Quarter Section Post.
80.00	Fell 200 links North of corner of Section 5 & 6, on Range Line. Hilly rich land; Timber, Oak, Sugar, &c.
West	Corrected the Line between Sections 5 & 6. Set Quarter Section Post at average measure; from which a Sugar, 6 ins. diam. bears S. 86 W. 9 links, and a Sugar, 12 ins. diam. bears N. 74 E. 12 links distant. Set Center Post at intersection of true lines, corner to Sections 5, 6, 10, 11; from which a Sugar, 16 ins. diam. bears S. 20 E. 40 links, and a Sugar, 12 ins. diam. bears N. 50 E. 28 links distant.
North	Traveled between Sections 6 & 12, and set Dr. Sec. Post at average distance; from which a Walnut, 30 ins. diam. bears N. 32 E. 21 links, and a Beech, 12 ins. diam. bears S. 68 W. 15 links distant.

Township 5, Range 3-7 Ranges

Chs. Lhs.
 South Traveled between Sections 5 & 11, and set Dr. Sec. Post at average distance, on true line, from which a Sugar, 5 ins. diam. bears S. 31 W. 22 links, and a Chestnut Oak, 12 ins. diam. bears N. 45 E. 30 links distant.

West Corrected line between Sections 11 & 12. Set Dr. Sec. Post on true line; from which a Brook, 5 ins. diam. bears S. 57 E. 22 links, and a Sugar, 12 ins. diam. bears N. 55 W. 56 links distant.

Thursday, September 12, 1805.

From corner of Sections 18 & 24, on North Boundary, ran-

South On Random Line between Sections 18 & 24.
 20.00 A Brook, 1.25 links wide, runs S. E.
 40.00 Set temporary Quarter Section Post.
 45.50 A Spring, runs N. E.
 52.50 A Brook, 3 links wide, runs N. E. - keep up it, crossing -
 56.00 Left the Brook to the right.
 80.00 Set temporary Center Post.
 Hilly rich land; Timber, Sugar, Ash, Walnut, &c.

South Continued Random Line between Sections 17 & 23.
 14.00 A Brook, 5 links wide, runs S. W.
 22.00 A Brook, 3 links wide, runs N. W.
 40.00 Set temporary Quarter Section Post.
 65.00 A Brook, 2 links wide, runs East.
 79.00 Fell 95 links West of corner of Secs. 16, 17, 22, 23.
 Hilly land; Timber, Oak, Ash, &c.

North Corrected the line between Sections 17 & 23, and between Sections 18 & 24, and moved the tem-

Township 5, Range 3-7 Ranges

Chs. Lhs.
 ran -
 porary Quarter Section and Center Posts to true line, at average measure.

East From the corner of Sections 23, 24, 29, 30, ran -
 On Random Line between Sections 23 & 24.
 12.50 A Brook, 1.50 links wide, runs N. E.
 40.00 Set temporary Quarter Section Post.
 71.50 A Brook, 12 links wide, runs North.
 79.25 Crossed North and South Line.
 Hilly land, rich soil; Timber, Oak, Sugar, &c.

East Continued Random Line between Sections 17 & 18.
 29.00 A Brook, 4 links wide, course S. E.
 38.50 A Brook, 4 links wide, runs N. E.
 40.00 Set temporary Quarter Section Posts.
 45.00 A Brook, 6 links wide, runs S. E.
 64.50 A Brook, 6 links wide, runs S. E.
 74.00 A Brook, 3 links wide, runs South.
 79.75 Fell 116 links North of corner of Secs. 11, 12, 17, 18.

West Corrected line between Secs. 17 & 18. Set Dr. Sec. Post at average distance; from which a Hickory, 20 ins. diam. bears S. 48 W. 5 links, and a W. Oak, 14 ins. diam. bears N. 11 E. 9 links distant.
 Set Center Post at intersection of true lines, for corner to Sections 17, 18, 23, 24; from which an Ash, 12 ins. diam. bears S. 6 E. 57 links, and a Cherry, 14 ins. diam. bears N. 3 W. 66 links distant.

North Traveled between Sections 18 & 24. Set Dr. Section Post at average distance; from which a Sugar, 9 ins. diam. bears N. 32 E. 10 links,

Township 5, Range 3-7 Ranges.

6 hrs. 2 hrs.

and a Hickory, 12 ins. diam. bears S. 21 W. 11 links distant.

South Traveled between Secs. 17 & 23. Set Dr. Sec. Post at average measure; from which a Sugar, 8 ins. diam. bears S. 49 W. 7 links, and a W. Oak, 16 ins. diam. bears N. 68 E. 25 links distant.

West Corrected line between Secs. 23 & 24. Set Dr. Sec. Post at average distance; from which a Sugar, 12 ins. diam. bears N. 47 E. 15 links, and a Sugar, 12 ins. diam. bears S. 43 W. 18 links distant.

From corner of Sections 16, 17, 22, 23, ran -

South On Random Line between Secs. 16 & 22.

4.50 A Brook, 2 links wide, runs E.

16.00 A Brook, 3 links wide, runs N. E.

40.00 Set temporary Quarter Section Post.

64.00 A Brook, - links wide, runs S. W.

80.00 Set temporary Center Post.

Hilly poor land; Timber, Oak, Chestnut, &c.

South Continued Random Line between Secs. 15 & 21.

16.00 A Brook, 4 links wide, runs S. W.

40.00 Set temporary Quarter Section Post.

41.00 A Brook, runs S. W.

57.00 A Brook, 20 links wide, runs S. E.

66.00 A Brook, 2 links wide, runs E.

82.00 Fell 81 links West of corner of Secs. 14, 15, 20, 21. Hilly land, poor soil; Timber, Oak, Beech, &c.

North Corrected line between Secs. 15 & 21, and between Secs. 16 & 22 and moved temporary Center and Quarter Section Posts on true line at the average distance.

Township 5, Range 3-7 Ranges.

6 hrs. 2 hrs.

Saturday, September 15, 1805.

From corner of Sections 21, 22, 27, 28, ran -

East On Random Line between Sections 21 & 22.

10.00 A Brook, 3 links wide, runs S.

11.00 A Brook, 2 links wide, runs S. W.

39.50 A Brook, 4 links wide, runs S. E.

40.00 Set temporary Quarter Section Post.

70.00 A Brook, 6 links wide, runs S.

80.00 Crossed North and South Lines. Hilly poor stony Oak land.

East Continued Random Line, between Sections 15 & 16.

24.50 A Brook, 2 links wide, runs S. E.

40.00 Set temporary Quarter Section Post.

79.50 Fell 66 links North of corner of Secs. 9, 10, 15, 16. Pretty good Oak land.

West Corrected line between Secs. 15 & 16, and moved temporary Dr. Sec. Post on true line at the average distance; from which a Dogwood, 6 ins. diam. bears N. 40 E. 10 links, and a W. Oak, 12 ins. diam. bears S. 53 W. 10 links distant.

Set Center Post at intersection of true lines, corner to Sections 15, 16, 21, 22; from which a W. Oak, 10 ins. diam. bears S. 74 E. 9 links, and a W. Oak, 16 ins. diam. bears N. 86 W. 47 links distant.

North Traveled between Secs. 16 & 22. Set Dr. Sec. Post at average distance; from which a Chestnut Oak, 15 ins. diam. bears West 29 links, and a B. Oak, 4 ins. diam. bears N. 76 E. 15 links distant.

South Traveled between Sections 15 & 21. Set Quarter Section Post at average distance; from which

Township 5, Range 3 - 7 Ranges.

Chs. Lks.

a Red Oak, 15 ins. diam. bears S. 88 W. 15 lks.
and a Sugar, 8 ins. diam. bears S. 44 E. 30 lks.
distant.

West Corner between Sections 21 & 22. Set Dr.
Sec. Post at average measure; from which
an Elm, 6 ins. diam. bears S. 88 W. 44 links,
and a Sugar, — ins. diam. bears N. 84 E. 48
links distant.

Surveyed in September, 1805, by
Alexander Holmes,
Deputy Surveyor.

Township 6, Range 3 - 7 Ranges.

Chs. Lks.

North Boundary.

Beginning at [a Post] the North East corner of Town-
ship 7, in Range 4. Here stands a Sugar stump,
12 ins. diam. with 6 notches on the East and
West sides, for corner; from which a W. Oak,
24 ins. diam. bears S. 55 1/2 W. 37 links, and
a W. Walnut, 14 ins. diam. bears S. 37 1/2 E. 45
links distant. Thence along North Bound-
ary of T. 6, R. 3:—

- East 1st Mile [North side of Section 36.]
- 26.40 Wheeling creek, 2.20 wide minus [South.]
- 30.80 A line tree.
- 43.39 A Hickory, 10 inches diameter.
- 56.68 A B. Walnut, 24 inches diameter.
- 61.60 Entered a Bottom.
- 69.58 A Red Elm, 18 inches diameter.
- 78.10 Wheeling creek, 50 links wide, minus N. 30 E., and over
creek, and on to an Island.
- 80.00 [Set Post, on Island, corner to Secs. 30 & 36, where] an
Elm, 20 ins. diam. bears N. 75 1/4 W. 49 links,
and a Sycamore, 20 ins. diam. bears N. 87 1/2 W.
34 1/2 links distant.

The first 7.50 on the top of a high ridge, of
strong soil, timber Oaks and Hickory. From
7 1/2 to 20 chs. down an easterly descent; and
from 28 to 61 chs. over a high ridge, the land
in general very rich, equal to the produc-
tion of indian corn, hemp, or tobacco, timbered
with Blk. and W. Walnut, Hickory, Ash, Oaks,
Beech, Cherry and Sugar. From 20 to 28 chs. &
from 61 to the end of the mile, in rich bottom land,
through which runs Wheeling creek. The bottom
is excellent for meadow or tillage, shaded with W.
& B. Walnut, Elm, Cherry, Sycamore and Buckeye.