

Chs. Sec.

West Boundary.

Beginning at

Thence on West Boundary.

- South 1st Mile — [West side of Section 36.]
 29.40 A W. Oak, 14 inches diameter.
 44.20 A Spanish Oak, 24 inches diameter.
 59.38 A W. Oak, 12 inches diameter.
 73.90 A W. Oak, 14 inches diameter.
 80.00 Set Post, [corner to Sections 35 & 36.] from which
 a W. Oak, — ins. diam. bears N. 18 $\frac{1}{2}$ W. — links,
 and a W. Oak, — ins. diam. bears S. 33 $\frac{1}{2}$ E.
 — links distant.

The hills short and steep, along the first half mile,
 the soil rich, and would produce indian corn,
 wheat, grass, &c.; Timber, large B. W. and Span.
 Oak, Hickory and Dogwood. On this mile
 is a good mill stream.

- South 2^d Mile — [West side of Section 35.]
 10.05 A W. Oak, 20 inches diameter.
 25.00 A W. Oak, 20 inches diameter.
 43.05 A W. Oak, 10 inches diameter.
 64.25 A Span. Oak, 20 inches diameter.
 80.00 Set Post, [corner to Sections 34 & 35.] from
 which a Hickory, 14 ins. diam. bears S. 61 $\frac{1}{2}$
 E. — links, and a W. Oak, 20 ins. diam. bears
 S. 61 $\frac{1}{2}$ W. 61 links distant.

On this mile the land is rich, but much broken
 with hills; Timber, large W. B. & Span. Oak, Hick-
 ory, B. Walnut, Cherry and Dogwood.

- South 3^d Mile — [West side of Section 34.]
 3.90 A W. Oak, 20 inches diameter.
 51.60 A W. Oak, — inches diameter.

Township 5, Range 4-7 Ranges.

Chs. Lks.
 65.00 A W. Oak, 6 inches diameter.
 80.00 Set Post, [corner to Secs. 33 & 34,] from which
 a W. Oak 20 ins. diam. bears S. 60 B. 41 links,
 and a W. Oak, — ins. diam. bears N. 79 W. 40
 links distant.

The land on this mile, in general, broken with
 high steep ridges, and there are many large
 stones above the surface, which render it in
 a great measure, untilloable; soil thin; timber chiefly
 by Oak and Hickory. Here are two small riv-
 ulets, along this mile, with water in each suf-
 ficient for mills. The bottoms through which
 they run, are wide and rich, excellent for mead-
 ow or tillage, shaded with Sycamore, B. & W.
 Walnut, Ash, Sugar, &c.

South 4th Mile — [West side of Section 33.]

18.30 A W. Oak, 36 inches diameter.

27.56 A W. Oak, — inches diameter.

37.10 A Hickory, 12 inches diameter.

46.95 A W. Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 32 & 33,] from which
 a Span. Oak, 15 ins. diam. bears S. 13 1/2 E. 41
 links, and a Span. Oak, 24 ins. diam. bears
 S. 67 1/2 E. 54 links distant.

The land hilly, soil of a good quality, equal to
 the production of wheat, rye, Oats, or good
 crops of indian corn; timbered with large
 Span. Oak, W. & B. Oak, Hickory and Beech.

South 5th Mile — [West side of Sec. 32.]

6.00 A W. Oak, 36 inches diameter.

18.06 A Poplar, 15 inches diameter.

39.72 A W. Oak, 9 inches diameter.

[Distances from
 N. Boundary of 31.]

East 1st Mile — [South side of Section 31.]
 [24.72] A W. Oak, 20 inches diameter.
 [58.61] A W. Oak, 15 inches diameter.
 [62.25] A W. Oak, 18 inches diameter.

Township 5 - Range 4 - 7 Ranges.

Chs. Lks.
 67.90 A W. Oak, 14 inches diameter.
 80.00 Set Post, [corner to Secs. 31 & 32,] from which
 a W. Oak, 14 ins. diam. bears S. 44 W. 39 links,
 and a W. Oak, 12 ins. diam. bears S. 63 1/4 E. 37
 links distant.

On this line are a number of small brooks with
 excellent water. The country broken with
 short narrow ridges, the land poor and stony,
 excellent for range.

South 6th Mile — [West side of Section 31.]

38.70 A forked W. Oak, — inches diameter.

45.15 A Chestnut Oak, 24 inches diameter.

63.55 A W. Oak, 18 inches diameter.

80.00 Fixed a Post, which ^{is} completes the 6 miles South,
 and is the South ^{west} corner of the 5th Township,
 Range 4; from which a W. Oak, 12 ins. diam.
 bears N. 65 1/4 W. 89 links, and a B. Oak, 9 ins.
 diam. bears N. 3 1/4 E. 57 1/2 links distant.

The ascents and descents are more gentle than
 along the preceding mile; a thin soil, but an-
 swerable to the production of wheat for a
 number of years. Some intervals proper
 for meadow; the upland timbered with Chest-
 nut, W. B. & Chestnut Oak, and Whortleberry
 bushes in great abundance; the intervals sho-
 led with Plum, cherry and Crab Apple.

South Boundary.

Beginning at
 Thence on the South Boundary.

Township 5, Range 4-7 Ranges.

Chs. Lks
 80.00 Set Post, [corner to Secs. 25 & 31,] from which
 a W. Oak, 13 ins. diam. bears S. 60° E. 19 1/2 Mts,
 and a W. Oak, 12 ins. diam. bears N. 49 1/2
 W. 35 1/2 links distant.
 The hills gentle, soil thin, but would produce
 wheat, rye, indian corn, &c; Timber, small W.
 Oak, Dogwood, & Hickory.

[Distances from S. W. corner of T. 4.]

East 2^d Mile - [South side of Section 25.]

- [21.72] W. Oak, 20 inches diameter.
- [50.80] A W. Oak, 20 inches diameter.
- [67.65] A B. Oak, 22 inches diameter.

80.00 Set Post, [corner to Sections 19 & 25,] from which a
 W. Oak, 14 ins. diam. bears N. 68 1/4 W. 30 links,
 and a Hickory, 18 ins. diam. bears S. 36° E. 10 1/2
 links distant.

The hills on this route are long and high, but not
 too steep for cultivation; rich, fertile soil, and would
 produce wheat, rye, indian corn, grass, &c; Tim-
 ber, large W. B. & Span. Oak, Poplar, Hickory
 and Dogwood.

East 3^d Mile - [South side of Section 19.]

- 15.46 A W. Oak, 8 inches diameter.
- 35.75 A W. Oak, 24 inches diameter.
- 43.46 A W. Oak, 24 inches diameter.

80.00 Set Post, [corner to Secs. 13 & 19,] from which
 a Red Oak, 20 ins. diam. bears N. 30 1/2° E. 50 Mts,
 and a Sugar, 8 ins. diam. bears 2 1/2 links
 distant.

Hilly, tillable land, rich soil, amenable to the
 production of indian corn, hemp, tobacco,
 wheat and grazing. There is a Salt Lick
 25 links South of this line.

Township 5, Range 4-7 Ranges.

Chs. Lks
 East 4th Mile - [South side of Section 13.]
 8.16 A W. Oak, 14 inches diameter.
 22.98 A B. Oak, 14 inches diameter.
 65.51 A Beech, 12 inches diameter.
 80.00 Set Post, [corner to Sections 7 & 13,] from which
 a Poplar, 18 ins. diam. bears S. 22 1/2° E. 26
 links, and a Poplar, 20 ins. diam. bears N.
 87 1/2 W. 26 links distant.
 Hilly, stony land, some parts too steep for culti-
 vation; rich soil; Timber, large W. B. & Span.
 Oak, B. & W. Walnut, Hickory and Poplar.

East 5th Mile - [South side of Section 7.]

- .55 A Locust, 8 inches diameter.
- 11.95 A Beech, 12 inches diameter.
- 16.60 A W. Oak, 20 inches diameter.
- 58.72 A Beech, 14 inches diameter.
- 62.07 A Beech, 14 inches diameter.

80.00 Set Post, [corner to Sections 14 & 7,] from which
 a Ash, 18 ins. diam. bears S. 70 1/2° E. 29 1/2
 links, and a Locust, 10 ins. diam. bears N. 20
 W. 2 1/2 links distant.

The first 40 chs. is very hilly, and there are many
 large stones above the surface; the remaining
 40 chs. agreeably diversified; the soil exceedingly
 rich, and well adapted to tillage, proper for
 the cultivation of wheat, indian corn, toba-
 co, hemp and flax; timbered with large B. B.
 & W. Oak, Walnut, Hickory, Sugar, Cherry, Crab
 Apple and Spice.

East 6th Mile - [South side of Section 1.]

- 1.20 A Locust, 9 inches diameter.
- 14.61 A W. Oak, 12 inches diameter.

Township 5, Range 4-7 Ranges.

Ch. Lk.
 24.60 A Hickory, — inches diameter.
 25.13 A W. Oak, 24 inches diameter.
 Set Post, from which
 a Hickory, 14 ins. diam. bears N. 53 1/2 W. 14 lks,
 and a Hickory, 15 ins. diam. bears S. 46 E. 11
 links distant.
 The soil along this mile is of a good quality, but
 the country is hilly and stony, many large
 ones; shaded with B. W. R. & Span. Oak, Short
 nut Oak, Hickory, Dogwood, Cherry.

North Boundary.

Beginning at the North West corner of this Town-
 ship — Thence —

East 1st Mile — [North side of Section 36.]
 8.10 A W. Oak, 26 inches diameter.
 14.33 A W. Oak, 12 inches diameter.
 37.95 A W. Oak, 16 inches diameter.
 44.75 A Brook, 7 yds wide, runs S. — a good stream of water.
 70.60 A W. Oak, 18 inches diameter.
 80.00 Set Post, [corner to Sections 30 & 36.] from which a
 W. Oak, 20 ins. diam. bears S. 42 W. 4 links,
 and a W. Oak, 24 ins. diam. bears N. 64 E. 53
 links distant.

Light wheat land, in general, and very hilly;
 Timber, W. R. & Span. Oak, Hickory & Dogwood.

East 2^d Mile — [North side of Section 30.]

5.25 A Brook, 9 yds wide, runs South — with a good
 stream of water. A mill might be erected
 near this place, and there would be water to
 supply it a number of months in the year.
 This mile is watered with a number of good
 streams.

Township 5, Range 4-7 Ranges.

Ch. Lk.
 10.67 A W. Oak, 11 inches diameter.
 33.28 A W. Oak, 12 inches diameter.
 47.51 A W. Oak, 12 inches diameter.
 52.49 A W. Oak, 24 inches diameter.
 71.18 A W. Oak, 20 inches diameter.
 80.00 Set Post, [corner to Sections 24 & 30.] from which
 a W. Oak, 24 ins. diam. bears N. 43 E. 26 links,
 and a W. Oak, 18 ins. diam. bears S. 61 W. 26 lks.
 distant.

The land on this mile is very hilly, the perpendicular
 height of some of the hills is 200 feet, in gen-
 eral a thin soil, some of it would produce
 wheat, and is suitable for grazing, well wa-
 tered with a good number of ^{good} streams.

East 3^d Mile — [North side of Section 24.]

19.33 A W. Oak, 20 inches diameter.
 31.50 A W. Oak, 14 inches diameter.
 47.69 A Poplar, 24 inches diameter.
 56.45 A Hickory, 12 inches diameter.
 71.12 A B. Oak, 24 inches diameter.
 80.00 Set Post, [corner to Sections 18 & 24.] from which
 a Beech, 16 ins. diam. bears S. 32 E. S. 30 1/2 W.,
 and a Poplar, 13 ins. diam. bears N. 33 W. 23
 links distant.

This mile, the land is composed of ascents &
 descents, the soil in general light, but would
 produce wheat, and is well timbered with B.
 W. & R. Oak, Hickory, Poplar and Dogwood.

East 4th Mile — [North side of Section 18.]

24.08 A W. Oak, 16 inches diameter.
 32.08 A Span. Oak, 20 inches diameter.
 59.42 A Dogwood, 6 inches diameter.

Township 5, Range 4-7 Ranges.

66.22 A Beech, 10 inches diameter.
 80.00 Set Post, [corner to Sections 12 & 18,] from which
 a W. Oak, 12 ins. diam. bears S. 80 W. 16 links,
 and a W. Oak, 14 ins. diam. bears N. 47 E. 33
 links distant.
 The land in this ride is timbered with B.
 & W. Oak, Beech, Poplar and Dogwood. The
 soil is, in general, suitable for wheat, well
 watered with a number of good brooks.

East 5th Mile—[North side of Section 12.]
 22.53 A Beech, 8 inches diameter.
 37.86 A Span. Oak, 13 inches diameter.
 59.88 A W. Oak, 27 inches diameter.
 77.96 A B. Oak, 17 inches diameter.
 80.00 Set Post, [corner to Sections 6 & 12,] from which
 a W. Oak, 20 ins. diam. bears S. 83 1/2 W. 16
 links, and a Hickory, 18 ins. diam. bears
 S. 5 1/2 E. 33 links distant.
 This ride is very similar, both in the soil
 and timber, to the last; a number of high
 hills.

East 6th Mile—[North side of Section 6.]
 21.57 A Sugar, 10 inches diameter.
 32.70 A W. Oak, 10 inches diameter.
 56.30 A Span. Oak, 11 inches diameter.
 65.55 A Beech, 12 inches diameter.
 67.20 A W. Oak, 26 inches diameter.
 Set 6th Mile Post, for where
 a Red Oak, 20 ins. diam. bears N. 3 1/2 W. 22
 links, and a W. Oak, 18 ins. diam. bears
 S. 8 W. 48 1/2 links distant.
 Good wheat land, in general, and very well

Township 5, Range 4-7 Ranges.

watered; Timber, B., W. and Span. Oak, Hick-
 ory, Beech, Ash, Sugar, Maple, Gum, &c.

East Boundary.

Beginning at the North East Corner of this
 Township—Thence—

South 1st Mile—[East side of Section 6.]
 14.04 A W. Oak, 8 inches diameter.
 20.62 A W. Oak, 14 inches diameter.
 68.34 A W. Oak, 12 inches diameter.
 80.00 Set Post, [corner to Sections 5 & 6,] from which
 a W. Oak, 18 ins. diam. bears S. 9 W. 24 links,
 and a W. Oak, 12 ins. diam. bears N. 57 1/2 W.
 19 links distant.
 Land along the 1st half mile is broken, soil thin
 and stony. The other would produce good crops
 of wheat, though the land is uneven; Tim-
 ber, Oaks, Hickory and Sugar.

South 2^d Mile—[East side of Section 5.]
 11.10 A Red Oak, 20 inches diameter.
 27.94 A B. Oak, 8 inches diameter.
 59.50 A Poplar, 42 inches diameter.
 69.24 A Sugar, 8 inches diameter.
 80.00 Set Post, [corner to Sections 4 & 5,] from which
 a W. Oak, 18 ins. diam. bears S. 50 E. 20 links,
 and a W. Oak, 10 ins. diam. bears N. 11 E. 23
 links distant.
 The land along the first half mile would produce
 good crops of wheat. The last half mile is
 very uneven, and the soil thin; Timber, Oak,
 Hickory, Sugar, Poplar.

Township 5, Range 4-7 Ranges

Chs. Lks.	
South	3 rd Mile - East side of Section 4.
34.97	A W. Oak, 15 inches diameter.
41.31	A Sugar, 14 inches diameter.
59.98	A W. Oak, 10 inches diameter.
80.00	Set Post, [corner to Sections 3 & 4] from which a W. Oak, 12 ins. diam. bears S. 85 1/2 W. 21 links, and a W. Oak, 8 ins. diam. bears S. 31 1/2 W. 43 links distant.
	Land of a very poor quality, being of a thin soil, very broken and uneven; Timber, Oak, Hickory, Maple, Ash.
South	4 th Mile [East side of Section 3.]
19.38	A W. Walnut, 36 inches diameter.
21.50	Captains Creek, 30 yards wide, runs S. E. through a Bottom 25 chains wide.
31.85	A Red Oak, 36 inches diameter.
58.50	A Sugar, 9 inches diameter.
74.54	A W. Oak, 12 inches diameter.
80.00	Set Post, [corner to Sections 2 & 3] from which a Red Oak, 24 ins. diam. bears N. 56 1/2 W. 28 links, and a B. Oak, 20 ins. diam. bears S. 64 1/2 E. 57 links distant.
	The first 25 chs. is level, and exuberantly rich; timber, Sugar, Hoop Ash, B. & W. Walnut, Sycamore and Buckeye. The remainder of the mile is answerable to the production of wheat. The hills are high; timber, Oak, Hickory and Sugar.
South	5 th Mile - [East side of Section 2.]
29.09	A Sugar, 10 inches diameter.
40.06	A Red Oak, 16 inches diameter.
48.14	A Red Oak, 10 inches diameter.
80.00	Set Post, [corner to Sections 1 & 2] from which a

Township 5, Range 4-7 Ranges

Chs. Lks.	
	B. Walnut, 12 ins. diam. bears S. 81 1/2 E. 49 Ms. and a B. Walnut, 14 ins. diam. bears N. 11 1/2 W. 84 links distant.
	Land in general very proper for tillage, and would produce good crops of wheat; Timber, Oak, Sugar, Hickory, and Bk. Walnut.
South	6 th Mile - [East side of Section 1.]
25.63	A W. Oak, 12 inches diameter.
32.50	A B. Oak, 18 inches diameter.
41.10	A Hickory, 14 inches diameter.
80.00	Set Post from which a Hickory, 10 ins. diam. bears N. 84 W. 12 links, and a Sugar, 13 ins. diam. bears S. 14 E. 13 Ms. distant.
	The land is uneven, though not so as to render cultivation difficult. The soil along this mile is proper for the production of wheat or ^{indian} corn; Timber, Oak, Hickory, Sugar, Maple and Dog wood, large and thifty.
	Note - 8 links South of the completion of this mile, is 95 links due East of the North East corner of the 4 th Township in the 4 th Range.

Surveyed in 1786, by
 Ebenezer Sproat,
 Surveyor from Rhode Island.

Township 5, Range 4-7 Ranges.

Friday, 17th September, 1802

West On Township Line, South Boundary of Section 1, of Town 5, Range 4.

6:10 A Run, 10 links, course South.

48:90 A Drain, course S.

72:00 A Run, 15 links, course South.

80:00 Put Post, corner to Sections 14 & 7, where a Sugar tree, 15 ins. diam. bears N. 55 W. 6 links, and a W. Oak, 18 ins. diam. bears S. 3 W. 25 links distant. This mile high ridge, soil middling; Timber, Oak, Sugar tree and W. Ash.

West On Township Line, South Boundary of Section 7, of Town 5, Range 4.

70 Old bearing trees.

22:60 A Run, 5 links, course South.

42:00 A Run, 5 links wide, course S.

60:50 A Run, 12 links, course S. E.

80:00 Put Post, corner to Sections 7 & 13, of T. 5, R. 4, where a Hickory, 14 ins. diam. bears N. 47 1/2 E. 25 links, and a Hickory, 10 ins. diam. bears S. 2 1/2 E. 20 links distant. This mile high ridge, middling soil; Timber, Oak, Hickory, Sugar tree and Dogwood.

West On Township Line, South Boundary of Section 13, of Town 5, Range 4.

50 Old bearing trees.

23:50 A Run, 5 links, course N. E.

80:00 Put Post, corner to Sections 13 & 19, of T. 5, R. 4, where a W. Oak, 24 ins. diam. bears N. 22 E. 19 links, and a Sugar tree, 12 ins. diam. bears S. 1/2 W. 16 links distant. This mile high ridge, thin soil; Timber, Oak, Hickory, Dogwood.

Township 5, Range 4-7 Ranges. 239

6th Mo. 2nd

West On Township Line, South Boundary of Section 19, of Town 5, Range 4.

20 Old Post.

1:50 A Run, 5 links, course N.

20:10 A Run, 12 links wide, course N. E.

31:80 Same Run, course S. E.

53:40 Same Run, course N. E.

80:00 Old bearing tree. Put a Post, corner to Sections 19 & 25, where a W. Oak, 18 ins. diam. bears N. 64 1/2 W. 26 links, and a Hickory, 20 ins. diam. bears S. 54 E. 16 links distant. This mile ridge, middling soil; Timber, Oak, Hickory and Dogwood.

West On Township Line, South Boundary of Section 25, of Town 5, Range 4.

37:60 A Run, 10 links, course N. W.

51:50 A Run, 5 links, course North.

73:50 Old bearing trees.

80:00 Put Post, corner to Sections 25 & 31, where a W. Oak, 18 ins. diam. bears N. 52 W. 9 links, and a W. Oak, 12 ins. diam. bears S. 19 1/2 E. 10 links distant. This mile high ridge, soil middling; Timber, chiefly W. Oak, bushy with Dogwood.

West On Township Line, South Boundary of Section 31, of Town 5, Range 4.

5:40 A Run, 12 links wide, course North.

51:50 A Run, 5 links wide, course N. W.

79:00 Township corner, where a B. Oak, 15 ins. diam. bears N. 26. 58 links, and a W. Oak, 15 ins. diam. bears N. 66 W. 9 links distant. Course of this line, S. 89 W. This mile ridge land, middling soil; Timber chief by W. Oak, some Hickory and Dogwood.

Township 5, Range 4-7 Ranges.

6 hrs. Lks.
 North Between Sections 19 & 25, of T. 5, R. 4.
 25.07 A W. Oak, 15 inches diameter.
 39.80 A Drain, course East.
 43.10 A W. Oak, 24 inches diameter.
 55.50 A Drain, course East.
 64.60 A Hickory, 20 inches diameter.
 80.00 Put Post, corner to Sections 19, 20, 25, 26, where
 a W. Oak, 18 ins. diam. bears N. 39 1/2 E. 12 links,
 and a W. Oak, 12 ins. diam. bears N. 67 1/2 W. 20
 links distant.
 This mile dry ridges, middling soil; Timber
 chiefly W. Oak, bushy with Dogwood.

North Between Sections 20 & 26, of T. 5, R. 4.
 1.00 Run, 5 links, course N. E.
 45.00 A Drain, course S. E.
 50.80 A Poplar, 30 inches diameter.
 68.05 A W. Oak, 15 inches diameter.
 80.00 Put Post, corner to Sections 20, 21, 26, 27, where
 a W. Oak, 15 ins. diam. bears S. 37 1/2 E. 25 links,
 and a W. Oak, 24 ins. diam. bears N. 6 W.
 56 links distant. Saturday, 18th September.
 This mile high broken land, thin soil; Timber
 Oak and Hickory, bushy with Dogwood.

North Between Sections 7 & 13, of T. 5, R. 4.
 6.60 A Run, 12 links, course East.
 16.71 A Hickory, 12 inches diameter.
 36.07 A Beech, 20 inches diameter.
 36.10 A Run, 5 links, course S. E.
 64.90 A B. Oak, 30 inches diameter.
 75.00 A Drain, course N. W.
 80.00 Put Post, corner to Sections 7, 8, 13, 14, where a
 Maple, 15 ins. diam. bears N. 29 W. 8 links, and a Maple,
 10 ins. diam. bears S. 65 1/2 E. 20 links distant.

Township 5, Range 4-7 Ranges.

6 hrs. Lks.
 This mile high ridges, middling soil; Timber,
 W. & B. Oak, Hickory, some Beech and Sugar
 Spice bush, &c.

North Between Sections 8 & 14, of T. 5, R. 4.
 3.70 A Drain, course W.
 14.00 A Drain, course W.
 31.20 A W. Oak, 18 inches diameter.
 44.50 A Run, 25 links wide, course N. E.
 53.26 A W. Oak, 30 inches diameter.
 80.00 Put Post, corner to Sections 8, 9, 14, 15, where a
 W. Oak, 12 ins. diam. bears S. 29 E. 16 links,
 and a Hickory, 10 ins. diam. bears N. 37 1/2 W. 30
 links distant.
 This mile high poor stony hills; Timber, Oak,
 Hickory and Dogwood.

East Boundary of Township 5, Range 4. -
 Corner of Sections 2 & 3 - Put a Post, 36 links
 South of Post, corner to Sections 32 & 33, of
 T. 4, R. 3; where a Sugar tree, 12 ins. diam. bears
 S. 53 W. 42 links, and a Beech, 15 ins. diam.
 bears S. 56 1/2 E. 22 links distant.

West Between Sections 2 & 3, of T. 5, R. 4.
 22.80 A Drain, course N. W.
 57.00 A Run, 8 links, course N.
 80.00 Put Post, corner to Sections 2, 3, 8, 9, where a
 Beech, 12 ins. diam. bears N. 72 W. 36 links,
 and a Beech, 12 ins. diam. bears N. 41 E. 37
 links distant. Close the line.
 This mile hilly land; Timber, Oak, Hickory & Sugar tree.

West Between Sections 8 & 9, of T. 5, R. 4.
 20.00 A Run, 5 links, course North.

Ch. Lk.	
59.10	A Run, 40 links, course North, then turns East.
80.40	Intersect, 42 links North of Post, corner of Sections 8, 9, 14, 15 Sept. 19th. This mile high rocky points of hills; Timber, Oak, Beech, Birch, Hemlock, Laurel, &c.
West	Between Sections 14 & 15, of T. 5, R. 4.
26.10	A Run, 5 links, course S. E.
51.50	Drain, course S.
80.00	Put Post. A Run, 5 links, course S. E. at this Post. This mile high poor stony hills; Timber, Oak, Hickory, Dogwood, &c.
West	Between Sections 20 & 21, of T. 5, R. 4.
80.60	Intersect, 34 links South of Post, corner of Sections 20, 21, 26, 27. Monday, Sept. 20th. This mile high, poor land; Timber, Oak, Hickory, Beech, &c.; bushy with Dogwood. Close the line, and put a Post, corner to Sections 14, 15, 20, 21, where a W. Oak, 30 ins. diam. bears North 13 links, and a Sugar tree, 15 ins. diam. bears N. 32 1/2 E. 27 links distant.
North	Between Sections 9 & 15, of T. 5, R. 4.
23.20	A Run, 10 links, course S. E.
32.98	A W. Oak, 15 inches diameter.
44.00	A Drain, course W.
46.90	A W. Oak, 18 inches diameter.
64.00	A W. Oak, 30 inches diameter.
66.50	A Drain, course E.
80.00	Put Post, corner to Sections 9, 10, 15, 16, where a W. Oak, 18 ins. diam. bears S. 58 1/2 E. 54 links, and a W. Oak, 18 ins. diam. bears N. 58 1/2 W. 58 links distant.

Ch. Lk.	
	This mile poor hills; Timber chiefly W. Oak, bushy with Oak, Hickory and Dogwood.
North	Between Sections 10 & 16, of T. 5, R. 4.
10.00	To top of a steep bank.
20.00	Down hill, to bottom land.
40.00	In a cornfield of 2 or 3 acres; 2 Ch. West a cabin.
49.90	A W. Oak, 18 inches diameter.
52.50	Road from Grave Creek to Salt works.
60.00	To Leptina Creek, 150 links wide, course S. E. - Across good bottom land; timber chiefly Sugar tree.
70.00	Top of Steep hill.
80.00	Put Post, corner to Sections 10, 11, 16, 17, where a Hickory, 10 ins. diam. bears S. 10 1/2 W. 17 Ms., and a Poplar, 12 ins. diam. bears N. 50 E. 36 links distant.
	Corner of Sections 344, of T. 5, R. 4. Put a Post, 74 links South of the corner of Sections 33 & 34, of T. 4, R. 3, according to measurement; where a Hickory, 10 ins. diam. bears S. 60 W. 32 links, and a W. Oak, 12 ins. diam. bears N. 30 W. 45 links distant.
	Corner of Sections 4 & 5, of T. 5, R. 4. Put a Post, 1-83 links South of the corner of Sections 34 & 35, of T. 4, R. 3, which is 4 miles from the South Boundary, according to the measurement; for the other Townships. A Lym, 10 ins. diam. bears N. 2 W. 31 links, and a Lym, 15 ins. diam. bears S. 12 W. 31 links distant.
	Corner of Sections 5 & 6, of T. 5, R. 4. Put a Post, 2.05 links South of the corner of

Township 5, Range 4-7 Ranges.

Chs. Lks.	
	Sections 35 & 36, of T. 4, R. 3; where a B. Oak, 20 ins. diam. bears N. 22 W. 13 links, and a W. Ash, 9 ins. diam. bears S. 15 E. 7 links distant.
West	Between Sections 4 & 5, of T. 5, R. 4.
20.00	Down a hill, to bottom. A Run, 10 links, course S. E.
23.00	In a corn field, 4 or 5 acres.
33.50	A Spring, course S.
58.00	Across Rich bottom land; Timber, Sugar tree, W. Wood nut, Hickory and Ash; then rise a hill.
80.00	Put Post, on West side of a hill.
West	Between Sections 10 & 11, of T. 5, R. 4.
4.00	Branch of Captiva, 25 links wide, course S.; Rocky fork.
5.00	Salt Works Road.
20.50	Over a steep hill, to Captiva Creek, course S.
62.50	Across good bottom land, to Captiva Creek, course North; Rocky bottom, swift water.
75.04	Over hilly land. Intersect, 48 links South of Post, corner to Sections 10, 11, 16, 17. Blase the line. Put Post, corner to Sections 4, 5, 10, 11, to average measure, where a W. Oak, 15 ins. diam. bears S. 79 W. 21 links, and a W. Oak, 14 ins. diam. bears N. 74 E. 12 links distant.
North	Between Sections 11 & 17, of T. 5, R. 4.
17.82	A W. Oak, 20 inches diameter.
41.78	A B. Oak, 20 inches diameter.
65.00	A Run, 25 links, course S. E.
80.00	Put Post, corner to Sections 11, 12, 17, 18, where a Beech, 10 ins. diam. bears N. 78 E. 16 links, and a B. Oak, 8 ins. diam. bears S. 15 W. 6 links distant.

Township 5, Range 4-7 Ranges.

Chs. Lks.	
	This mile high poor hills; Timber, Oak; brushy with Oak, Beech and Dogwood.
North	Between Sections 12 & 18, of T. 5, R. 4.
22.03	A W. Oak, 24 inches diameter
31.50	A Run, 10 links, course S. W.
47.90	A B. Oak, 12 inches diameter.
81.00	To North Boundary of Township. Put Post, corner to Sections 12 & 18, of T. 5, R. 4, where a B. Oak, 18 ins. diam. bears S. 16 E. 39 links, and a B. Oak, 20 ins. diam. bears N. 75 1/2 W. 7 links distant. This mile high poor hills; Timber, Oak and Hickory; brushy with Oak, Hickory and Dogwood.
East	On North Boundary of Section 12, of T. 5, R. 4.
48.00	Run, 10 links, course S. E.
77.14	Biggs' Post.
80.00	Put Post.
	This mile ridge land, thin soil; Timber, Oak, Hickory and Dogwood.
East	On North Boundary of Section 6, of T. 5, R. 4.
6.00	A Run, 10 links, course S.
14.50	A Run, 8 links, course S. W.
36.50	A Run, 5 links, course S.
77.96	To Township, corner. Put Post, corner to Sections 6 & 12, at average measure, where a W. Oak, 15 ins. diam. bears S. 14 E. 15 links, and a W. Oak, 12 ins. diam. bears N. 46 1/2 W. 8 links distant. Thursday, 23 ^d Sept. 1802. This mile good ridge land; Timber, B. & W. Oak, some Beech, some Beech, Sugar tree and W. Ash.

Township 5, Range 4-7 Ranges

- Chs. Hrs.
 North On Range Line, West Boundary of Section 31, of Town 5, Range 4.
 9:70 Corner of Townships 5 & 6, of Range 5.
 49:70 A Run, 10 links, course N. E.
 75:50 A Run, 5 links, course S. E.
 80:00 Old bearing trees. Put Post, corner to Secs. 31 & 32, where a W. Oak, 15 ins. diam. bears S. 46 W. 32 links, and a W. Oak, 9 ins. diam. bears N. 42 1/2 E. 7 links distant.
 This mile ridges, middling soil; Timber, W. & B. Oak, Hickory and Dogwood.
- North On Range Line, West Boundary of Section 32, of Town 5, Range 4.
 9:70 Put a Post, corner to Sections 1 & 2, of Town 6, Range 5, where a B. Oak, 15 ins. diam. bears N. 32 W. 30 links, and a B. Oak, 12 ins. diam. bears S. 22 1/2 W. 32 links distant.
 43:50 A Run, 5 links, course East.
 46:55 A Run, 5 links, course East.
 80:00 Put Post, corner to Sections 32 & 33, of T. 5, R. 4, where a W. Oak, 10 ins. diam. bears N. 63 W. 9 links, and a W. Oak, 12 ins. diam. bears S. 70 1/2 E. 26 links distant.
 This mile ridges, thin soil; Timber, Oak, Hickory, and Dogwood.
- North On Range Line, West Boundary of Section 33, of Town 5, Range 4.
 9:70 Put Post, corner of Sections 2 & 3, of T. 6, R. 5, where a B. Oak, 24 ins. diam. bears N. 33 W. 15 links, and a B. Oak, 20 ins. diam. bears S. 84 W. 13 links distant.
 80:00 Old bearing trees. Put Post, corner to Sections

Township 5, Range 4-7 Ranges.

- Chs. Hrs.
 33 & 34, of T. 5, R. 4, where a W. Oak, 20 ins. diam. bears S. 24 E. 26 links, and a W. Oak, 12 ins. diam. bears N. 15 E. 10 links distant.
 This mile high poor land; Timber, Oak and Hickory.
- North On the Range Line, West Boundary of Section 34, of T. 5, R. 4.
 9:00 A branch of Coquina, 30 links, course East.
 9:70 Put Post, corner of Section 34, of T. 6, R. 5, where a W. Oak, 30 ins. diam. bears N. 11 W. 30 links, and a Hickory, 12 ins. diam. bears N. 88 E. 33 links distant.
 40:50 Over a high hill, to Coquina Creek, 100 links wide, course East.
 41:50 Latt Works Road.
 62:00 A Run, 10 links, course S. W.
 80:00 Old bearing trees. Put Post, corner of Sections 34 & 35, of T. 5, R. 4, where a W. Oak, 20 ins. diam. bears S. 45 W. 4 links, and a B. Oak, 12 ins. diam. bears N. 21 1/2 E. 28 links distant.
 Over good ridge land; Timber, Oak.
- West Between Sections 26 & 27, of T. 5, R. 4.
 4:50 A Drain, course N.
 34:50 A Drain, course S. W.
 52:40 A Run, 5 links, course N.
 57:00 A Run, 15 links, course N. E.
 80:00 Put Post.
 This mile hilly poor land; Timber, Oak, Hickory and Dogwood.
- West Between Secs. 32 & 33, of T. 5, R. 4.
 36:50 A Run, 5 links, course S. E.

6 hrs. Lks.
 76.00 A Drain, course S.
 80.54 Intersect, 76 links North of Post, corner to Sections 32 & 33.
 This mile hilly, poor land; Timber, Oak and Hickory, bushy with Beech & Dogwood. Blase the line. Put Post, corner to Secs. 26, 27, 32, 33, 38 links South, where a W. Oak, 15 ins. diam. bears N. 77 E. 7 links, and a W. Oak, 15 ins. diam. bears S. 26 1/2 E. 18 links distant. Sept. 24th.

North Between Sections 21 & 27, of T. 5, R. 4.
 7.00 A Drain, course N.W.
 16.54 A W. Oak, 24 inches diameter.
 31.00 A Run, 8 links, course N. E.
 75.50 Over a high hill, to Crab Apple Run, 25 lks, course N. E.
 80.00 Put Post, corner to Sections 21, 22, 27, 28, where a W. Oak, 24 ins. diam. bears N. 50 E. 34 lks, and a W. Oak, 12 ins. diam. bears N. 88 W. 11 links distant.
 This mile poor hills; Timber, Oak & Hickory; bushy with Oak, Beech and Dogwood.

North Between Sections 27 & 28, of T. 5, R. 4.
 38.00 Over a high hill, to Captina Creek, course S. E.
 45.22 A W. Oak, 20 inches diameter.
 56.50 A Run, 5 links, course S. W.
 80.00 Up a high hill. Put Post, corner to Sections 22, 23, 28, 29, where a W. Oak, 15 ins. diam. bears N. 14 E. 13 links, and a W. Oak, 20 ins. diam. bears S. 39 E. 32 links distant.
 This mile high hills; Timber chiefly Oak.

6 hrs. Lks.
 West Between Sections 16 & 17, of T. 5, R. 4.
 27.00 A Run, 12 links, course S.
 59.00 A Cabin, 100 links N. A cornfield of 2 acres, South.
 61.50 Captina Creek, course S.; rapid water.
 80.00 Put round Post.
 This mile high steep hills; Timber, Oak.

West Between Sections 22 & 23, of T. 5, R. 4.
 35.00 Descending West to Bottom.
 41.50 Captina Creek, course N. E.; then rise a hill.
 79.00 A Run, 5 links, course S.
 82.00 Intersect, 35 links South of Post, corner Sections 22, 23, 28, 29. Blase the line, and put Post, corner to Sections 16, 17, 22, 23, to average measure, where a W. Oak, 20 ins. diam. bears N. 72 E. 8 links, and a B. Oak, 30 ins. diam. bears S. 35 W. 36 links distant.
 This mile hilly land; Timber, Oak. Sept. 25th.

North Between Sections 28 & 29, of T. 5, R. 4.
 27.60 A W. Oak, 36 inches diameter.
 46.00 A Run, 8 links, course N. E.
 53.70 A W. Oak, 18 inches diameter.
 80.00 Put Post, corner to Sections 23, 24, 29, 30, where a W. Oak, 20 ins. diam. bears N. 69 E. 16 lks, and a W. Oak, 18 ins. diam. bears S. 76 1/2 W. 18 links distant.
 This mile hilly land, middling soil; Timber, Oak and Dogwood.

North Between Sections 24 & 30, of T. 5, R. 4.
 14.00 A Stream, 30 links wide, course S. E.
 44.20 A W. Oak, 18 inches diameter.
 54.00 A Run, 10 links, course S. E.

Township 5, Range 4-7 Ranges.

Chs. Lk.
80.09 To North Boundary of Township. Put a Post, corner to Sections 24 & 30, where a Hickory, 12 ins. diam. bears N. 60 W. 3 links, and a W. Oak, 24 ins. diam. bears S. 32 E. 10 links distant.

This mile hilly poor land; Timber, Oak; brushy with Oak and Dogwood.

West On Township Line, North Boundary of Section 18, of Town 5, Range 4.

4.50 Biggs' Post.

14.50 A Run, 8 links, course S.

44.00 A Run, 10 links, course S.

57.50 A Run, 15 links, course S.

80.00 Put Post.

Over hilly, poor land; Timber, Oak.

West On Township Line, North Boundary of Section 24, of Town 5, Range 4.

3.00 A Drain, course S.

5.02 Biggs' Post.

29.20 A Run, 5 links, course S.

62.30 A Run, 6 links, course S.

82.78 To Post, corner to Sections 24 & 30.

Hilly land and poor; Timber chiefly W. Oak, some Dogwood.

Put Post, corner to Sections 18 & 24, to average measure, where a W. Oak, 20 ins. diam. bears S. 55 1/2 W. 21 links, and a W. Oak, 20 ins. diam. bears S. 35 E. 26 links distant. Sunday, Sept. 26th.

West Between Sections 28 & 29, of Town 5, Range 4.

21.10 A Run, 5 links, course S.

30.00 A Drain, course N. A cornfield, South.

Township 5, Range 4-7 Ranges.

Chs. Lk.
69.50 A Run, 10 links, course S. E.

80.00 Put Post.

This mile good wheat land; Timber chiefly W. Oak.

West Between Sections 34 & 35, of T. 5, R. 4.

32.00 A Run, 5 links, course S. W.

46.00 A Drain, S. W.

74.15 A Run, 10 links, course South.

80.32 Intersect, 1.26 links South of Post, corner to Sections 34 & 35. Close the line, and put a Post, corner to Sections 28, 29, 34, 35, ^{at 80 chains,} where a W. Oak, 24 ins. diam. bears N. 70 E. 32 links, and a W. Oak, 24 ins. diam. bears S. 73 W. 35 links distant.

This mile broken ridges, soil middling quality; Timber, chiefly W. Oak, some Hickory.

North On the Range Line, West Boundary of Section 35, of Town 5, Range 4.

9.70 Put a Post, corner to Sections 4 & 5, of T. 6, R. 5, where a W. Oak, 24 ins. diam. bears S. 23 W. 34 links, and a W. Oak, 36 ins. diam. bears S. 68 1/2 E. 65 links distant.

22.50 A Run, 10 links, course S. 10 E.

79.75 Old bearing trees.

80.00 Put Post, corner to Sections 35 & 36, of T. 5, R. 4, where a W. Oak, 20 ins. diam. bears N. 86 W. 3 links, and a W. Oak, 12 ins. diam. bears S. 63 1/2 E. 37 links distant.

This mile hilly poor land; Timber, Oak; brushy with Oak and Dogwood.

North On Range Line, West Boundary of Sec. 36, of T. 5, R. 4

9.70 Put Post, corner to Sections 5 & 6, of T. 6, R. 5, where a Maple, 12 ins. diam. bears S. 77 1/2 E. 9 links

Township 5, Range 4-7 Ranges.

	and a W. Oak, 15 ins. diam. bears N. 34 W. 40 links distant.
64.60	A Stream, 25 links, course S. E.
79.60	Township Corner. A new Post, where a W. Oak, 20 ins. diam. bears S. 21 W. 25 links, and a W. Oak, 36 ins. diam. bears N. 56 1/4 E. 52 W. distant.
	This mile hilly land, thin soil; Timber, chiefly W. Oak, some Dogwood and Oak brush.
North	
11.93	North East Corner of T. 6, R. 5. New Post, and new bearing trees; the old Range line continues North, an Old Township line runs West, an old line continues East 2.30 links; old bearing trees at the end of it, but no line from them. Establish the corner at Biggs' Post, where a W. Oak, 15 ins. diam. bears N. 75 W. 25 links, and a Gum, 10 ins. diam. bears N. 83 E. 9 links distant.
West	On Township Line; North Boundary of Section 30, of Town 5, Range 4.
3.60	Biggs' Post.
12.50	A Run, 8 links, course S.
44.50	A Run, 5 links, course S.
76.00	A Run, 12 links, course S.
80.00	Put Post, corner to Sections 30 & 36, of T. 5, R. 4; where a W. Oak, 36 ins. diam. bears N. 75 W. 32 links, and a W. Oak, 20 ins. diam. bears S 34 E. 7 links distant.
	This mile hilly land, thin soil; Timber chiefly W. Oak.
West	On Township Line, North Boundary of Sec. 36, 25, R. 4.
4.18	Biggs' Post.

Township 5, Range 4-7 Ranges.

64.10	A Drain, course S. W.
36.50	A Run, 20 links, course South.
70.00	A Drain, course S.
81.65	Township Corner.
	This mile ridges, thin soil; Timber, Oak.
	Monday, 27th September, 1802.

Surveyed in 1802, by
 E. Nathan Scofield,
 Deputy Surveyor.

6 Ms. Lks.

Subdivision of "2 Mile Blocks."
June 6, 1865.

North On Random Line between Sections 1 & 7.
17.00 A Run, 8 links wide, runs East.
40.00 Set temporary Quarter Section Post.
80.00 Set temporary Center Post.
This mile good soil; Timber, Oak.

North continued Random line between Sections 2 & 8.
40.00 Set temporary Quarter Section Post.
79.00 Fell 77 links East of Post, corner of Sections
1, 2, 7, 8.
This mile good land.

East On Random between Sections 7 & 8.
40.00 Set temporary Quarter Section Post.
79.25 Hit the Center Post.
This mile good soil; Timber, Oak, Beech, &c.

East continued Random Line between Secs. 1 & 2.
40.00 Set temporary Quarter Center Post.
78.00 A Run, 8 links wide, course S. E.
79.00 Hit Post on Range Line, corner of Secs. 1 & 2.
Soil and timber as last mile.

Corrected the line between Sections 2 & 8, and
set the Dr. Sec. Post; from which a Beech,
8 ins. diam. bears N. 5 E. 19 links, and a
W. Oak, 12 ins. diam. bears South 27 links
distant.

Corrected the line between Sections 1 & 7, and set
Post for Quarter Sections from which a W.
Ash, 10 ins. diam. bears N. 5 E. 38 links,

6 Ms. Lks.

and a Sugar, 16 ins. diam. bears S. 24 E. 24
links distant.

Corrected the line between Sections 7 & 8, and set
Dr. Sec. Post; from which a Sugar, 12 ins.
diam. bears N. 79 E. 18 links, and a Sugar,
14 ins. diam. bears S. 52 W. 38 links distant.
Set the Center Post, at intersection of lines,
corner to Sections 1, 2, 7, 8; from which a Su-
gar, 10 ins. diam. bears N. 89 W. 31 links,
and a Beech, 10 ins. diam. bears N. 52 E.
32 links distant.

Corrected the line between Sections 1 & 2, and
set the Dr. Sec. Post; from which a W. Oak,
14 ins. diam. bears S. 46 W. 33 links, and a
Poplar, 20 ins. diam. bears N. 15 E. 7 links
distant.

June 8, 1865.

North On Random Line between Sections 8 & 9.
5.00 A creek, 30 links wide, course East.
40.00 Set temporary Quarter Section Post.
50.00 A Small Run, course S. E.
80.00 Set temporary Center Post.
Good soil; Timber, Oak, Beech, &c.

North continued Random Line, between Sections 4 & 10.
40.00 Set temporary Quarter Section Post.
53.00 A creek, 200 links wide, course S. E. Steep hills.
79.25 Fell 86 links West of Post
Hills and Bottom land; Timber, Oak,
Hickory, &c.

Township 5, Range 4-7 Ranges.

Chs. Lks.	
West	On Random Line between Sections 3 & 4.
21.00	A Brook, 150 links wide, course S. 70 E.
40.00	Set temporary Quarter Section Post. Good hills and Bottom land.
79.04	Fell 22 links North of Post, temporary center. Steep hills, middling soil; Timber, Oak, Hickory, &c.
West	Continued Random Line between Sections 9 & 10.
30.00	A small Run, course S. E.
40.00	Set temporary Quarter Section Post.
78.19	Fell 15 links North of Post. Soil and timber as before.
	Corrected the line between Sections 9 & 10, and moved the Dr. Sec. Post; from which a Poplar, 20 ins. diam. bears S. 46 E. 7 links, and a Gum, 10 ins. diam. bears N. 72 W. 46 links distant.
	Set center Post at the intersection of the lines, corner to Sections 3, 4, 9, 10; from which a Hickory, 8 ins. diam. bears N. 88 E. 9 links, and a B. Oak, 12 ins. diam. bears N. 29 W. 16 links distant.
	Corrected the line between Sections 3 & 4. A Dogwood, 8 ins. diam. is Quarter Section corner.
	Corrected the line between Sections 3 & 9. A Hickory, 10 ins. diam. is the Quarter Section corner.
	Corrected the line between Sections 4 & 10.

Township 5, Range 4-7 Ranges

Chs. Lks.	
	A Hickory, 10 ins. diam. is the Quarter Section corner.
	June 8, 1805.
East	On Random Line between Sections 11 & 12.
40.00	Set temporary Quarter Section Post.
76.00	A Brook, 40 links wide, runs South.
80.00	Set temporary Center Post. This mile steep hills, middling soil; Timber, Oak, Sugar, Hickory, &c.
East	Continued Random Line between Secs. 5 & 6.
37.50	A small Run, course S. W.
40.00	Set temporary Quarter Section Post.
53.00	A Road, course N. E.
79.72	Fell 50 links South of Post on Range Line. This mile high hill land; Timber, Oak, Hickory, &c.
North	On Random Line between Sections 5 & 11.
16.00	A Road, course N. E.
21.00	A Brook, 50 links wide, course S. 20 W.
40.00	Set temporary Quarter Section Post.
57.50	A Brook, 50 links wide, runs S. E.
79.68	Intersected East and West ^{Random} Line, 120 links West of Post for temporary center. This mile good hill and bottom land; Timber, Oak, Sugar, &c.
North	Continued Random Line between Secs. 6 & 12.
1.50	A small Run, course S. W.
34.00	A small Run, course West.
40.00	Set temporary Quarter Section Post.
72.00	A Brook, 15 links wide, course S. W.

Township 5, Range 4-7 Ranges.

6 W. Lk. 82.00 Fell 80 links East of Post on Township line. This mile steep hills, good soil; Timber, Beech, Oak, &c.

Corrected the line between Sections 5 & 11, & set the Dr. Sec. Post; from which a W. Oak, 14 ins. diam. bears N. 67 E. 18 links, and a B. Oak, 30 ins. diam. bears S. 35 E. 25 links distant.

Set the center Post at the intersection of the lines, for corner of Sections 5, 6, 11, 12; from which a W. Walnut, 8 ins. diam. bears N. 44 E. 8 links, and a Sugar, 10 ins. diam. bears S. 89 W. 38 links distant.

Corrected the line between Sections 11 & 12. A W. Oak, 12 ins. diam. is the Quarter Section corner.

Corrected the Line between Sections 5 & 6, and set the Dr. Sec. Post; from which a W. Oak, 30 ins. diam. bears S. 8 E. 35 W. 6, and a Beech, 30 ins. diam. bears N. 58 W. 39 links distant.

Corrected the line between Sections 6 & 12, and set the Dr. Sec. Post; from which a W. Oak, 12 ins. diam. bears South 23 links, and a W. Oak, 12 ins. diam. bears N. 30 W. 33 links distant.

June 6, 1865.

East On Random Line between Sections 19 & 20. 40.00 Set temporary Quarter Section Post.

Township 5, Range 4-7 Ranges.

6 W. Lk. 80.00 Set temporary center Post. This mile steep hills, middling soil; Timber, Oak, Hickory, &c.

East Continued Random Line between Secs. 13 & 14. 4.50 A Brook, 12 links wide, course S. 70 E.

40.00 Set temporary Quarter Section Post.

44.00 A brook, 30 links wide, course North.

79.29 Fell 11 links South of Post.

This mile steep high hills, very broken; Timber, Oak, Hickory, Beech, &c.; much small Beech.

North On Random Line between Sections 13 & 19. 4.00 A Brook, 12 links wide, course N. E.

15.00 A Run, course S. E. 40.00 Set temporary Quarter Section Post.

80.50 Fell 15 links West of temporary center Post. This mile steep hills, middling soil; Timber, Oak, Hickory, &c.

North Continued Random Line between Secs. 14 & 20. 5.00 A Run, 12 links wide, runs S. E.

40.00 Set temporary Quarter Section Post.

78.70 Fell 70 links West of Post.

This mile steep hills, middling soil; Timber, Oak, Hickory, &c.

Corrected the line between Sections 14 & 20, and set the Dr. Sec. Post; from which a W. Oak, 12 ins. diam. bears N. 18 W. 31 links, and a Hickory, 10 ins. diam. bears S. 52 E. 22 links distant.

Set center Post, at intersection of lines, corner to Sections 13, 14, 19, 20; from which a W. Oak, 20 ins. diam. bears S. 80 W. 21 links, &

Township 5, Range 4-7 Ranges.

6 hrs. Lk.

a W. Oak, 20 ins. diam. bears N. 20 W. 15 lks. distant.

Corrected the line between Sections 13 & 19, and set the Quarter Section Post, which is a W. Oak, 14 ins. diam. in place of a Post.

Corrected the line between Sections 19 & 20, and set the Dr. Sec. Post; from which a Hickory, 8 ins. diam. bears S. 27 E. 19 links, and a W. Oak, 14 ins. diam. bears N. 89 E. 34 links distant.

Corrected the line between Sections 13 & 14, and set the Dr. Sec. Post; from which a W. Oak, 10 ins. diam. bears S. 23 W. 4 links, and a W. Oak, 12 ins. diam. bears N. 23 E. 15 lks. distant.

June 7, 1805.

South On Random Line between Sections 16 & 22.

17.50 A creek, 170 links wide, course West.

30.50 The creek " " " N. E.

35.00 A Road, course N. E.

40.00 Set temporary Quarter Section Post.

80.00 Set temporary Center Post.

Good hill and bottom land; Timber, Oak, Sugar, Walnut, &c.

South Continued Random Line, between Secs. 15 & 21.

40.00 Set temporary Quarter Section Post.

77.50 A Run, 7 links wide, runs S. E.

78.00 Fell 15 links East of Post.

This mile high hills, mudding soil; Timber, Oak, Hickory, &c.

Township 5, Range 4-7 Ranges.

6 hrs. Lk.

West On Random Line between Sections 15 & 16.

40.00 Set temporary Quarter Section Post.

79.30 Fell 79 links North of temporary Center Post.

This mile high hill land; Timber, Oak, Hickory, &c.

West Continued Random Line between Sections 21 & 22.

36.50 Over hill land, and enter Bottom.

40.00 Set temporary Quarter Section Post.

67.50 To a creek, 50 links wide, course North; bottom.

80.00 Hit the Post.

Good hill and bottom land; Timber, Sugar, Oak, &c.

Corrected the line between Sections 15 & 21, and set the Quarter Section Post; from which a W. Oak, 18 ins. diam. bears S. 85 E. 16 links, and a Poplar, 24 ins. diam. bears N. 86 W. 26 links distant.

Corrected the line between Sections 21 & 22, and set Dr. Sec. Post; from which a Box Elder, 8 ins. diam. bears N. 16 E. 11 links, and an Elm, 10 ins. diam. bears S. 75 W. 16 links distant.

Set Post at center, at intersection of the lines, for corner to Sections 15, 16, 21, 22; from which a B. Oak, 10 ins. diam. bears N. 60 W. 37 lks., and a B. Oak, 14 ins. diam. bears S. 15 W. 45 links distant.

Corrected the line between Sections 16 & 22, and set the Quarter Section Post; from which a W. Oak, 18 ins. diam. bears S. 75 E. 14 lks., and a Sugar, 10 ins. diam. bears N. 78 W. 31 links distant.

Township 5, Range 4-7 Ranges

Ch. Lk.

Corrected the line between Secs. 15 & 16, and set the Dr. Sec. Post; from which a Sugar, 12 ins. diam. bears N. 76 W. 12 links, and a Sugar, 10 ins. diam. bears S. 36 E. 22 links distant.

June 8, 1805.

East On Random Line between Secs. 23 & 24.
13.00 A Brook, 30 links wide, course S. Soil good.
40.00 Set temporary Quarter Section Post.
80.00 Set temporary Center Post.
This mile hilly, middling soil; Timber, Oak, Hickory, &c.

East Continued Random Line between Secs. 17 & 18.
40.00 Set temporary Quarter Section Post.
50.00 A Brook, 20 links wide, course South.
80.42 Fell 48 links North of Post.
This mile steep high hills, middling soil; Timber, Oak, Hickory, &c.

North On Random Line between Secs. 17 & 23.
22.00 A creek, 160 links wide, course East.
40.00 Set temporary Quarter Section Post.
76.50 A Brook, 10 links wide, course S. 10 E.
79.40 Fell 101 links East of temporary Center Post.
Steep hills, middling soil; Timber, Oak, Hickory, &c.

North Continued Random line between Secs. 18 & 24.
40.00 Set temporary Quarter Section Post.
79.15 Hit the Post on the Township Line.
Moderate ridges, good soil; Timber, Oak, &c.

Township 5, Range 4-7 Ranges

Ch. Lk.

Corrected the line between Secs. 23 & 24, and set the Quarter Section Post; from which a W. Ash, 6 ins. diam. bears N. 26 E. 31 links, and an Ironwood, 8 ins. diam. bears S. 36 E. 32 links distant.

Corrected the line between Secs. 18 & 24, and set the Dr. Sec. Post; from which a W. Oak, 15 ins. diam. bears N. 46 W. 19 links, and a W. Oak, 12 ins. diam. bears N. 72 E. 28 links distant.

Put the Center Post at intersection of lines, corner to Sections 17, 18, 23, 24; from which a W. Oak, 15 ins. diam. bears N. 69 E. 5 links, and a W. Oak, 18 ins. diam. bears S. 8 E. 27 links distant.

Corrected the line between Secs. 17 & 23, where a W. Oak, 30 ins. diam. is Quarter Section corner.

Corrected the line between Sections 17 & 18, and set the Dr. Sec. Post; from which a Beech, 14 ins. diam. bears S. 24 W. 9 links, and an Ironwood, 8 ins. diam. bears N. 30 E. 13 links distant.

June 6, 1805.

North On Random Line between Sections 25 & 31.
25.00 A Brook, 15 links wide, course N. E.
38.00 Same Brook, course N. W.
40.00 Set temporary Quarter Section Post.
47.00 The same Brook, 15 links wide, course N. E.
76.00 A Brook, 12 links wide, course N. E.
80.00 Set temporary Center Post.

Township 5, Range 4-7 Ranges.

6 hrs. 30. This mile rich Bottom and side hill; Timber, Oak, Sugar, Cherry, Plum, and Thorn bushes.

North
3:00 Continued Raddow Line between Secs. 26 & 32.
A creek, 30 links wide, course N. 20 W.
16:00 Same creek, 30 links wide, course N. 20 E.
40:00 Set temporary Quarter Section Post, in a Run, 6 links wide, course East.
62:50 A Brook, 10 links wide, course East.
79:00 Fell 42 links West of Post.
This mile, points of hills and gullies from the West, middling soil; Timber, Oak, &c.

East
On Raddow Line between Sections 31 & 32.
40:00 Set temporary Quarter Section Post.
43:00 A Brook, 11 links wide, course N. E.
73:50 The Brook, 20 links wide, course S. E.
78:74 Fell 145 links South of temporary Center Post.
Land hilly, middling soil; Timber, Oak and Hickory.

East
Continued Raddow Line between Secs. 25 & 26.
50 A Brook, 30 links wide, course North.
40:00 Set temporary Quarter Section Post.
77:00 A small Run, course N. E.
79:00 Fell 32 links South of Post.
This mile high hills, middling soil; Timber, Oak and Hickory.

Connected the line between Sections 25 & 31, and set the Dr. Sec. Post; for which a Sugar, 14 ins. diam. bears N. 33 E. 33 links, and a Sugar, 14 ins. diam. bears S. 6 W. 20 links distant.

Township 5, Range 4-7 Ranges.

6 hrs. 30. Set Center Post, at intersection of lines, corner to Sections 25, 26, 31, 32; for which a W. Oak, 14 ins. diam. bears N. 52 E. 6 links, and a W. Oak, 18 ins. diam. bears S. 39 E. 15 links distant.

Connected the line between Secs. 26 & 32, and set the Quarter Section corner on an Iron rod, 8 inches diameter.

Connected the line between Sections 31 & 32, and set the Dr. Sec. Post; for which a W. Oak, 20 ins. diam. bears S. 21 E. 14 links, and a W. Oak, 10 ins. diam. bears N. 8 E. 21 links distant.

Connected the line between Sections 25 & 26, and made the Quarter Section corner on a W. Oak, 30 inches diameter.

June 6, 1805.

North
On Raddow Line between Sections 27 & 33.
23:00 A small Run, course S. 70 E.
40:00 Set temporary Quarter Section Post.
80:00 Set temporary Center Post.
This mile points of hills, and gullies from the West, middling soil; Timber, Oak, &c.

North
Continued Raddow Line between Secs. 28 & 34.
40:00 Set temporary Quarter Section Post.
64:50 A creek, 30 links wide, course East.
77:00 Fell 38 links West of Post.
This mile level upland, good soil; Timber, Oak, Hickory, &c.

Township 5, Range 4-7 Ranges.

6 hrs. 1/2.
West On Random Line between Secs. 27 & 28.
40.00 Set temporary Quarter Section Post.
79.31 Fell 17 links North of temporary Center Post,
set at average measure on two lines.
Moderate ridges, good Oak and Hickory land.

West Continued Random line between Sections 33 & 34.
40.00 Set temporary Quarter Section Post.
79.60 Fell 8 links North of Post on Range line.
Steep hills, middling soil; Timber, Oak, &c.

Connected the line between Sections 28 & 34, and
set the Quarter Section Post, from which a
W. Oak, 14 ins. diam. bears N. 80 W. 22 links,
and a W. Oak, 14 ins. diam. bears N. 55 E. 30
links distant.

Connected the line between Sections 27 & 33,
and set the Quarter Section Post, from which
a Dogwood, 8 ins. diam. bears N. 30 E. 12 links,
and a W. Oak, 30 ins. diam. bears S. 39 E. 23
links distant.

Connected the line between Sections 27 & 28, and
set Dr. Sec. Post, from which a Hickory, 8
ins. diam. bears S. 22 E. 9 links, and a Hick-
ory, 8 ins. diam. bears N. 30 W. 10 links distant.
Put Center Post at intersection of lines, corner
to Sections 27, 28, 33, 34; from which a
W. Oak, 14 ins. diam. bears N. 27 E. 10 links, &
a W. Oak, 18 ins. diam. bears S. 1 W. 26 links
distant.

Connected the line between Sections 33 & 34, and

Township 5, Range 4-7 Ranges.

6 hrs. 1/2.
set Dr. Sec. Post, from which a W. Oak, 20
ins. diam. bears S. 52 E. 9 links, and a W.
Oak, 12 ins. diam. bears N. 70 E. 28 links distant.

June 7, 1805.

North On Random Line between Sections 29 & 35.
8.00 A Run, 10 links wide, course East.

40.00 Set temporary Quarter Section Post.

74.00 Followed up the Run, course S. 2 E.

80.00 Set temporary Center Post.

Land hilly, middling soil; Timber, Oak, Hick-
ory, &c.

North Continued Random Line between Secs. 33 & 36.

40.00 Set temporary Quarter Section Post.

48.00 A Creek, 40 links wide, course N. 70 E.

55.00 A Brook, 25 links wide, course S. 20 E.

61.50 Large Brook, course S. 20 W.

77.00 Fell 114 links East of Post on Township line.

This mile hill and bottom land, good soil;
Timber, Oak, Hickory, Sugar, &c.

East On Random Line between Sections 35 & 36.

40.00 Set temporary Quarter Section Post.

79.31 Fell 44 links South of temporary Center Post.

This mile high dividing land, good soil;
Timber, Oak, Hickory, Poplar, &c.

East On Random between Sections 29 & 30.

40.00 Set temporary Quarter Section Post.

80.64 Fell 52 links South of Post.

Steep hills, good soil; Timber, Oak, Hickory, &c.

Connected the line between Sections 29 & 35, and

Township 5, Range 4 - 7 Ranges

64. Lk.

set the Dr. Sec. Post; from which a Hickory, 10 ins. diam. bears N. 16 E. 9 links, and a W. Oak, 8 ins. diam. bears S. 24 E. 17 links distant.

Put Center Post at intersection of lines, corner to Sections 29, 30, 35, 36; from which a W. Oak, 18 ins. diam. bears S. 4 E. 28 links, and a Beech, 10 ins. diam. bears N. 18 E. 55 links distant.

Connected the line between Sections 35 & 36, and set Dr. Sec. Post; from which a Gum, 10 ins. diam. bears N. 37 E. 7 links, and a B. Oak, 20 ins. diam. bears S. 73 W. 27 links distant.

Connected the line between Sections 30 & 36, and set the Dr. Sec. Post; from which a Hickory, 8 ins. diam. bears N. 85 E. 3 links, and a Beech, 10 ins. diam. bears N. 63 W. 11 links distant.

Connected the line between Sections 29 & 30, and made the Quarter Section corner on a Sugar, 14 inches diameter.

Surveyed in June, 1805, by
Levi Barber,
Deputy Surveyor.

Township 6, Range 4 - 7 Ranges

64. Lk.

North Boundary.

Beginning at-

East 1st Mile - [North side of Section 36.]
12.08 A W. Oak, 8 inches diameter.
23.85 A W. Oak, 12 inches diameter.
59.55 A W. Oak, 10 inches diameter.
69.06 A B. Oak, 24 inches diameter.
80.00 Set Post, [corner to Sections 30 & 36] from which a W. Oak, 36 inches diameter, bears N. 37 W. 33 1/2 links, and a Hickory, 12 ins. diam. bears S. 85 1/2 E. 13 links distant.

The ascents and descents are gentle, interspersed with a number of streams of excellent water; Timber, B, W. & Span. Oak, Hickory, Dogwood and Black Thorn; soil thin, calculated to produce wheat, grass, &c.

East 2^d Mile - [North side of Section 30.]
15.53 A Span. Oak, 10 inches diameter.
24.04 A Locust, - inches diameter.
48.90 A W. Oak, 6 inches diameter.
73.12 A W. Oak, 12 inches diameter.
80.60 Set Post, [corner to Sections 24 & 30] where a W. Oak, 15 ins. diam. bears S. 65 E. 42 links, and a Hickory, 12 ins. diam. bears N. 3 1/2 W. 30 links distant.

The land is of the same quality with the last mile, timbered in the same manner; the hills steeper. Here is a large Brook, with water sufficient to turn a mill, on each side of which is a large Bottom of excellent land, suitable for meadow, covered with wild cherry, Plum, and Crab Apple.