

Township 5, Range 4 - 7 Ranges

Chs. Ls.

set the Dr. Sec. Post; from which a Hickory, 10 ins. diam. bears N. 16 E. 9 links, and a W. Oak, 8 ins. diam. bears S. 24 E. 17 links distant.

Put Center Post at intersection of lines, corner to Sections 29, 30, 35, 36; from which a W. Oak, 18 ins. diam. bears S. 4 E. 28 links, and a Beech, 10 ins. diam. bears N. 18 E. 55 links distant.

Connected the line between Sections 35 & 36, and set Dr. Sec. Post; from which a Gum, 10 ins. diam. bears N. 37 E. 7 links, and a B. Oak, 20 ins. diam. bears S. 73 W. 27 links distant.

Connected the line between Sections 30 & 36, and set the Dr. Sec. Post; from which a Hickory, 8 ins. diam. bears N. 85 E. 3 links, and a Beech, 10 ins. diam. bears N. 63 W. 11 links distant.

Connected the line between Sections 29 & 30, and made the Quarter Section corner on a Sugar, 14 inches diameter.

Surveyed in June, 1805, by
Levi Barber,
Deputy Surveyor.

Township 6, Range 4 - 7 Ranges

Chs. Ls.

North Boundary.

Beginning at-

East 1st Mile - [North side of Section 36.]
12.08 A W. Oak, 8 inches diameter.
23.85 A W. Oak, 12 inches diameter.
59.55 A W. Oak, 10 inches diameter.
69.06 A B. Oak, 24 inches diameter.
80.00 Set Post, [corner to Sections 30 & 36] from which a W. Oak, 36 inches diameter, bears N. 37 W. 33 1/2 links, and a Hickory, 12 ins. diam. bears S. 85 1/2 E. 13 links distant.

The ascents and descents are gentle, interspersed with a number of Streams of excellent water; Timber, B, W. & Span. Oak, Hickory, Dogwood and Black Thorn; soil thin, calculated to produce wheat, grass, &c.

East 2^d Mile - [North side of Section 30.]
15.53 A Span. Oak, 10 inches diameter.
24.04 A Locust, - inches diameter.
48.90 A W. Oak, 6 inches diameter.
73.12 A W. Oak, 12 inches diameter.
80.60 Set Post, [corner to Sections 24 & 30] where a W. Oak, 15 ins. diam. bears S. 65 E. 42 links, and a Hickory, 12 ins. diam. bears N. 3 1/2 W. 30 links distant.

The land is of the same quality with the last mile, timbered in the same manner; the hills steeper. Here is a large Brook, with water sufficient to turn a mill, on each side of which is a large Bottom of excellent land, suitable for meadow, covered with wild cherry, Plum, and Crab Apple.

Township 6, Range 4-7 Ranges

6 hrs. 2 hrs.
 East 3rd Mile - [North side of Section 24.]
 9.75 A W. Oak, 10 inches diameter.
 41.90 An Elm, 8 inches diameter.
 67.40 A W. Oak, 12 inches diameter.
 80.00 Set Post, [corner to Sections 18 & 24,] from which
 a W. Oak, 8 ins. diam. bears S. 32 W. 20 links,
 and a W. Oak, - ins. diam. bears N. 61 W. E.
 9 1/2 links distant.
 Land much broken with hills, soil thin
 and strong; Timber, small W., B. & Spanish
 Oak, and Hickory.

East 4th Mile - [North side of Section 18.]
 6.20 A W. Oak, 12 inches diameter.
 23.04 A W. Oak, 18 inches diameter.
 80.00 Set Post, [corner to Sections 12 & 18,] from which
 a W. Oak, 18 ins. diam. bears S. 61 E. 15 1/2 links,
 and a B. Oak, 18 ins. diam. bears N. 6 E. 30 1/2
 links distant.
 Land much broken with hills, soil of a good
 quality for wheat, rye, grass, &c.; Timber, W.,
 B. and Span. Oak, Hickory, Dogwood.

East 5th Mile - [North side of Section 12.]
 6.50 A B. Oak, 15 inches diameter.
 20.60 A W. Oak, 20 inches diameter.
 32.25 A W. Oak, - inches diameter.
 76.60 A Span. Oak, 18 inches diameter.
 80.00 Set Post, [corner of Sections 6 & 12,] from which
 a B. Oak, 15 ins. diam. bears N. 5 1/2 W. 18 1/2
 links, and a B. Oak, 24 ins. diam. bears
 S. 21 1/2 E. 51 links distant.
 A variety of ascents and descents, with a num-
 ber of small brooks of excellent water; the

Township 6, Range 4-7 Ranges

6 hrs. 2 hrs.
 soil is rich, but the land is broken with
 hills; Timber, large B., W. & Span. Oak, Hick-
 ory & Dogwood, with a large quantity of
 Pea vines.

East 6th Mile - [North side of Section 6.]
 41.18 A W. Oak, 24 inches diameter.
 59.10 A W. Oak, 18 inches diameter.
 65.00 A W. Oak, 8 inches diameter.
 80.00 This completes the 6 miles East, on the North
 Boundary of the 6th Township; where fixed
 a Post as the North East corner of said
 Township 6, Range 4; from which a W. Oak,
 30 ins. diam. bears S. 70 W. 27 1/2 links, and
 a W. Oak, 12 ins. diam. bears S. 18 E. 31 1/2
 links distant.
 High hills and steep, soil rich, and would pro-
 duce wheat, rye, indian corn, tobacco, &c.;
 Timber the same as that described in the
 last mile.

East Boundary.

Beginning at the N.E. Corner of Township
 6, Range 4; from which a W. Oak, 30 ins.
 diam. bears S. 70 W. 27 links, and a W. Oak,
 12 ins. diam. bears S. 18 E. 31 1/2 links distant.

Thence on East Boundary -

South 1st Mile - [East side of Section 6.]
 18.97 A W. Oak, 18 inches diameter.
 33.49 A Red Oak, 15 inches diameter.
 53.08 A W. Oak, 30 inches diameter.
 80.00 Set Post, [corner to Sections 5 & 6,] from which
 a W. Oak, 18 ins. diam. bears S. 4 W. 23 links, and a W. Oak,
 18 ins. diam. bears S. 12 W. 34 links distant.

Chs. Ls.

The land is hilly, but generally improvable; the first 40 chs. and from 60 to 80 chs. the soil is of a good quality, and well adapted to the producing of wheat or indian corn. From 40 to 60 chs. a thin soil, answerable to the production of wheat. The principal growth of timber is Oak and Hickory; but there grow along it B. & W. Walnut, Cherry, Poplar, & Ash.

South 2^d Mile [East side of Section 5.]

- 17.25 A Sugar, 18 inches diameter.
- 31.65 McMahaw's creek, 100 Yds. wide, course S. 70 E.
- 46.70 A Stream, 40 links wide, runs S. 80 E. Here the line enters a Bottom, 5 chs. 30 Yds. wide.
- 50.00 A Sugar, 30 inches diameter.
- 80.00 Set Post, [corner to Sections 4 & 5,] from which a Hickory, 18 ins. diam. bears N. 25 1/2 E. 22 1/2 links, and a Sugar, 18 ins. diam. bears S. 57 1/2 E. 43 links distant.

The soil of the upland along this mile is stony, except the South side of the high ridge, which divides McMahaw's creek from the branch, where the soil is thin, mixed with sand stones, and the descent so rapid as to render it un tillable. The appearance of stone coal in the North side of this ridge, and near the South margin of McMahaw's creek, indicates a coal mine. Here is also, in the creek and branch, a great plenty of limestone. The bottom thro' which these creeks run, is exuberantly rich, shaded with Buckeye, Blk & W. Walnut, Sycamore and Sugar. The upland is timbered with Oak, Hickory, Ash, W. Walnut, Locust, Sugar.

Chs. Ls.

South 3^d Mile [East side of Section 4.]

- 15.19 A W. Oak, 26 inches diameter.
- 27.25 A W. Oak, 18 inches diameter.
- 58.90 A W. Oak, 8 inches diameter.
- 80.00 Set Post, [corner of Sections 3 & 4,] from which a Gum, 6 ins. diam. bears N. 57 1/2 W. 16 links, and a B. Oak, 20 ins. diam. bears N. 33 1/2 E. 25 1/2 links distant.

The hills along this mile are tillable, and suitable to the production of wheat, rye, and oats; timbered with Oak, Hickory, and some chestnut.

South 4th Mile [East side of Section 3.]

- 31.95 A W. Oak, 15 inches diameter.
- 42.04 A Hickory, 12 inches diameter.
- 70.50 The line enters a Bottom.
- 73.00 A Branch, 2 1/2 yards wide, runs S. 70 E.
- 74.23 A W. Oak, 6 inches diameter.
- 80.00 Set Post, [corner to Sections 2 & 3,] from which a Chestnut, 12 ins. diam. bears S. 80 W. 19 links, and a Poplar, 18 ins. diam. bears N. 42 1/2 E. 8 links distant.

There is some small alterations of soil, the upland answerable to the production of good crops of indian corn and wheat; timbered with B, W, R. and Span. Oak, W. Walnut, Ash and Hickory. - The bottom where the Water Course runs, is proper for meadow or cultivation.

South 5th Mile [East side of Section 2.]

- 26.00 A W. Oak, 11 inches diameter.
- 37.60 A Red Oak, 16 inches diameter.
- 59.31 A Sugar, 7 inches diameter.
- 80.00 Set Post, [corner to Sections 1 & 2,] from which

6 hrs. 2 1/2

a Red Elm, 9 ins. diam. bears S. 26 W. 53 N. 1/2
and a Red Oak, 30 ins. diam. bears - 42 1/2 E
60 links distant.

The upland along this mile, (except from 66 to 76
chs., which is thin and stony,) is proper for
the cultivation of wheat; timbered with the
different kinds of Oak, Hickory, some W. Walnut,
and Poplar. The bottom excellent for meadow,
shaded with Cherry, Sugar, Plum.

South 6th Mile - [East side of Section 1.]

15.30 A W. Oak, 17 inches diameter.

34.15 A Hickory, 7 inches diameter.

50.08 A Red Oak, - inches diameter.

70.24 A Red Oak, 20 inches diameter.

80.00 Set Post

from which
a B. Oak, 20 ins. diam. bears S. 51 1/2 W. 13 1/2 N. 1/2
and a Hickory, 13 ins. diam. bears S. 36 1/2 E. 22
links distant.

The land on this mile is tillable. The North
sides of the hills, the soil is of a better qual-
ity than on the South. The first is equal
to the production of indian corn, the other
proper for wheat; Timber, R. W. & B. Oak,
Hickory, Poplar, Sugar, Ash.

West Boundary.

Beginning at This -

South 1st Mile - West side of Section 36.

20.43 A W. Oak, 10 inches diameter.

43.29 A W. Oak, 19 inches diameter.

65.45 A W. Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 35 & 36,] from which
a W. Oak, 14 ins. diam. bears S. 58 1/2 W. 27

6 hrs. 1/2

links, and a W. Oak, 15 ins. diam. bears
S. 65 1/2 W. 41 links distant.

The soil on this mile is, in general, light, but
would produce wheat. There are several small
Bottoms which would make good meadow.
The land is well watered; timbered with W. &
B. Oak, Hickory and Cherry.

South 2d Mile - [West side of Section 35.]

20.90 A W. Oak, 18 inches diameter.

34.17 A W. Oak, 10 inches diameter.

36.42 A W. Oak, 10 inches diameter.

35.92 A W. Oak, 12 inches diameter.

61.67 A W. Oak, 10 inches diameter.

72.58 A W. Oak, 14 inches diameter.

80.00 Set Post, [corner to Sections 34 & 35,] from which
a W. Oak, 14 ins. diam. bears S. 55 1/2 E. 16 1/2 N. 1/2
and a W. Oak, 18 ins. diam. bears S. 65 1/2 W. 41
links distant.

The soil on this mile is pretty good, and would
produce wheat, rye, indian corn, &c. The
timber is W. & B. Oak, Hickory, Beech, Maple,
Sourwood and Dogwood.

South 3d Mile - [West side of Section 34.]

5.50 A W. Oak, 13 inches diameter.

42.80 A W. Oak, 15 inches diameter.

53.92 A W. Oak, 20 inches diameter.

57.04 A W. Oak, 15 inches diameter.

59.25 A W. Oak, 26 inches diameter.

74.01 A Hickory, 12 inches diameter.

80.00 Set Post, [corner to Sections 33 & 34,] from which
a W. Oak, 20 ins. diam. bears S. 68 W. 42 links, and a
W. Oak, 12 ins. diam. bears N. 14 1/2 E. 31 1/2 links distant.

Township 6, Range 4-7 Ranges.

Chs. Lks.

This rule is very similar to that last described, both in soil and timber; is very well watered with a number of good brooks.

South 4th Mile - [West side of Section 33.]

5.45 A W. Oak, 20 inches diameter.

23.16 A W. Oak, 36 inches diameter.

36.80 A W. Oak, 14 inches diameter.

66.22 A Hickory, 10 inches diameter.

76.04 A W. Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 32 & 33] from which a W. Oak, 12 ins. diam. bears S. 22¹/₂ W. 15 lks., and a W. Oak, 20 ins. diam. bears S. 77¹/₂ E. 44 links distant.

The first 39 chs. in this rule is good for wheat. The other part of the rule, the line runs down a rich bottom, four chains wide, which is suitable for meadow, and through which a brook, 4 yards wide, runs, with a good stream of water, running about South.

South 5th Mile - West side of Section 32.

5.74 A Sugar, 20 inches diameter.

18.23 A R. Oak, 16 inches diameter.

26.80 A W. Oak, 14 inches diameter.

39.42 A W. Oak, 15 inches diameter.

46.88 A W. Oak, 10 inches diameter.

56.03 A W. Oak, 15 inches diameter.

77.36 A B. Oak, 30 inches diameter.

80.00 Set Post, [corner to Sections 31 & 32] from which a Sugar, 10 ins. diam. bears N. 78¹/₂ E. 36¹/₂ lks., and a W. Hickory, 14 ins. diam. bears S. 78¹/₂ W. 1-16¹/₂ links distant.

The first 18 chs. in this rule, the line continues

Township 6, Range 4-7 Ranges. 277

Chs. Lks.

along the bottom, which is about 4 chs. wide, and very rich, and suitable for meadow or tillage. It is the same with the last 11 chs. ^{5 chs.} in this rule the line runs East of the bottom, over upland; the soil light and stony; timbered with W. Oak, some Hickory, Beech and Dogwood.

South 6th Mile - [West side of Section 31.]

14.82 A W. Oak, 12 inches diameter.

40.26 A W. Oak, 36 inches diameter.

61.85 A W. Oak, 13 inches diameter.

67.90 A W. Oak, 30 inches diameter.

80.00 Set Post, [S. W. corner of Township 6] from which a W. Oak, 24 ins. diam. bears S. 21¹/₂ W. 24 links, and a W. Oak, 36 ins. diam. bears N. 57¹/₂ E. 53 links distant.

The soil light; some of it would produce wheat, but in general it is a thin soil; the timber is W. Oak, B. Oak, Hickory, Beech, Maple and Dogwood.

South Boundary.

East 1st Mile - [South side of Section 31.]

8.10 A W. Oak, 26 inches diameter.

14.33 A W. Oak, 12 inches diameter.

37.95 A W. Oak, 16 inches diameter.

44.75 A Brook, 7 yards wide, course South, with a good stream of water.

70.60 A W. Oak, 18 inches diameter.

80.00 Set Post, [corner to Sections 25 & 31] from which a W. Oak, 20 ins. diam. bears S. 42¹/₂ W. 4 links, and a W. Oak, 24 ins. diam. bears N. 64¹/₂ E. 53 links distant.

Township 6, Range 4 - 7 Ranges

Chs. Lks.

Land very hilly, soil in general light, suitable for wheat; Timber, Span., W. & B. Oak, Hickory and Dogwood.

East 2^d Mile - [South side of Section 25.]

5.25 A Brook, 9 yards wide, with a good stream of water, running South. A mill might be erected near this place, and there would be water enough to supply it a number of months in the year.

10.67 A W. Oak, 11 inches diameter.

33.28 A W. Oak, 12 inches diameter.

47.51 A W. Oak, 12 inches diameter.

52.49 A W. Oak, 24 inches diameter.

71.18 A W. Oak, 24 inches diameter.

80.00 Set Post, [corner to Sections 19 & 25,] from which a W. Oak, 24 ins. diam. bears N. 43 E. 26 links, and a W. Oak, 18 ins. diam. bears S. 61 W. 26 links distant.

The land in this mile is very hilly; the perpendicular height of some of the hills is 200 feet; the soil, in general, is thin and light; some of it would produce wheat, and is suitable for grazing; it is very well watered with a number of good streams.

East 3^d Mile - [South side of Section 19.]

19.33 A W. Oak, 20 inches diameter.

31.50 A W. Oak, 14 inches diameter.

47.69 A Poplar, 24 inches diameter.

56.45 A Hickory, 12 inches diameter.

71.12 A B. Oak, 24 inches diameter.

80.00 Set Post, [corner of Sections 13 & 19,] from which a Beech, 16 ins. diam. bears S. 32 E. 30 1/2 links,

Chs. Lks.

and a Poplar, 13 ins. diam. bears S. 4 - 23 links distant.

This mile is composed of ascents and descents; the soil in general light, but would produce wheat. It is timbered with Bk., W. & Red Oaks, Hickory, Dogwood & Poplar.

East 4th Mile - [South side of Section 13.]

24.08 A W. Oak, 16 inches diameter.

32.08 A Span. Oak, 20 inches diameter.

59.42 A Dogwood, 6 inches diameter.

66.22 A Beech, 10 inches diameter.

80.00 Set Post, [corner to Sections 7 & 13,] from which a W. Oak, 12 ins. diam. bears S. 80 W. 16 links, and a W. Oak, 14 ins. diam. bears N. 47 E. 33 links distant.

The soil on this mile is, in general, suitable for wheat, and well watered with a number of good brooks; Timber, W. & B. Oak, Beech, Poplar and Dogwood.

East 5th Mile - [South side of Section 7.]

22.53 A Beech, 8 inches diameter.

37.86 A Spanish Oak, 13 inches diameter.

59.88 A W. Oak, 27 inches diameter.

77.96 A B. Oak, 17 inches diameter.

80.00 Set Post, [corner to Sections 14 & 7,] from which a W. Oak, 25 ins. diam. bears S. 83 1/2 W. 16 links, and a Hickory, 15 ins. diam. bears S. 5 1/2 E. 33 links distant.

This mile is very similar, both in soil and timber, to the last mile, with a number of high hills.

Township 6, Range 4-7 Ranges

Chs. Ls.	
East	6 th Mile - [South side of Section 1.]
32.70	A W. Oak, 10 inches diameter.
51.57	A Sugar, 10 inches diameter.
56.50	A Spanish Oak, 11 inches diameter.
65.55	A Beech, 12 inches diameter.
67.20	A W. Oak, 26 inches diameter.
80.00	Set Post

from which
 a Red Oak, 20 ins. diam. bears N. 3 $\frac{3}{4}$ W. 22
 links, and a W. Oak, 18 ins. diam. bears S. 8
 W. 48 $\frac{1}{2}$ links distant.
 This mile is good wheat land, and very
 well watered; Timber, W. & Span. Oak,
 Hickory, Beech, Ash, Sugar, Maple, Gum,
 and Dogwood.

Surveyed in 1786, by
 Eben^r Sproat,
 For the State of Rhode Island.

Township 6, Range 4.

Chs. Ls.	
	April 30 th , 1801.
	Beginning at the South East Corner of Town- ship No. 6, in Range No. 4
North	On the East Boundary of Section 1.
1.75	Appears like old Town Corner.
9.10	A Hickory, 10 inches diameter.
11.64	A B. Oak, 26 inches diameter.
14.00	A Brook, 6 links E.
23.90	A B. Oak, 28 inches diameter.
24.65	A B. Oak, 13 inches diameter.
25.93	A B. Oak, 11 inches diameter.
34.50	A Brook, 4 links, E.
38.69	A W. Oak, 61 inches diameter.
42.37	A Brook, 4 links, E.
43.37	A W. Oak, 30 inches diameter.
44.83	A W. Oak, 12 inches diameter.
52.34	A Beech, 10 inches diameter.
62.90	A B. Oak, 8 inches diameter.
66.28	A W. Oak, 15 inches diameter.
68.50	A Brook, 5 links, N. 30 E.
71.36	A B. Walnut, 13 inches diameter.
80.00	1 Mile Post, corner to Section 142, where an Elm, 10 ins. diam. bears N. 37 W. 34 links, and a W. Oak, 20 ins. diam. bears S. 35 E. 54 $\frac{1}{2}$ links distant. Trees marked by plan. Over poor and hilly Oak land. Bearing trees at the beginning of this Town- ship: A Sugar tree, 13 ins. diam. bears S. 29 W. 21 $\frac{1}{2}$ links, and a Poplar, 28 ins. diam. bears N. 67 E. 22 $\frac{1}{2}$ links distant. Trees marked, &c.

North continued, on East Boundary of Section 1.
 1.00 A Brook, 9 links, E.

Township C, Range 4-7 Ranges.

Ch. Lks.	
3.60	A Brook, 9 links, S. 30 E.
20.41	A W. Oak, 13 inches diameter.
20.68	A Hickory, 10 inches diameter.
24.50	A Brook, 3 links, N. 30 E.
26.30	A Sugar tree, 9 inches diameter.
28.00	A Brook, 8 links, E.
39.80	A B. Oak, 14 inches diameter.
43.31	A. B. Oak, 16 inches diameter.
47.00	A Brook, 4 links, N. 20 E.
50.00	A Brook, 9 links, E.
53.56	A W. Oak, 9 inches diameter.
59.60	A Poplar, 7 inches diameter.
61.80	A Dogwood, 8 inches diameter.
69.00	A Brook, 4 links, E.
71.28	A Poplar, 14 inches diameter.
80.00	2 Mile Post, corner to Sections 2 & 3, where a W. Oak, 13 ins. diam. bears N. 26 W. 27 lks., and a Poplar, 20 ins. diam. bears S. 8 1/2 E. 41 links distant. Trees marked by plan. Over tolerable good Oak land.

North continued on East Boundary of Section 3.

3.61	A W. Oak, 14 inches diameter.
4.36	A W. Oak, 12 inches diameter.
6.00	A Brook, 8 links, E.
23.76	A W. Oak, 12 inches diameter.
28.20	A Hickory, 12 inches diameter.
28.38	A B. Oak, 18 inches diameter.
28.82	A Chestnut, 12 inches diameter.
33.10	A W. Oak, 15 inches diameter.
37.44	A Hickory, 12 inches diameter.
41.18	A W. Oak, 12 inches diameter.
45.24	A Chestnut, 32 inches diameter.
47.53	A W. Oak, 12 inches diameter.

Township C, Range 4-7 Ranges.

Ch. Lks.	
51.50	A Brook, 4 links, E.
54.00	A Brook, 3 links, S. 40 E.
57.54	A Hickory, 15 inches diameter.
59.00	A W. Oak, 12 inches diameter.
70.14	A Beech, 12 inches diameter.
70.46	A B. Oak, 15 inches diameter.
71.50	A Brook, 4 links, E.
77.08	A B. Oak, 15 inches diameter.
79.00	A B. Oak, 13 inches diameter.
80.00	3 Mile Post, corner to Sections 3 & 4, from which a W. Oak, 11 ins. diam. bears North 21 lks., and a B. Oak, 17 ins. diam. bears S. 24 W. 30 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak and Hickory, some Beech.

North East side of Section 4. continued.

14.28	A Beech, 9 inches diameter.
14.66	A Hickory, 12 inches diameter.
18.50	A Brook, 4 links, N. 30 E.
20.75	A W. Oak, 10 inches diameter.
21.50	Forks of a Brook, 6 links, E.
33.29	A W. Oak, 10 inches diameter.
41.79	A Gum, 9 inches diameter.
47.00	A Brook, 4 links, E.
52.08	A W. Oak, 17 inches diameter.
56.97	A B. Oak, 15 inches diameter.
61.45	A W. Oak, 14 inches diameter.
62.50	A Brook, 2 links, E.
64.08	A W. Oak, 18 inches diameter.
69.50	A W. Oak, 14 inches diameter.
70.93	A W. Oak, 40 inches diameter.
71.86	A Hickory, 10 inches diameter.
72.14	A Dogwood, 3 inches diameter.

Township 6, Range 4-7 Ranges.

6 hrs. 7 hrs.
 78.00 A Brook, 3 links, W.
 80.00 4 Mile Post, corner to Sections 4 & 5, where a
 W. Oak, 30 ins. diam. bears N 60 W. 23 links,
 and a Hickory, 13 ins. diam. bears S. 55 E.
 61 links distant. Trees marked by plan.
 Land same as the last mile.

North Continued, on East Boundary of Section 5.

23.95 A Sugar tree, 35 inches diameter.
 30.95 A Linn, 9 inches diameter.
 31.50 A Brook, 30 hrs, E.
 33.75 A W. Oak, 30 inches diameter.
 36.73 An Ash, 8 inches diameter.
 44.11 A Beech, 12 inches diameter.
 47.50 Mc Mackin's Creek, 80 links, E.
 60.58 A Sugar tree, 8 inches diameter.
 61.11 A Linn, 9 inches diameter.
 62.00 A Sugar tree, 9 inches diameter.
 64.92 A Sugar tree, 10 inches diameter.

80.00 5 Mile Post, corner to Sections 5 & 6, from which
 a Sugar tree, 8 ins. diam. bears N. 34 E. 4 1/2 hrs,
 and an Elm, 16 ins. diam. bears S. 26 E. 4 1/2
 links distant. Trees marked by plan.
 Over steep hilly land, soil rich; Timber, Oak,
 Hickory, Beech, Sugar tree, &c.; Bottom on the
 Creek, rich and narrow.

North Continued, on East Boundary of Section 6.

12.78 A Hickory, 18 inches diameter.
 13.00 A Brook, 2 links, W.
 58.30 A B. Oak, 18 inches diameter.
 59.66 A W. Oak, 15 inches diameter.
 67.93 A Linn, 13 inches diameter.
 71.50 A Brook, 10 links, S. 30 E.

Township 6, Range 4-7 Ranges.

6 hrs. 7 hrs.
 78.00 6 Mile Post, North East corner of Section 6,
 where a W. Oak, 30 ins. diam. bears S. 70 W.
 27 1/2 links, and a W. Oak, 12 ins. diam. bears
 S. 18 E. 31 1/2 links distant. Trees marked by
 plan. 30th April, 1801.
 Land same as the last mile.

Repaired to the S. E. corner of Section 1, of Town
 6, Range 4. - Then -

West On the South Boundary of Section 1.
 Here is a small offset in the Range Line.

1.00 To the other corner.
 2.05 A W. Oak, 32 inches diameter.
 15.71 A Beech, 13 inches diameter.
 18.00 A Brook, 3 links, S.
 24.66 A B. Oak, 13 inches diameter.
 43.50 A W. Oak, 10 inches diameter.
 50.50 A Brook, 3 links, N. 70 W.
 53.50 A Brook, 2 links, N.
 59.60 A Sugar tree, 12 inches diameter.
 63.50 A Brook, 10 links, S.
 72.00 A Brook, 15 links, S.
 80.00 1 Mile Post, corner to Sections 1 & 7, from which
 a B. Oak, 11 ins. diam. bears N. 53 E. 2 hrs.,
 and a W. Oak, 19 ins. diam. bears S. 75 W. 19
 links distant. Trees marked by plan.
 Over hilly land, thin soil; Timber chiefly W.
 Oak, some B. Oak and Hickory.

West Continued, on South Boundary of Section 7.

2.60 A B. Oak, 15 inches diameter.
 16.50 A Brook, 3 links, S. 60 W.
 20.59 A W. Oak, 26 inches diameter.
 28.50 A Brook, 15 links, S.

Township 6, Range 4-7 Range.

Chs. Lks.	
57.58	A Beech, 11 inches diameter.
80.00	2 Mile Post, corner to Sections 7 & 13, where a W. Oak, 13 ins. diam. bears S. 71 E. 30 links, and a B. Oak, 18 ins. diam. bears N. 57 1/2 W. 23 1/2 links distant. Trees marked by plan. Over poor and hilly Oak land.
North Between Sections 7 & 13.	
9.00	A Brook, 3 links, W.
12.77	A Beech, 12 inches diameter.
18.50	A Brook, 9 links, W.
23.00	A Brook, 3 links, E.
24.23	A Maple, 13 inches diameter.
32.00	A Brook, 5 links, W.
47.48	A W. Oak, 15 inches diameter.
48.50	A Brook, 4 links, W.
67.50	A Brook, 9 links, W.
80.00	1 Mile Post, corner to Sections 7, 8, 13, 14; from which a W. Oak, 8 ins. diam. bears N. 10 W. 10 1/2 links, and a B. Oak, 18 ins. diam. bears S. 32 1/2 E. 9 links distant. Trees marked by plan. Over poor and hilly Oak land.
North continued, between Secs. 8 & 14.	
6.53	A W. Oak, 15 inches diameter.
12.50	A Brook, 3 links, W.
16.00	A Brook, 4 links, S. 30 W.
36.25	A Brook, 3 links, W.
38.00	A Brook, 4 links, W.
41.67	A B. Oak, 18 inches diameter.
50.86	A W. Oak, 16 inches diameter.
64.00	A Brook, 3 links, N. 10 E.
70.50	A Brook, 5 links, E.
72.50	A W. Oak, 17 inches diameter.
80.00	2 Mile Post, corner of Sections 8, 9, 14, 15, from

Township 6, Range 4-7 Range.

Chs. Lks.	
	which a B. Oak, 16 ins. diam. bears N. 45 W. 19 1/2 links, and a Gum, 10 ins. diam. bears S. 82 1/2 E. 28 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak and Hickory.
East On Randon Line.	
80.00	Randon Post.
80.14	Range Line.
West Between Sections 2 & 3.	
14.00	A W. Oak, 21 inches diameter.
18.71	A W. Oak, 17 inches diameter.
50.85	An Ash, 10 inches diameter.
59.97	A Poplar, 12 inches diameter.
61.01	A Poplar, 13 inches diameter.
66.00	A Brook, 10 links, N.
80.00	1 Mile Post, corner to Sections 2, 3, 8, 9, from which a Hickory, 7 ins. diam. bears S. 76 1/2 E. 15 links, and a Hickory, 12 ins. diam. bears N. 76 1/2 W. 59 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak and Hickory.
West continued, between Sections 8 & 9.	
14.00	A Brook, 8 links, N.
17.00	A Brook, 2 links, N. 60 E.
23.58	A W. Oak, 16 inches diameter.
29.63	A W. Oak, 32 inches diameter.
44.00	A Brook, 12 links, N.
58.05	A W. Oak, 16 inches diameter.
68.00	A Brook, 6 links, S.
71.50	A Brook, 4 links, S. 60 E.
80.00	2 Mile Post. Over hilly thin Oak land.

Township 6, Range 4-7 Ranges.

6hs. Sh.
 North Between Sections 9 & 15.
 5.09 A B. Oak, 20 inches diameter.
 24.17 A W. Oak, 10 inches diameter.
 27.24 A W. Oak, 16 inches diameter.
 32.00 Mc Mackin's creek, 50 links, E. 17th May, 1801.
 38.27 A Hickory, 10 inches diameter.
 47.17 A W. Oak, 18 inches diameter.
 71.00 A Brook, 3 links, E.
 71.50 A Brook, 10 links, S. 20 E.
 80.00 3 Mile Post, corner to Sections 9, 10, 15, 16, where
 a W. Oak, 15 ins. diam. bears S. 20 E. 21 links, and
 a W. Oak, 15 ins. diam. bears S. 77 1/2 W. 12 links
 distant. Trees marked by plan.
 Over uneven thin Oak land; bottom narrow,
 not very good.

North continued, between Sections 10 & 16.
 9.50 A Brook, 4 links, W.
 14.93 A B. Oak, 15 inches diameter.
 44.92 A Hickory, 19 inches diameter.
 48.25 A W. Oak, 12 inches diameter.
 55.00 A Brook, 5 links, E. Cool Bed.
 64.00 A Brook, 9 links, S. 30 E.
 65.60 A W. Oak, 46 inches diameter.
 80.00 4 Mile Post, corner to Sections 10, 11, 16, 17, from
 which a B. Oak, 12 ins. diam. bears S. 19 W.
 19 links, and a W. Oak, 14 ins. diam. bears
 N. 30 E. 35 1/4 links distant. Trees marked
 by plan.
 Over uneven land, soil thin; Timber, Oak and
 Hickory.

East On Random Line.
 80.00 Random Post.

Township 6, Range 4-7 Ranges.

6hs. Sh.
 80.00 Range Line corner N. 85.
 West Between Sections 4 & 5.
 2.79 A W. Oak, 15 inches diameter.
 12.50 A Brook, 4 links, N. 20 E.
 18.00 Mc Mackin's creek, 50 links, N.
 19.50 A Brook, 5 links, S. 80 E. 2nd May, 1801.
 26.55 A Sagatree, 13 inches diameter.
 44.45 A W. Oak, 16 inches diameter.
 48.00 A Brook, 10 links, S.
 75.54 A W. Oak, 9 inches diameter.
 80.00 1 Mile Post, corner to Sections 4, 5, 10, 11, from
 which a W. Oak, 15 ins. diam. bears West
 11 links, and a W. Oak, 10 ins. diam. bears
 N. 80 E. 33 links distant. Trees marked by
 plan.
 Over poor and hilly Oak land.

West continued between Sections 10 & 11.
 2.00 A Brook, 8 links, S.
 11.00 A Brook, 3 links, S.
 17.50 A Brook, 9 links, S. 60 E.
 20.00 A Brook, 3 links, N.
 23.50 A W. Oak, 21 inches diameter.
 30.29 A B. Oak, 15 inches diameter.
 48.00 A Brook, 3 links, S. 60 W.
 50.00 A Brook, 3 links, S.
 51.05 A W. Oak, 18 inches diameter.
 56.00 A Brook, 8 links, S.
 74.77 A B. Oak, 16 inches diameter.
 80.00 2 Mile Post. Over poor and hilly Oak land.

North Between Sections 11 & 17.
 5.66 A W. Oak, 16 inches diameter.

Township 6, Range 4-7 Ranges.

Chs. Lks.	
25.52	A B. Oak, 16 inches diameter.
26.71	A B. Oak, 18 inches diameter.
31.50	A Spring, W.
40.33	A W. Oak, 16 inches diameter.
44.00	A Brook, 15 links, N. 40 E.
70.50	A Brook, 6 links, E.
74.07	A W. Oak, 12 inches diameter.
74.91	A W. Oak, 15 inches diameter.
80.00	5 Mile Post, corner to Sections 11, 12, 17, 18, where a Sugar tree, 17 ins. diam. bears N. 37 E. 28 links, and a Sugar tree, 13 ins. diam. bears S. 17 W. 40 links distant. Trees marked by plan. Over poor and hilly Oak land.
North continued, between Sections 12 & 18.	
4.05	A Sugar tree, 13 inches diameter.
8.00	McMackin's Creek, 70 links, S. 30 E., rapidly.
13.31	A W. Oak, 16 inches diameter. Stone Quarry.
27.61	A W. Oak, 17 inches diameter.
33.79	A W. Oak, 16 inches diameter.
38.06	A W. Oak, 18 inches diameter.
49.92	A B. Oak, 14 inches diameter.
59.96	A W. Oak, 16 inches diameter.
67.80	A Hickory, 14 inches diameter.
77.00	6 Mile Post, Town corner to Sections 12 & 18, from which a W. Oak, 10 ins. diam. bears S. 24 1/2 E. 30 links, and a W. Oak, 9 ins. diam. bears N. 65 W. 15 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak and Hickory.
East On Town Line.	
80.00	Random Post.

Township 6, Range 4-7 Ranges.

Chs. Lks.	
80.00	Range Line.
West On North Boundary of Section 6.	
.50	A W. Oak, 34 inches diameter.
1.50	A Brook, 9 links, S.
9.11	A Maple, 14 inches diameter.
9.65	A W. Oak, 14 inches diameter.
10.79	A W. Oak, 14 inches diameter.
17.00	A Brook, 4 links, S. 60 E.
20.87	A W. Oak, 16 inches diameter.
28.79	A W. Oak, 14 inches diameter.
38.95	A W. Oak, 13 inches diameter.
34.75	A Brook, 3 links, S.
45.50	A Brook, 3 links, S.
59.27	A W. Oak, 16 inches diameter.
67.00	A Brook, 12 links, S.
69.50	A Brook, 4 links, S.
80.00	1 Mile Post, corner to Sections 6 & 12, from which a W. Oak, 9 ins. diam. bears S. 71 E. 21 1/2 links, and a Dogwood, 7 ins. diam. bears N. 54 W. 20 1/2 links distant. Trees marked by plan. Over poor hilly Oak land.
West continued, on North Boundary of Section 12.	
2.17	A B. Oak, 15 inches diameter.
11.50	A Brook, 15 links, S.
35.80	A B. Oak, 14 inches diameter.
38.57	A W. Oak, 15 inches diameter.
45.50	A W. Oak, 14 inches diameter.
53.50	A Brook, 12 links, S.
57.09	A W. Oak, 13 inches diameter.
59.20	A W. Oak, 9 inches diameter.
61.45	A W. Oak, 20 inches diameter.
65.86	A B. Oak, 20 inches diameter.

Chs. No.	Description
71.54	A B. Oak, 11 inches diameter.
80.00	2 Mile Post. Over poor and hilly Oak land.
Then repaired to the South Boundary Line	
West On South Boundary of Section 13.	
6.35	A W. Oak, 14 inches diameter.
10.00	A Brook, 12 links, S. 21st May, 1801.
13.27	A Beech, 10 inches diameter.
17.50	A Brook, 4 links, S.
21.00	A Dogwood, 8 inches diameter.
39.00	A Brook, 15 links, S.
47.41	A B. Oak, 15 inches diameter.
52.00	A Brook, 20 links, S.
55.39	A W. Oak, 14 inches diameter.
78.00	Forks of Brook, 6 links, S.
80.00	3 Mile Post, corner of Sections 13 & 19, where a Sugar tree, 11 ins. diam. bears S. 85 W. 29 links, and a W. Oak, 34 ins. diam. bears N. 67 E. 45 links distant. Trees marked by plan. Over hilly land, soil poor and stony; Timber, Oak.
West continued, on South Boundary of Section 19.	
7.30	A B. Oak, 13 inches diameter.
22.79	A Hickory, 13 inches diameter.
26.00	A Brook, 7 links, S.
30.29	A Poplar, 30 inches diameter.
46.55	A W. Oak, 13 inches diameter.
48.00	A Brook, 5 links, S.
58.74	A W. Oak, 16 inches diameter.
65.50	A Brook, 9 links, S.
80.00	4 Mile Corner - a W. Oak, 18 inches diameter, 6 corner trees.

Chs. No.	Description
Over hilly land, soil poor and stony; Timber, Oak.	
North Between Sections 19 & 25.	
18.00	A Spring, W.
22.00	A Brook, 3 links, W.
25.13	A W. Oak, 16 inches diameter.
30.50	A Brook, 3 links, S.
34.94	A Sugar tree, 12 inches diameter.
35.50	A Brook, 3 links, S.
38.00	A Brook, 10 links, S. 10 W.
56.00	A Brook, 3 links, E.
61.00	A Brook, 6 links, E.
62.38	A W. Oak, 34 inches diameter.
68.58	A B. Oak, 15 inches diameter.
76.50	A Brook, 4 links, E.
80.00	1 Mile - a Maple, 5 ins. diam. corner to Sec- tions 19, 20, 25, 26; from which a W. Oak, 12 ins. diam. bears N. 58 E. 13 links, and a W. Oak, 13 ins. diam. bears N. 6 3/4 W. 17 links distant. Trees marked by plan. Over hilly land, thin soil, and stony; Timber, Oak, and some Hickory.
North continued, between Sections 20 & 26.	
9.25	A B. Oak, 20 inches diameter.
19.00	A Brook, 3 links, W.
20.65	A Beech, 13 inches diameter.
54.58	A W. Oak, 31 inches diameter.
67.89	A W. Oak, 14 inches diameter.
73.14	A W. Oak, 15 inches diameter.
80.00	2 Mile Post, corner to Sections 20, 21, 26, 27; from which a B. Oak, 13 ins. diam. bears South 16 links, and a W. Oak, 11 ins. diam.

Township 6, Range 4 - 7 Ranges.

6 hrs. Lts.	
	bears N 9 W. 17 1/2 links distant. Trees marked by plan. Over hilly land, soil poor and stony; Trubus, Oak.
East	On Random Line.
80.00	Random Post.
80.16	N Line, corner N. 36 links.
West	Between Sections 14 & 15.
10.47	A W. Oak, 18 inches diameter.
15.05	A W. Oak, 13 inches diameter.
32.00	A Brook, 5 links, S.
60.45	A W. Oak, 13 inches diameter.
71.47	A Hickory, 15 inches diameter.
80.00	3 Mile Post, corner to Sections 14, 15, 20, 21, from which a W. Oak, 10 ins. diam. bears S. 64 E. 19 links, and a W. Oak, 12 ins. diam. bears N. 59 W. 23 links distant. Trees marked by plan. Over poor and hilly Oak land.
West	Continued, between Sections 20 & 21.
14.00	A Poplar, 8 inches diameter.
18.66	A W. Oak, 15 inches diameter.
20.00	Forks of Brook, 7 links, S.
33.73	A B. Oak, 15 inches diameter.
40.50	A Brook, 4 links, S. 60 W.
48.50	A Brook, 9 links, S.
53.58	A B. Oak, 28 inches diameter.
74.66	A W. Oak, 10 inches diameter.
75.00	A W. Oak, 10 inches diameter.
80.00	4 Mile Post, corner of Secs. 20, 21, 26, 27. Over poor and hilly Oak land

Township 6, Range 4 - 7 Ranges.

6 hrs. Lts.	
North	Between Sections 21 & 27.
3.60	A W. Oak, 10 inches diameter.
5.59	A Hickory, 10 inches diameter.
15.50	A Brook, 10 links, W.
46.06	A dead B. Oak, 17 inches diameter.
52.50	A Brook, 3 links, W.
55.60	A B. Oak, 13 inches diameter.
69.85	A B. Oak, 15 inches diameter.
80.00	3 Mile Post, corner to Sections 21, 22, 27, 28; from which a W. Oak, 30 ins. diam. bears S. 83 1/2 E. 19 1/2 links, and a W. Oak, 10 ins. diam. bears N. 86 1/2 W. 4 links distant. Trees marked by plan. Over hilly land, soil thin and stony; Trubus, Oak and Hickory.
North	Continued, between Sections 22 & 28.
17.44	A W. Oak, 46 inches diameter.
19.50	A Brook, 9 links, E.
36.50	A Brook, 40 links, E. 5th May, 1801.
48.22	A W. Oak, 15 inches diameter.
68.00	A W. Oak, 13 inches diameter.
69.50	A Brook, 4 links, E.
74.00	A Brook, 4 links, E.
80.00	4 Mile Post, corner to Sections 22, 23, 28, 29, by a Brook, 9 links, S. 30 E.; and a Brook, 5 links, corner West, where a Beech, 12 ins. diam. bears N. 57 E. 22 1/2 links, and a Spruce, 10 ins. diam. bears S. 65 W. 15 1/2 links distant. Trees marked by plan. Over hilly land, thin soil; Trubus, Oak, and some Hickory.
East	On Random Line.
80.00	Random Post.
80.44	N. Line, corner.

Township 6, Range 4-7 Ranges

Chs. Lks.	
West	Between Sections 16 & 17.
7.50	Forks of a Brook, 4 links, S.
12.58	A W. Oak, 9 inches diameter.
16.50	A Brook, 5 links, S.
19.00	A Spring, S. 80 E.
42.27	A W. Oak, 10 inches diameter.
49.60	A W. Oak, 14 inches diameter.
63.58	A Beech, 10 inches diameter.
76.07	A W. Oak, 10 inches diameter.
79.15	A Beech, 9 inches diameter.
80.00	3 Mile Post, corner to Sections 16, 17, 22, 23, from which a Beech, 6 ins. diam. bears N. 60 W. 38 links, and a B. Oak, 5 ins. diam. bears S. 42 E. 3 1/2 links distant. Trees marked by plan. Over hilly land, soil thin and stony; Timber, Oak, and some Beech and Hickory.
West	Continued between Sections 22 & 23.
5.50	A Brook, 7 links, S.
6.64	A Poplar, 14 inches diameter.
24.00	A Brook, 6 links, S.
25.81	A W. Oak, 9 inches diameter.
59.66	A B. Oak, 16 inches diameter.
65.00	A B. Oak, 17 inches diameter.
70.00	A Spring, S. 80 W.
80.00	4 Mile Post. Over hilly land, thin soil; Timber, Oak, and some Hickory and Beech.
North	Between Sections 23 & 29.
10.50	A Spring, W.
14.28	A Beech, 12 inches diameter.
20.30	A W. Oak, 15 inches diameter.
45.50	A Spring, E.

Township 6, Range 4-7 Ranges

Chs. Lks.	
46.63	A W. Oak, 15 inches diameter.
71.64	A Gum, 9 inches diameter.
76.50	A Brook, 9 links, E.
80.00	5 Mile Post, corner to Sections 23, 24, 29, 30; from which a W. Oak, 11 ins. diam. bears South 39 links, and a Dogwood, 6 ins. diam. bears N. 3 E. 32 links distant. Trees marked by plan. Over poor and hilly Oak land.
North	Continued between Sections 24 & 30.
1.55	A W. Oak, 8 inches diameter.
8.50	A Brook, 5 links, S. 50 E.
18.16	A W. Oak, 13 inches diameter.
29.00	A Brook, 3 links, E.
30.50	A Brook, 3 links, E.
50.50	A Hickory, 11 inches diameter.
51.98	A Sugar tree, 18 inches diameter.
52.50	McMackin's Creek, 50 links, E.
60.50	A Brook, 4 links, W. and up the same.
61.77	A W. Oak, 17 inches diameter.
75.00	Leaving Fair Brook to the left.
77.00	6 Mile Post, corner to Sections 24 & 30; from which a W. Oak, 1.0 ins. diam. bears N. 3 W. 15 links, and a W. Oak, 13 ins. diam. bears S. 15 E. 31 1/2 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, Oak, some Hickory and Beech.
East	On Rainbow Line.
80.00	Rainbow Post.
81.00	Post already set.

Township 6, Range 4-7 Ranges.

6 hrs. 2 hrs.	
West	On North Boundary of Section 18.
2.90	A Beech, 10 inches diameter.
10.00	A Brook, 4 links, S.
10.65	A W. Oak, 15 inches diameter.
15.00	A Spring, S.
28.00	A Brook, 4 links, N.
30.67	A W. Oak, 9 inches diameter.
33.50	A Brook, 12 links, S.
36.50	A Brook, 15 links, S. 40 E.
42.25	A B. Oak, 13 inches diameter.
42.28	A W. Oak, 16 inches diameter.
44.72	A W. Oak, 10 inches diameter.
46.11	A W. Oak, 12 inches diameter.
50.26	A Spruce, 10 inches diameter.
53.97	A W. Oak, 15 inches diameter.
69.93	A W. Oak, 10 inches diameter.
70.50	A Brook, 4 links, S.
71.27	A Maple, 9 inches diameter.
73.12	A W. Oak, 6 inches diameter.
77.50	A Brook, 4 links, S.
80.50	3 Mile Post, corner to Sections 18 & 24; where a W. Oak, 12 ins. diam. bears S. 78 W. 8 1/2 links, and a W. Oak, 12 ins. diam. bears S. 55 E. 22 links distant. Trees marked by plan. Over uneven land, thin soil; Timber, Oak, some Hickory and Beech.
West	Continued, North Boundary of Section 24.
3.38	A W. Oak, 10 inches diameter.
5.00	McMackin's Creek, 50 links, S.
9.23	A W. Oak, 12 inches diameter.
9.74	A W. Oak, 10 inches diameter.
17.00	McMackin's Creek, 50 links, N. 60 E. Large stone quarry.
19.96	A W. Oak, 10 inches diameter.

Township 6, Range 4-7 Ranges.

6 hrs. 2 hrs.	
36.50	A fine Spring, S, rising under a rock.
45.31	A W. Oak, 11 inches diameter.
60.80	A Brook, 10 links, S.
80.50	4 Mile Post. 7th May, 1801. Over poor hilly Oak land, and also stony.
	Repaired to the South Boundary.
West	On South Boundary of Section 25.
9.00	A Brook, 15 links, S.
10.00	Forks of a Brook, S. 80 E.
28.75	A Hickory, 13 inches diameter.
30.00	A Brook, 5 links, N. 40 W.
30.81	A W. Oak, 12 inches diameter.
41.00	A Brook, 15 links, S. A stone quarry.
44.09	A W. Oak, 13 inches diameter.
67.06	A W. Oak, 12 inches diameter.
72.00	A Creek, 50 links, S.
80.00	5 Mile Post, corner to Sections 25 & 31; from which a W. Oak, 19 ins. diam. bears S. 82 E. 27 links, and a W. Oak, 15 ins. diam. bears N. 56 W. 48 52 links distant. Trees marked by plan. Over very steep land, soil poor and stony; Timber, Oak.
West	Continued, South Boundary of Section 31.
6.50	A Black Oak, 18 inches diameter.
25.00	A Brook, 8 links, N.
34.00	A Creek, 60 links, S.
38.17	A W. Oak, 14 inches diameter.
41.06	A Brook, 3 links, N.
60.95	A W. Oak, 10 inches diameter.
65.00	A Brook, 7 links, S.
68.37	A W. Oak, 10 inches diameter.
73.45	A W. Oak, 24 inches diameter.

Township 6, Range 4-7 Ranges

6ls. Lks.	
76.00	Range Line; where a W. Oak, 40 ins. diam. bears N. 57 E. 52 links, and a W. Oak, 20 ins. diam. bears S. 23 W. 25 links distant. Trees marked by plow. Laid the same as the last mile.
	North On West Boundary of Section 31.
9.64	A Hickory, 11 inches diameter.
11.88	Town Line from the West.
12.00	A W. Oak, 19 inches diameter.
32.00	A Brook, 6 links, W.
36.50	A W. Oak, 22 inches diameter.
54.87	A W. Oak, 13 inches diameter.
68.00	A Brook, 5 links, E.
75.00	A Brook, 3 links, E.
78.00	A Brook, 50 links, S. 40 E.
80.00	1 Mile Post, corner to Sections 31 & 32; where a W. Oak, 12 ins. diam. bears N. 82 E. 76 1/2 links, and a Sycamore, 7 ins. diam. bears S. 23 W. 73 links distant. Trees marked by plow. Over steep hills, soil poor; Timber, Oak.
	North Continued, West Boundary of Section 32.
.06	A Brook, 50 links, S. 20 W.
1.50	A B. Walnut, 23 inches diameter.
8.00	A Brook, 50 links, S. 20 E.
11.50	A Brook, 4 links, W.
22.81	A W. Oak, 12 inches diameter.
30.50	A Brook, 5 links, W.
37.50	A W. Oak, 10 inches diameter.
39.44	A W. Oak, 12 inches diameter.
42.50	A Brook, 4 links, W.
45.78	A W. Oak, 12 inches diameter.
52.60	A W. Oak, 13 inches diameter.

Township 6, Range 4-7 Ranges

6ls. Lks.	
65.00	A Brook, 4 links, W.
69.00	A Brook, 50 links, S. 30 W.
73.08	A Sugar tree, 22 inches diameter.
80.00	2 Mile Post, corner to Sections 32 & 33; from which a W. Walnut, 8 ins. diam. bears N. 21 E. 9 links, and a W. Oak, 12 ins. diam. bears S. 12 1/2 W. 28 links distant. Trees marked by plow. Over steep hills, soil poor; Timber, Oak.
	East On Random Line.
76.00	Random Post.
79.50	A Line, E. N. 20 links.
	West Between Sections 26 & 27.
3.50	A Brook, 5 links, S. 60 W.
12.49	A W. Oak, 10 inches diameter.
17.00	A Brook, 15 links, S.
18.80	A W. Oak, 16 inches diameter.
29.50	A Brook, 6 links, S.
30.78	A W. Oak, 15 inches diameter.
40.38	A B. Oak, 33 inches diameter.
47.81	A W. Oak, 12 inches diameter.
53.00	A Brook, 15 links, S.
54.00	A Brook, 7 links, N. 85 E.
69.00	A W. Oak, 34 inches diameter.
70.50	A Brook, 5 links, S. 85 E.
73.80	A W. Oak, 30 inches diameter.
80.00	5 Mile Corner—a Poplar, 5 ins. diam.; from which a Chestnut, 17 ins. diam. bears N. 84 W. 32 links, and a Dogwood, 7 ins. diam. bears S. 82 E. 42 links distant. Trees marked by plow. Over steep hills, soil poor and stony; Timber, Oak.

Township 6, Range 4-7 Ranges.

Chs. Lk.	
	West continued, between Sections 32 & 33.
14.76	A B. Oak, 17 inches diameter.
27.50	A W. Oak, 10 inches diameter.
32.00	A Brook, 12 links, S.
34.50	A W. Oak, 29 inches diameter.
43.61	A W. Oak, 14 inches diameter.
44.50	A Brook, 5 links, S.
47.50	A Brook, 4 links, S. 50 E.
57.08	A B. Oak, 14 inches diameter.
69.00	A Brook, 5 links, S. 80 W.
69.82	A W. Oak, 17 inches diameter.
72.00	A Brook, 4 links, S.
75.50	6 Mile Post, corner to Sections 32 & 33. Over hilly land, poor soil; Timber, Oak.
	North On West Boundary of Section 33
2.00	A W. Oak, 14 inches diameter.
5.00	A Brook, 6 links, E.
16.50	A Brook, 5 links, E.
17.50	A Brook, 40 links, S. 20 E.
21.50	A Brook, 40 links, S. 20 W.
33.00	A Brook, 5 links, E.
33.50	A Brook, 30 links, S. 20 E.
40.97	A W. Oak, 13 inches diameter.
49.74	A W. Oak, 10 inches diameter.
52.34	A W. Oak, 12 inches diameter.
54.39	A W. Oak, 30 inches diameter.
57.61	A W. Oak, 12 inches diameter.
61.65	A W. Oak, 15 inches diameter.
62.50	A Brook, 3 links, W.
63.96	A W. Oak, 13 inches diameter.
68.39	A B. Oak, 15 inches diameter.
73.50	A Brook, 6 links, W.
75.90	A W. Oak, 14 inches diameter.

Township 6, Range 4-7 Ranges.

Chs. Lk.	
80.00	3 Mile Post, corner to Sections 33 & 34, where a W. Oak, 13 ins. diam. bears N. 89 E. 25 1/2 links, and Sugar tree, 13 ins. diam. bears S. 42 W. 36 1/2 links distant. Trees marked by plan. Over hilly land, poor soil; Timber, Oak.
	North continued, West Boundary of Section 34.
1.00	A Brook, 20 links, S. 20 W.
2.00	A Brook, 20 links, S. 20 E.
2.96	A Hickory, 11 inches diameter.
3.35	A Sugar tree, 10 inches diameter.
7.32	A W. Oak, 28 inches diameter.
7.50	A Brook, 20 links, S. 20 W.
15.00	A Brook, 4 links, E.
17.67	A W. Oak, 18 inches diameter.
19.90	A W. Oak, 18 inches diameter.
23.00	A W. Oak, 16 inches diameter.
32.50	A Brook, 5 links, E.
34.09	A W. Oak, 14 inches diameter.
45.70	A Brook, 4 links, E.
51.50	A Brook, 10 links, S. 30 E.
66.00	A Brook, 4 links, W.
69.30	A Spring, W.
71.32	A W. Oak, 11 inches diameter.
74.59	A W. Oak, 12 inches diameter.
80.00	4 Mile Post, corner to Sections 34 & 35; where a Beech, 11 ins. diam. bears S. 4 1/2 E. 32 links, and a W. Oak, 16 ins. diam. bears N. 12 W. 23 links distant; by a Brook, 5 links wide. Trees marked by plan. Over hilly land, soil thin; Timber, Oak.
	East Random Line.
75.00	Random Post.

Township 6, Range 4-7 Ranges.

Chs. Lks.	
79.00	North Line, corner, North 1.40 links.
West	Between Sections 28 & 29.
.05	A Brook, 10 links, S.
9.00	A Brook, 3 links, S. 60 E.
24.50	Forks of Brook, 4 links, S.
32.71	A W. Oak, 13 inches diameter.
35.50	A Brook, 7 links, S. 40 W.
38.00	A Brook, 3 links, S.
44.00	A Brook, 10 links, S.
45.50	A Brook, 4 links, S.
52.04	A W. Oak, 14 inches diameter.
66.50	A Brook, 3 links, S.
68.50	A Brook, 4 links, S.
79.62	A W. Oak, 14 inches diameter.
75.00	A Brook, 6 links, S.
80.00	5 Mile Post, corner to Sections 28, 29, 34, 35; from which a W. Oak, 13 ins. diam. bears S. 56 W. 22 links, and a W. Oak, 17 ins. diam. bears North 34 links distant. Trees marked by plan. Over uneven land, well situated for farming, soil thin; Timber, W. Oak.
West	Continued, between Sections 34 & 35.
2.68	A W. Oak, 16 inches diameter.
8.00	A Spring, S.
9.00	A Brook, 10 links, S. 70 E.
9.50	A Brook, 7 links, comes N.
16.32	A W. Oak, 16 inches diameter.
17.18	A W. Oak, 16 inches diameter.
43.75	A W. Oak, 15 inches diameter.
47.94	A W. Oak, 14 inches diameter.
55.00	A Brook, 6 links, S.

Township 6, Range 4-7 Ranges.

Chs. Lks.	
73.00	A Brook, 5 links, W.
74.00	6 Mile Post. Land same as last mile.
North	On West Boundary of Section 35.
3.17	A W. Oak, 15 inches diameter.
10.00	A Brook, 7 links, S. 10 W.
14.53	A W. Oak, 9 inches diameter.
18.02	A Poplar, 9 inches diameter.
20.26	A W. Oak, 10 inches diameter.
22.58	A W. Oak, 8 inches diameter.
39.69	A W. Oak, 9 inches diameter.
40.00	A Spring, E.
49.50	A Brook, 7 links, E.
65.17	A W. Oak, 14 inches diameter.
69.50	A Large Spring, E.
71.00	A Brook, 8 links, N. 15 W.
80.00	5 Mile Post, corner to Sections 35 & 36; from which a Hickory, 10 ins. diam. bears S. 6 W. 30 links, and a Hickory, 13 ins. diam. bears S. 72 W. 35 links distant. Trees marked by plan. Over uneven land, soil thin; Timber, W. Oak.
North	Continued on West Boundary of Section 36.
.03	A Brook, 20 links, E.
10.13	A W. Oak, 16 inches diameter.
25.00	A Brook, 4 links, S. 30 E.
48.50	McMackins Creek, 40 links, E.
55.16	A W. Oak, 12 inches diameter.
70.00	A Spring, E.
75.50	6 Mile Post, N. W. corner of Section 36; from which a W. Oak, 14 ins. diam. bears N. 87 W. 38 links, and a W. Oak, 15 ins. diam. bears N. 76 1/2 E. 42 links distant. Trees marked by plan.

Township 6, Range 4-7 Ranges

Chs. Lks. Over same kind of land to the creek; from the creek same kind of land, except undergrowth, hickory and Thorn.

East On Raudora Line.

72.64 Raudora Post.

80.00 N. Line.

West On North Boundary of Section 30.

.89 A W. Oak, 14 inches diameter.

1.20 A Brook, 3 links, S.

19.64 A W. Oak, 14 inches diameter.

24.50 A Brook, 6 links, S.

36.74 A W. Oak, 9 inches diameter.

42.00 Mc Mackins Creek, 40 links, S. 50 E.

48.81 A B. Oak, 11 inches diameter.

50.50 A Brook, 15 links, N.

52.50 Mc Mackins Creek, 40 links, N. 50 E.

56.52 A Cherry, 14 inches diameter.

58.00 A B. Oak, 9 inches diameter.

63.76 A Hickory, 10 inches diameter.

77.77 A W. Oak, 17 inches diameter.

80.00 5 Mile Post, corner to Sections 30 & 36; from which a W. Oak, 24 ins. diam, bears N 45 E. 21 links, and a W. Oak, 24 ins. diam bears S. 27 W. 18 links distant. Trees marked by plan.

Over uneven land, thin soil; Timber, W. Oak; Creek bottom very narrow.

West continued, on North Boundary of Sec. 36.

3.04 A W. Oak, 22 inches diameter.

13.39 A W. Oak, 12 inches diameter.

14.75 A W. Oak, 11 inches diameter.

Township 6, Range 4-7 Ranges.

Chs. Lks.

17.14 A Brook, 7 links, S.

21.09 A W. Oak, 10 inches diameter.

41.14 A Brook, 9 links, S.

44.64 A Spring, N. 80 E.

48.48 A W. Oak, 11 inches diameter.

59.90 A W. Oak, 12 inches diameter.

66.64 A Brook, 6 links, S.

72.64 Range Line.

9th May, 1801.

Surveyed in 1801, by
Zachary Diggs,
Deputy Surveyor.

Township 6, Range 4-7 Ranges.

Subdivision of "2 Mile Blocks,"
July 2^d, 1805.

Beginning at Post, corner of Sections 2, 3, 8, 9 -
South On Random Line between Sections 2 & 8.

- 40.00 Set temporary Quarter Section Post.
 - 44.25 A Brook, 2 links wide, course S. 60 E.
 - 56.80 A Brook, 2 links wide, course N. 60 E.
 - 80.00 Set temporary center Post.
- Land hilly, soil thin; Timber, W. Oak.

South continued Random Line between Secs. 1 & 7.

- 2.30 A Brook, 4 links wide, runs S. 20 W.
- 3.50 Same Brook, 10 links wide, runs S. 30 E.
- 5.85 A Brook, 2 links wide, runs S. 50 E.
- 35.85 A Brook, 3 links wide, runs S. 55 E.
- 40.00 Set temporary Quarter Section Post.
- 53.50 A Brook, 4 links wide, runs S. 65 E.
- 66.00 A Brook, 3 links wide, runs S. 60 E.
- 75.75 A Brook, 3 links wide, runs S. 70 E.
- 81.75 Fell 177 links West of Post on Township line,

corner of Sections 1 & 7.
Over poor, steep, bushy, Whortleberry points.

July 3, 1805.

Beginning at Post on Township line, corner of
Sections 1 & 7 - Variation 0° 37'.

North corrected the line between Secs. 1 & 7.

- 40.00 Moved temporary In. Sec. Post, and set it on true line.
- 45.90 A B. Oak, 16 inches diameter.
- 50.94 A Beech, 9 inches diameter.
- 80.82 Moved temporary center Post, and set it at average measure on true line.

Township 6, Range 4-7 Ranges.

Chs. Lks.

North corrected the line between Sections 2 & 8.
41.00 Moved temporary In. Sec. Post to true line.
80.82 To Post, corner of Sections 2, 3, 8, 9, T. 6, R. 4.

July 4, 1805.

From Post, corner of Sections 7, 8, 13, 14 -

- East On Random Line between Sections 7 & 8.
- 11.40 A Brook, 4 links wide, running S. 10 W.
- 40.00 Set temporary Quarter Section Post.
- 41.40 A Brook, 3 links wide, runs S. 60 E.
- 45.00 A Brook, 12 links wide, runs S. 30 E.
- 47.90 A Brook, 4 links wide, runs S. 20 W.
- 50.50 A Brook, 2 links wide, runs N. 15 W.
- 77.70 A Brook, 6 links wide, runs S. 20 E.
- 80.25 crossed the North and South Line.

Land hilly, poor and stony; Timber, W. Oak,
B. Oak, Beech, Dogwood, &c.

East continued Random Line, between Secs. 1 & 2.

- 27.25 A Brook, 8 links wide, runs S. 20 E.
- 40.00 Set temporary Quarter Section Post.
- 43.10 A Brook, 3 links wide, runs South.
- 78.70 A Brook, 6 links wide, runs N. 50 E.
- 80.00 Fell 68 links South of Post on Range line,

corner of Sections 1 & 2, T. 6, R. 4.
Land very hilly and poor; Timber, Beech, W. Oak,
B. Oak, Dogwood, &c.

From Post on Range line, corner of Secs. 1 & 2 -

- West corrected the line between Secs. 1 & 2. Var. 0° 14'.
- 17.64 A B. Oak, 20 inches diameter.
- 27.85 A W. Oak, 14 inches diameter.
- 40.00 Moved temporary In. Sec. Post to average measure on true line; from which a B. Oak,

Township 6, Range 4-7 Ranges.

Chs. Lks.
 22 ins. diam. bears S. 53 E. 10 1/2 links, and a Hickory, 10 ins. diam. bears N. 27 W. 10 1/2 links distant.
 47.45 A W. Oak, 18 inches diameter.
 80.00 Fell 63 links North of temporary Center Post. Moved it, and set it at intersection of the lines, corner to Sections 1, 2, 7, 8; from which a Maple, 10 ins. diam. bears S. 60 E. 29 links, and a Beech, 10 ins. diam. bears N. 10 1/2 E. 38 links distant.

Then traveled North between Sections 2 & 8, and moved the temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 15 ins. diam. bears N. 84 1/2 W. 25 links, and a Hickory, 8 ins. diam. bears N. 34 1/2 E. 24 links distant.

Then traveled South, between Sections 1 & 7, and moved the temporary Dr. Sec. Post, to average measure on true line; from which a W. Oak, 15 ins. diam. bears S. 7 E. 21 1/2 links, and a W. Oak, 10 ins. diam. bears S. 60 W. 27 links distant.

West
 40.12 Corrected the line between Sections 7 & 8. Moved temporary Dr. Sec. Post, and set it at the average measure on true line; from which a B. Oak, 7 ins. diam. bears S. 81 1/2 E. 30 links, & a Beech, 14 ins. diam. bears N. 73 W. 30 links distant.

80.00 To Post, corner to Sections 7, 8, 13, 14.

July 2, 1805.

From Post, corner of Sections 4, 5, 10, 11 - Then

Township 6, Range 4-7 Ranges.

Chs. Lks.
 South On Random Line between Sections 4 & 10.
 8.80 A Brook, 15 links wide, course S. 40 E.
 20.65 A Brook, 3 links wide, course S. 70 E.
 40.00 Set temporary Quarter Section Post.
 41.50 A Brook, 2 links wide, runs S. 35 W.
 50.80 A Brook, 2 links wide, runs S. 60 W.
 58.60 A Brook, 4 links wide, runs S. 5 E.
 60.50 A Branch of Mc Makin's Creek, 50 links wide, coming from the N. W., then with the line South for 4 chains, then turns East.
 64.50 A Brook, 3 links wide, at its mouth - up it 2 chs. and leave it to E.
 80.00 Set temporary Center Post. Laid hilly and thin; Timber, B. Oak, W. Oak, Dogwood, &c.

South continued Random line between Secs. 3 & 9.
 27.85 A Brook, 2 links wide, runs S. 10 E.
 30.65 A Brook, 3 links wide, runs S. 50 E.
 40.00 Set temporary Quarter Section Post.
 82.00 Fell 169 links West of Post, corner of Secs. 2, 3, 8, 9. Laid hilly, soil good; Timber, W. Oak, B. Oak, Hickory, Poplar, Dogwood, &c.

July 3^d, 1805.

From Post, corner of Sections 2, 3, 8, 9 - Then
 North corrected the line between Secs. 3 & 9 - true 0° 36'.
 2.00 A W. Oak, 20 inches diameter.
 40.00 Moved temporary Dr. Sec. Post to true line.
 43.00 A B. Oak, 18 inches diameter.
 81.00 Moved temporary center Post, and set it at the average measure on true line.

North corrected the line between Sections 4 & 10.

Township 6, Range 4-7 Ranges.

64. 2s.
 1.20 A Sugar, 10 inches diameter.
 41.00 Moved temporary Tr. Sec. Post to true line.
 81.00 To Post, corner of Sections 4, 5, 10, 11, T. 6, R. 4.

July 6, 1805.

From Post, corner of Secs. 9, 10, 15, 16, ran
 East On Random Line between Sections 9 & 10.
 28.40 A Brook, 6 links wide, runs S. 30 E.
 40.00 Set temporary Quarter Section Post.
 58.20 A branch of McMahons Creek, 50 Yds. wide, runs N. 30 W.
 80.50 Crossed North and South Line.
 Land hilly, soil good; Timbers, W. Oak, B. Oak, Hick-
 ory, Dogwood, &c.

East Continued Random line between Secs. 3 & 4.
 26.40 A Brook, 15 links wide, runs N. 10 W.
 39.75 A Brook, 2 links wide, runs S. 35 W.
 40.00 Set temporary Quarter Section Post.
 54.00 A Brook, 4 links wide, runs S. 30 W.
 80.50 Fell 85 links South of Post on Range Line, corner
 of Sections 3 & 4.

From Post, corner of Sections 3 & 4, on Range Line,
 West Connected the line between Secs. 3 & 4. Variation 0° 18'.
 19.58 A W. Oak, 18 inches diameter.
 35.30 A W. Oak, 20 inches diameter.
 35.50 A W. Oak, 18 inches diameter.
 40.25 Moved the Quarter Section Post to the average
 measure on true line; from which a W.
 Oak, 11 ins. diam. bears S. 1 1/2 W. 44 links,
 and a Sugar, 6 ins. diam. bears N. 51 E. 12 1/2
 links distant.
 Fell 27 links South of temporary Center Post.
 Moved it and set it at the intersection of the

Township 6, Range 4-7 Ranges

64. 2s.
 line, corner to Sections 3, 4, 9, 10; from which
 a W. Oak, 9 ins. diam. bears S. 61 E. 1 link, and
 a W. Oak, 18 ins. diam. bears S. 41 1/2 W. 18 1/2
 links distant.

Then traveled North between Sections 4 & 10, and
 moved temporary Tr. Sec. Post to average mea-
 sure on true line; from which a W. Oak, 12
 ins. diam. bears S. 25 W. 36 links, and a
 W. Oak, 12 ins. diam. bears N. 13 E. 25 Yds.
 distant.

Then traveled South between Secs. 3 & 9, and
 moved the temporary Tr. Sec. Post, to average
 measure on true line; from which a W. Oak,
 24 ins. diam. bears N. 75 1/2 W. 46 links, and
 a W. Oak, 22 ins. diam. bears N. 7 1/2 E. 35 1/2
 links distant.

West Connected the line between Sections 9 & 10.
 2.10 A W. Oak, 18 inches diameter.
 27.63 A W. Oak, 32 inches diameter.
 40.25 Moved temporary Tr. Sec. Post to the average dis-
 tance on true line; from which a W. Oak, 9
 ins. diam. bears S. 29 W. 2 1/2 links, and a
 W. Oak, 18 ins. diam. bears N. 36 W. 18 links
 distant.
 80.50 To Post, corner of Secs. 9, 10, 15, 16, T. 6, R. 4.

July 28, 1805.

Beginning ^{Post} on Township Line, corner of Sec-
 tions 6 & 12 - Thence -

South On Random Line between Sections 6 & 12.
 18.75 A Brook, 35 links wide, runs S. 50 E. -

Township 6, Range 4-7 Ranges

At 1.50 links above the line, a fall of 8 feet.

23.25 A Brook, 2 links wide, runs East.

29.35 A Brook, 6 links wide, runs N. 30 E.

39.00 Set temporary Quarter Section Post.

62.40 A Brook, 3 links wide, runs S. 40 E.

72.75 Mc Mahon's Creek, 125 links wide, runs S. 50 E.

78.00 Set temporary Center Post.

Land hilly and poor; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

South Continued Random Line between Sections 5 & 11.

40.00 Set temporary Quarter Section Post.

50.50 A Brook, 3 links wide, runs S. 50 E.

73.00 A Brook, 2 links wide, runs S. 5 W.

76.80 Cross same Brook, running S. 5 E.

81.50 Fell 214 links West of Post, corner of Sections 4, 5, 10, 11.

Land hilly and thin; Timber, W. & B. Oak, Dogwood, &c.

July 3^d, 1805.

From Post, corner of Secs. 4, 5, 10, 11. Var. 0°45'

North Corrected the line between Sections 5 & 11.

15.55 A B. Oak, 20 inches diameter.

40.00 Moved temporary Dr. Sec. Post to true line.

62.95 A W. Oak, 24 inches diameter.

81.50 Moved temporary Center Post to true line.

North Corrected the line between Sections 6 & 12.

39.00 Moved temporary Quarter Section Post.

49.82 A W. Oak, 22 inches diameter.

78.00 To Post on Township line, corner of Secs. 6 & 12.

July 9, 1805.

From Post, corner of Sections 11, 12, 17, 18, ran-

Township 6, Range 4-7 Ranges

6 hrs. 100 yds.

East On Random Line between Sections 11 & 12.

2.00 Mc Mahon's Creek, 100 yds. wide, runs S. 20 E.

22.00 Fall on same creek, running E., at upper end of a small Island.

26.50 Leave the creek, running N. 45 E.

31.00 Cross same creek, running S. 60 E.

33.50 A Brook, 100 links wide, runs S. 40 W. - 50 links from mouth.

40.00 Set temporary Quarter Section Post.

49.00 To a bend of the creek, running with the line, East.

54.00 Leave creek, running S. 20 E.

66.00 Cross same creek, running North.

80.50 Cross the North and South Line.

Over steep points, and a long creek bottom; Timber, W. Oak, Sugar, Walnut, Thorn, &c.

East Continued Random line between Sections 5 & 6.

7.50 A Brook, 8 links wide, runs N. 40 E. - 2 chains from the creek.

17.00 A Brook, 4 links wide, running N. 30 W.

23.65 A Brook, 2 links wide, running North.

40.00 Set temporary Quarter Section Post.

45.50 Cross Mc Mahon's Creek, 100 yds. wide, runs S. 60 E.

70.00 Fell on creek again, running East with line, then turns South.

76.00 To an Island.

79.75 Cross the other part of creek, 50 links wide.

80.50 Fell 74 links South of Post on Range Line, corner of Sections 5 & 6.

Land hilly, except the bottom, soil good; Timber, W. Oak, B. Oak, Sugar, &c.

West From Post on Range Line, corner of Sections 5 & 6 - Corrected the line between Secs 5 & 6. Var. 0°16'

Township 6, Range 4-7 Ranges

6 hrs. 40.25 Moved temporary Dr. Sec. Post to the average measure on true line; from which a W. Oak, 20 ins. diam. bears N. 38 E. 2 1/4 links, and a W. Oak, 16 ins. diam. bears N. 6 1/2 W. 3 9/4 links distant.

80.50 Fell 105 links South of temporary Center Post. Moved and set it at intersection of lines, for corner to Sections 5, 6, 11, 12; from which a Sycamore, 26 ins. diam. bears N. 47 1/2 E. 247 links, and a B. Oak, 18 ins. diam. bears S. 8 1/2 E. 229 links distant.

Then traveled North between Sections 6 & 12, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 15 ins. diam. bears N. 66 W. 6 links, and a W. Oak, 18 ins. diam. bears N. 67 E. 57 links distant.

Then traveled South between Sections 5 & 11, and moved the temporary Dr. Sec. Post to average distance on true line; from which a W. Oak, 15 ins. diam. bears N. 57 1/2 E. 46 1/2 links, and a W. Oak, 13 ins. diam. bears S. 73 W. 43 links distant.

West Corrected the line between Sections 11 & 12.

40.25 Moved the temporary Dr. Sec. Post to the average measure on true line; from which a W. Hickory, 12 ins. diam. bears N. 69 1/2 E. 38 links, and a W. Walnut 6 ins. diam. bears S. 50 W. 25 links distant.

80.50 To Post, corner of Sections 11, 12, 17, 18, T. 6, R. 4.

Township 6, Range 4-7 Ranges

6 hrs. 40.25 Moved temporary Dr. Sec. Post to the average measure on true line; from which a W. Oak, 20 ins. diam. bears N. 38 E. 2 1/4 links, and a W. Oak, 16 ins. diam. bears N. 6 1/2 W. 3 9/4 links distant.

80.50 Fell 105 links South of temporary Center Post. Moved and set it at intersection of lines, for corner to Sections 5, 6, 11, 12; from which a Sycamore, 26 ins. diam. bears N. 47 1/2 E. 247 links, and a B. Oak, 18 ins. diam. bears S. 8 1/2 E. 229 links distant.

Then traveled North between Sections 6 & 12, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 15 ins. diam. bears N. 66 W. 6 links, and a W. Oak, 18 ins. diam. bears N. 67 E. 57 links distant.

Then traveled South between Sections 5 & 11, and moved the temporary Dr. Sec. Post to average distance on true line; from which a W. Oak, 15 ins. diam. bears N. 57 1/2 E. 46 1/2 links, and a W. Oak, 13 ins. diam. bears S. 73 W. 43 links distant.

West Corrected the line between Sections 11 & 12.

40.25 Moved the temporary Dr. Sec. Post to the average measure on true line; from which a W. Hickory, 12 ins. diam. bears N. 69 1/2 E. 38 links, and a W. Walnut 6 ins. diam. bears S. 50 W. 25 links distant.

80.50 To Post, corner of Sections 11, 12, 17, 18, T. 6, R. 4.

June 29, 1805.

From Post, corner of Sections 18 & 24, on Town Line -
 South On Rainbow Line, between Sections 18 & 24.
 8.65 Mc. Mokins creek, 50 links wide, runs S. 80 E., then rise a steep bank.

15.80 A Brook, 2 links wide, runs East.
 17.11 A Brook, 3 links wide, runs N. 80 E.
 17.60 A Brook, 2 links wide, runs N. 70 E.
 39.00 Set temporary Quarter Section Post.
 42.50 A Brook, 2 links wide, runs S. 45 W.
 45.25 A Brook, 3 links wide, runs S. 45 E.
 46.00 A Brook, 2 links wide, runs E. - 10 W. from last.
 56.10 A Brook, 2 links wide, runs N. 70 E.
 69.50 A Brook, 20 links wide, runs N. 40 E.
 78.00 Set temporary Center Post.
 Land very hilly and poor; Timber, W. Oak, Beech, Dogwood, &c.

South Continued Rainbow line between Secs. 17 & 23.
 34.00 A Brook, 2 links wide, runs S. 45 E.
 40.00 Set temporary Quarter Section Post.
 41.00 A Brook, 2 links wide, runs S. 80 E.
 48.30 A Brook, 3 links wide, runs East.
 81.00 Fell 234 links West of Post, corner of Sections 16, 17, 22, 23, T. 6, R. 4.
 Land hilly and poor; Timber, W. Oak, B. Oak, Beech, Dogwood, &c.

July 2, 1805.

From Post, corner of Sections 16, 17, 22, 23, ran -
 North Corrected the line between Secs. 17 & 23. Var. 0:57 nearly.
 5.90 A W. Oak, 10 inches diameter.
 40.00 Moved temporary Dr. Sec. Post to true line.
 41.35 A B. Oak, 20 inches diameter.

81.00 Moved temporary Center Post to true line.
 North Connected the line between Sections 18 & 24.
 39.00 Moved temporary Tr. Sec. Post to true line.
 45.00 A B. Oak, 24 inches diameter.
 78.00 To Post on Township Line, corner of Secs. 18 & 24.

July 8, 1805.

From Post, corner of Sections 23, 24, 29, 30, ran-
 East On Random Line between Sections 23 & 24.
 2.50 A Brook, 5 links wide, runs N. 40 E.
 15.85 A Brook, 3 links wide, runs North.
 40.00 Set temporary Quarter Section Post.
 68.40 A Brook, 12 links wide, runs N. 20 E.
 72.35 A Brook, 2 links wide, runs N. 70 W.
 81.00 Crossed the North and South Line.
 Land hilly and poor; Timber, W. Oak, B. Oak, Hick-
 ory, Beech, Dogwood, &c.

East Continued Random Line between Secs. 17 & 18.
 40.00 Set temporary Quarter Section Post.
 42.70 Crossed a Spring head, running North.
 80.50 Fell 136 links South of Post, corner of Sections
 11, 12, 17, 18, T. 6, R. 4.
 Land hilly, soil thin; Timber, W. Oak, B. Oak,
 Hickory, Beech, Dogwood, &c.

July 10, 1805.

From Post, corner of Sections 11, 12, 17, 18 -
 West Connected the line between Sections 17 & 18. Var. 29°
 9.70 A W. Oak, 20 inches diameter.
 20.00 A B. Oak, 24 inches diameter.
 40.25 Moved temporary Tr. Sec. Post to average dis-
 tance on true line; from which a W. Oak,

6th. 16 in. diam. bears N. 33 W. 44 links,
 and an Ash, 5 in. diam. bears S. 73 1/2 E.
 25 1/2 links distant.

75.00 A W. Oak, 16 inches diameter.
 80.50 Fell 27 links South of temporary Center
 Post. Moved it to intersection of line, cor-
 ner to Sections 17, 18, 23, 24; from which
 a Hickory, 12 in. diam. bears N. 58 1/2 E.
 24 1/2 links, and a Hickory, 16 in. diam.
 bears N. 41 W. 22 1/2 links distant.

Then traveled North between Sections 18 & 24,
 and moved the temporary Tr. Sec. Post to
 average measure on true line; from which
 a W. Oak, 20 in. diam. bears N. 4 E. 30 1/2
 links, and a W. Oak, 14 in. diam. bears
 S. 88 E. 16 1/2 links distant.

Then traveled South between Secs. 17 & 23,
 and moved temporary Tr. Sec. Post to average
 measure on true line; from which a Beech,
 12 in. diam. bears N. 16 W. 33 links, and a W.
 Oak, 18 in. diam. bears S. 60 1/2 E. 42 links
 distant.

West Connected the line between Secs. 23 & 24, and at
 40.50 Moved the temporary Tr. Sec. Post to average
 measure on true line; from which a
 Hickory, 12 in. diam. bears S. 87 1/2 E. 29 1/2
 links, and a B. Oak, 18 in. diam. bears N.
 68 W. 98 links distant.
 81.00 To Post, corner of Secs. 23, 24, 29, 30.

Township 6, Range 4-7 Ranges

July 1, 1805.

From Post, corner of Sections 16, 17, 22, 23, ran
 South On Random Line between Sections 16 & 22.
 10.50 A Brook, 8 links wide, runs S. 40 E.
 13.15 A Brook, 2 links wide, runs East.
 30.20 A Brook, 3 links wide, runs S. 80 E.
 36.50 A Brook, 3 links wide, runs N. 40 E.
 40.00 Set temporary Quarter Section Post.
 41.45 A Brook, 2 links wide, runs N. 80 E.
 74.00 A Brook, 30 links wide, runs S. 45 E.
 80.00 Set temporary Center Post.
 Land hilly, good Oak land; Timber, W. Oak, B.
 Oak, Dogwood, &c.

South Continued Random Line between Secs. 15 & 21.
 19.00 A Brook, 10 links wide, runs S. 45 E.
 29.85 A Brook, 8 links wide, runs N. 45 E.
 34.00 A Brook, 2 links wide, runs N. 10 W.
 40.00 Set temporary Quarter Section Post.
 64.00 A Brook, 2 links wide, runs N. 60 E.
 82.00 Fell 276 links West of Post, corner of Sections
 14, 15, 20, 21.
 Land hilly, soil thin; Timber, W. Oak, B. Oak,
 Beech, Dogwood, &c.

From Post, corner of Secs. 14, 15, 20, 21 - Var. 0:38'
 North Corrected the Line between Sections 15 & 21.
 17.17 A W. Oak, 22 inches diameter.
 40.00 Moved temporary Dr. Sec. Post, and set it on true line.
 63.80 A W. Oak, 22 inches diameter.
 81.00 Moved temporary Center Post, and set it at
 average measure on true line.

Township 6, Range 4-7 Ranges

July 5, 1805.

From Post, corner of Sections 21, 22, 27, 28.
 East On Random Line between Sections 21 & 22.
 40.00 Set temporary Quarter Section Post.
 45.00 A Brook, 2 links wide, runs South.
 80.50 Crossed North and South Line.
 Land tolerably level, poor soil; Timber, W. Oak,
 B. Oak, Beech, Dogwood, &c.

East Continued Random Line between Secs. 15 & 16.
 6.35 A Brook, 2 links wide, runs N. 60 E.
 11.50 A Branch of McMahons Creek, 40 W. wide, S. 60 E.
 26.00 A Brook, 3 links wide, runs S. 10 W.
 40.00 Set temporary Dr. Section Post.
 60.00 A Brook, 15 links wide, runs S. 40 W.
 79.50 A Brook, 6 links wide, runs S. 10 E.
 80.50 Fell 156 links South of Post, corner of Sections
 9, 10, 15, 16.
 Land hilly, Soil thin; Timber, W. Oak, B. Oak,
 Dogwood, &c.

July 8, 1805.

From Post, corner of Sections 9, 10, 15, 16 -
 West Corrected the line between Secs. 15 & 16. Var. 0:33'
 27.10 A W. Oak, 36 inches diameter.
 40.25 Moved Dr. Sec. Post to average measure on true
 line; from which a W. Oak, 12 ins. diam. bears
 S. 31 E. 16 1/2 links, and a W. Oak, 12 ins. diam.
 bears N. 34 1/2 W. 24 links distant.

6 hrs. 24.
 49.90 A W. Oak, 24 inches diameter.
 80.50 Fell 14 links North of temporary Center Post.
 Moved it to the intersection of the lines, corner
 to Sections 15, 16, 21, 22; from which a W. Oak,
 12 ins. diam. bears S. 25 1/2 E. 21 1/2 links, and a
 W. Oak, 11 ins. diam. bears S. 86 W. 29 links
 distant.

Then traveled North between Secs. 16 & 22, and
 moved temporary Dr. Sec. Post to average
 measure on true line; from which a W. Oak,
 15 ins. diam. bears N. 5 E. 26 1/2 links, and a
 B. Oak, 15 ins. diam. bears S. 29 1/2 E. 43 links
 distant.

Then traveled South between Sections 15 & 21,
 and moved temporary Dr. Sec. Post to average
 measure on true line; from which a W. Oak,
 42 ins. diam. bears S. 12 E. 5 links, and a
 Hickory, 8 ins. diam. bears N. 40 1/2 W. 33 links
 distant.

West corrected between Sections 21 & 22.
 40.25 Moved temporary Dr. Sec. Post to average mea-
 sure on true line; from which a Gum,
 7 ins. diam. bears S. 35 W. 17 links, and a
 Hickory, 9 ins. diam. bears N. 50 1/2 E. 10 links distant.

43.80 A W. Oak, 12 inches diameter.
 80.50 To Post, corner of Sections 21, 22, 27, 28.

July 1, 1805.

From Post, corner to Secs. 14, 15, 20, 21, ran
 South On Random Line between Sections 14 & 20.
 6.20 A Brook, 2 links wide, runs S. 20 E.
 8.85 Cross the same Brook, 2 links wide, runs S. 15 W.

6 hrs. 24.
 17.25 A Brook, 2 links wide, runs West.
 40.00 Set temporary Quarter Section Post.
 57.25 A Brook, 6 links wide, runs S. 60 W.
 76.87 A Brook, 3 links wide, S. 80 W.
 80.00 Set temporary Center Post.
 Land hilly and poor; Timber, W. Oak, B. Oak,
 Beech, Dogwood, &c.

South Continued Random Line between Secs. 13 & 19.
 11.50 A Brook, 20 links wide, runs S. 5 E.; cross it 3
 times in 10 chains.
 32.00 A Brook, 2 links wide, runs N. 45 E.
 40.00 Set temporary Quarter Section Post.
 49.25 A Brook, 15 links wide, runs East.
 77.50 A Brook, 5 links wide, runs S. 45 E.
 81.50 Fell 238 links West of Post, corner of Secs.
 13 & 19, on Township Line.
 Land hilly, poor and stony; Timber, W. Oak, B.
 Oak, Beech, Chestnut Oak, Dogwood, &c.

From Post on Township Line, corner of Secs. 13 & 19 -
 North corrected the line between Sections 13 & 19. Var. 0:50'.
 21.23 A B. Oak, 22 inches diameter.
 22.12 A W. Oak, 20 inches diameter.
 40.00 Moved temporary Dr. Sec. Post to true line.
 81.00 Moved temporary Center Post to true line.

North corrected the line between Secs. 14 & 20.
 41.50 Moved temporary Dr. Sec. Post to true line.
 77.00 A W. Oak, 11 inches diameter.
 81.50 To Post, corner of Sections 14, 15, 20, 21.

July 4, 1805.

From Post, corner of Sections 19, 20, 25, 26, ran

6hs. Lks.
 East On Random Line between Secs. 19 & 20.
 1-80 A Brook, 3 links wide, runs South.
 29-25 A good Spring about 25 Mts. North, runs N.
 39-50 A Brook, 2 links wide, runs North.
 40-00 Set temporary Quarter Section Post.
 58-10 A Brook, 2 links wide, runs N. 10 E.
 60-10 A Brook, 10 links wide, runs S. 45 E.
 75-75 A Brook, 20 links wide, runs South.
 80-50 Crossed North and South Line.
 Land hilly and poor; Timber, W. Oak, B. Oak,
 Hickory, Beech, Dogwood, &c.

East continued Random Line between Secs. 13 & 14.
 8-50 A Brook, 4 links wide, runs S. 50 W.
 40-00 Set temporary Quarter Section Post.
 41-40 A Brook, 4 links wide, runs S. 70 E.; a large Lick
 on this Brook, at the line.
 48-10 A Brook, 15 links wide, runs South.
 65-00 A Brook, 6 links wide, runs S. 60 W.
 69-25 A Brook, 2 links wide, runs N. 60 W.
 80-00 Fell 178 links South of Post, corner of Sections
 7, 8, 13, 14.
 Land hilly and poor; Timber, W. Oak, B. Oak, Beech,
 Dogwood, &c.

July 5, 1805.

From Post, corner of Secs. 7, 8, 13, 14. Var. 0:38'.

West Corrected the line between Sections 13 & 14.
 13-23 A W. Oak, 12 inches diameter.
 40-00 Moved temporary Dr. Sec. Post to average measure
 on true line; from which a Hickory, 10 ins. diam.
 bears S. 34 1/2 E. 19 1/2 links and a Hickory, 12 ins.
 diam. bears N. 57 W. 28 links distant.
 42-45 A Beech, 9 inches diameter.

6hs. Lks.
 80-00 Fell 29 links North of temporary Section Post.
 Moved it to intersection of lines, corner to Sections
 13, 14, 19, 20; from which a Beech, 12 ins.
 diam. bears N. 26 1/2 E. 5 1/2 links, and a W. Oak,
 12 ins. diam. bears S. 27 1/2 E. 15 1/2 Mts. distant.

Then traveled North between Secs. 14 & 20, and
 moved temporary Dr. Sec. Post to average mea-
 sure on true line; from which a W. Oak, 20
 ins. diam. bears S. 45 1/2 E. 8 links, and a
 B. Oak, 20 ins. diam. bears N. 17 E. 10 links
 distant.

Then traveled South between Secs. 13 & 19 and
 moved temporary Dr. Sec. Post to average
 measure on true line; from which a Hick-
 ory, 10 ins. diam. bears N. 25 E. 31 links, and
 a Dogwood, 6 ins. diam. bears S. 73 W. 19 1/2
 links distant.

West Corrected the line between Sections 19 & 20.
 40-25 Moved temporary Dr. Sec. Post to average measure
 on true line; from which a Beech, 9 ins. diam.
 bears S. 51 E. 19 links, and a Beech, 7 ins. diam.
 bears N. 39 W. 27 links distant.
 47-80 A W. Oak, 15 inches diameter.
 62-45 A W. Oak, 26 inches diameter.
 80-50 To Post, corner of Sections 19, 20, 25, 26.

June 28, 1805.

From Post on Township line, corner of Secs. 30 & 36.
 South On Random Line between Sections 30 & 36.
 38-00 Set temporary Quarter Section Post.
 45-00 A Brook, 40 links wide, runs N. 45 E.
 55-00 A Brook, 2 links wide, runs N. 10 E.

Chs. Lks.
 69.00 A Brook, 2 links wide, runs East.
 70.80 A Brook, 4 links wide, runs N. 5 E.
 76.00 Set temporary center Post.
 Land level, soil good; Timber, very short W. Oak,
 B. Oak, with thick growth of Thorn, Hawth,
 Plum, Willow, Nine-Bark, &c.

South continued Random Line between Secs. 29 & 35.
 9.50 A Brook, 3 links wide, runs W.; a spring just above.
 11.10 A Brook, 2 lks. wide, runs N. 80 W. - Spring 1 chain above.
 12.60 A Brook, 2 links wide, runs N. 45 W.
 38.40 A Brook, 3 links wide, runs S. 60 E.
 40.00 Set temporary Quarter Section Post.
 40.44 A Brook, 3 links wide, runs N. 40 E.
 81.25 Fell 162 links West of Post, corner of Sections
 28, 29, 34, 35.
 Land hilly; Timber, W. Oak, B. Oak, Hickory,
 Dogwood.

June 29, 1805.

Iron Post, corner of Secs. 28, 29, 34, 35 - Var. 0:40'.
 North connected the line between Secs. 29 & 35.
 1.35 A W. Oak, 24 inches diameter.
 2.35 A W. Oak, 11 inches diameter.
 40.00 Moved temporary Dr. Sec. Post, and set it on
 true line.
 61.60 A W. Oak, 36 inches diameter.
 81.25 Moved temporary center Post to true line.

North connected between Sections 30 & 36.
 38.00 Moved temporary Quarter Section Post, and set it
 on true line.
 76.00 To Post on Township Line, corner to Sections
 30 & 36.

Chs. Lks.
 July 8, 1805.
 From Post on Range Line, corner to Secs. 35 & 36.
 East On random Line between Sections 35 & 36.
 A Brook, 15 links wide, runs East for 1 chain,
 and then turns N. 45 E. - corner on S. side.
 1.55 A Brook, 2 links wide, runs N. 20 W.
 29.60 A Brook, 4 links wide, runs N. 45 W.
 30.25 A Brook, 12 links wide, runs N. 50 W.
 37.00 Set temporary Quarter Section Post.
 71.50 A Brook, 4 links wide, runs N. 15 E.
 73.50 Crossed North and South Line.
 Land uneven, soil thin; Timber, W. Oak, B. Oak,
 Dogwood, &c.

East continued Random Line between Secs. 29 & 30.
 18.90 A Brook, 2 links wide, runs N. 15 W.
 40.00 Set temporary Quarter Section Post.
 55.90 A Brook, 10 links wide, runs North.
 81.00 Fell 16 links South of Post, corner of Sections
 23, 24, 29, 30.
 Land hilly, though not steep; ^{soil good;} Timber, W. Oak,
 Dogwood, &c.

July 10, 1805.

West connected the line between Secs. 29 & 30. Var. 0:03'.
 37.00 A W. Oak, 22 inches diameter.
 38.37 A W. Oak, 12 inches diameter.
 40.50 Moved temporary Dr. Sec. Post to average measure
 on true line; from which a W. Oak, 42 ins.
 diam. bears N. 8 E. 16 links, and Poplar, 7 ins.
 diam. bears S. 38 E. 18 links distant.
 81.00 Fell 100 links South of temporary center Post;
 Moved it to the intersection of the lines, for
 corner of Sections 29, 30, 35, 36; from which

Township 6, Range 4-7 Ranges.

Chs. Lks.

a W. Oak, 24 ins. diam. bears S. 76 W. 22 lks., and a W. Oak, 18 ins. diam. bears S. 28 E. 32 links distant.

Then traveled North between Secs 30 & 36, and moved temporary Dr. Sec. Post to average measure on true line; from which a Hickory, 8 ins. diam. bears N. 17 1/2 E. 8 links, and a W. Oak, 14 ins. diam. bears N. 84 1/2 W. 17 links distant.

Then traveled South, between Secs. 29 & 35, and moved temporary Dr. Sec. Post, at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 75 E. 4 1/4 lks., and a W. Oak, 15 ins. diam. bears S. 75 W. 12 links distant.

West corrected the line between Secs. 35 & 36. 36.75 Moved temporary Dr. Sec. Post to the average measure on true line; from which a W. Oak, 12 ins. diam. bears S. 33 W. 28 1/4 lks., and a W. Oak, 10 ins. diam. bears N. 36 1/2 W. 16 1/2 links distant.

73.50 To Post on Range Line, corner of Sections 35 & 36.

June 28, 1805.

From Post, corner of Secs. 28, 29, 34, 35-

South On Random Line between Sections 28 & 34.

3.25 A Brook, 8 links wide, runs N. 60 E.

26.06 A Brook, 5 links wide, runs N. 40 E.

40.00 Set temporary Quarter Section Post.

48.20 A Brook, 2 links wide, runs S. 60 E.

Township 6, Range 4-7 Ranges.

Chs. Lks.

50.15 A Brook, 2 links wide, runs N. 45 E.

51.50 A Brook, 2 links wide, runs N. 45 E.

80.00 Set temporary Center Post. Land very hilly and poor; Timber, W. Oak, B. Oak, Beech, Dogwood, &c.

South continued Random Line between Secs. 27 & 33.

.56 A Brook, 2 links wide, runs S. 30 E.

8.50 A Brook; 4 links wide, runs S. 30 W.

32.20 A Brook, 2 links wide, runs West.

40.00 Set temporary Quarter Section Post.

68.00 A Brook, 2 links wide, runs East.

81.50 Fell 282 links West of Post, corner of Sections 26, 27, 32, 33.

Land hilly, poor and stony; Timber, W. Oak, B. Oak, Hickory, Beech, Dogwood, &c.

June 29, 1805.

From Post, corner of Secs. 26, 27, 32, 33-

North corrected the line between Secs. 27 & 33. Var. 1° 00'.

1.85 A W. Oak, 18 inches diameter.

40.00 Set temporary Quarter Section Post, on true line.

47.40 A W. Oak, 14 inches diameter.

64.00 A W. Oak, 36 inches diameter.

80.75 Moved temporary Center Post to average measure on true line.

North corrected the line between Secs. 28 & 34.

36.80 A B. Oak, 30 inches diameter.

40.00 Moved temporary Quarter Section Post, and set it on true line.

80.75 To Post, corner of Sections 28, 29, 34, 35, T. C. R. L.

6 Ms. 1/2

July 5, 1805.

From Post on Range Line, corner of Secs. 33 & 34.
 East On Random Line between Sections 33 & 34.
 34.00 A Brook, 10 links wide, runs S. 20 E.
 40.00 Set temporary Quarter Section Post.
 46.10 A Brook, 2 links wide, runs S. 15 W.
 75.50 Crossed the North and South line, at a Brook,
 running S. 50 E., 2 links wide.
 Land muddy, soil thin; Timber, W. Oak, R. Oak,
 Dogwood, &c.

East Continued Random Line between Secs. 27 & 28.
 40.00 Set temporary Quarter Section Post.
 40.10 A Brook, 3 links wide, runs S. 20 W.
 80.50 Fell 74 links South of Post, corner to Sections
 21, 22, 27, 28.
 Land tolerably level, soil thin; Timber, W. Oak,
 R. Oak, Dogwood.

July 8, 1805.

From Post, corner of Secs. 21, 22, 27, 28. Var. 0:16.
 West Corrected the line between Secs. 27 & 28.
 .04 A W. Oak, 11 inches diameter.
 40.25 Moved temporary Quarter Section Post to the
 average measure on true line; from which
 a W. Oak, 36 ins. diam. bears N. 83 E. 33 1/2
 links, and a W. Oak, 8 ins. diam. bears S. 52 1/2
 W. 32 1/2 links distant.
 80.50 Fell 10 links North of temporary Center Post.
 Moved it to the center, at intersection, for
 corner to Sections 27, 28, 33, 34; from which
 a B. Oak, 24 ins. diam. bears S. 75 E. 21 Ms,
 and a Hickory, 16 ins. diam. bears N. 69 1/2
 W. 3 links distant.

6 Ms. 1/2

Then traveled North between Secs. 28 & 34,
 and moved temporary Dr. Sec. Post, to average
 measure on true line; from which
 a W. Oak, 11 ins. diam. bears S. 39 1/2 E. 24 Ms,
 and a W. Oak, 14 ins. diam. bears N. 62 1/2 W.
 25 links distant.

Then traveled South between Secs. 27 & 33,
 and moved temporary Dr. Sec. Post, to average
 measure on true line; from which a W. Oak,
 12 ins. diam. bears S. 84 E. 29 links, and a W.
 Oak, 14 ins. diam. bears West 7 Ms. distant.

West Corrected the line between Secs. 33 & 34.
 2.65 A B. Oak, 20 inches diameter.
 37.75 Moved temporary Dr. Sec. Post to average mea-
 sure, on true line; from which a B. Oak, 7
 ins. diam. bears S. 19 E. 5 links, and a W. Oak, 12
 ins. diam. bears N. 38 W. 29 links distant.
 75.50 To Post on Range Line, corner of Secs. 33 & 34.

June 28, 1805.

From Post, corner of Secs. 26, 27, 32, 33, ran-
 South On Random Line between Sections 26 & 32.
 18.80 A Brook, 2 links wide, runs West.
 21.63 A Brook, 2 links wide, runs N. 80 W.
 40.00 Set temporary Quarter Section Post.
 72.50 A Brook, 8 links wide, runs S. 40 E.
 80.00 Set temporary Center Post.
 This whole mile is along a poor stony hill
 side; Timber, W. Oak, Beech, Dogwood.
 South Continued Random Line between Secs. 25 & 31.
 8.10 A Brook, 2 links wide, runs N. 60 W.

Ch. Lk.
 19.00 Cross a Brook, 12 links wide, runs S. 25 E.
 19.75 A Brook, 3 links wide, runs East.
 28.20 A Brook, 2 links wide, runs S. 80 E.
 28.70 A Brook, 2 links wide, runs S. 60 E.
 29.10 A Brook, 2 links wide, runs East.
 40.00 Set temporary Quarter Section Post.
 48.30 A Brook, 5 links wide, runs S. 40 E.
 60.80 A Brook, 2 links wide, runs East.
 81.00 Fell 189 links West of Post on Township Line,
 corner of Sections 25 & 31.
 Land very hilly, very poor, very brushy, and stony.
 Timber, W. Oak, Beech, Dogwood, and a thick
 growth of underbrush.

June 29, 1805.

From Post on Township Line, corner of Secs. 25 & 31 -
 North Corrected the line between Secs. 25 & 31. Var. 0:40.
 .58 A B. Oak, 30 inches diameter.
 40.00 Moved temporary In. Sec. Post to true line.
 80.50 Moved temporary center Post to average measure
 on true line.

North Corrected the line between Sections 26 & 32.
 40.00 Moved temporary In. Sec. Post to true line.
 80.50 To Post, corner of Sections 26, 27, 32, 33.

July 4, 1805.

From Post on Range Line, corner of Secs. 31 & 32.
 East On Random Line between Secs. 31 & 32.
 4.90 A Brook, 4 links wide, runs South.
 25.50 A Brook, 2 links wide, runs S. 60 E.
 29.50 A Brook, 25 links wide, runs S. 15 W.
 38.00 Set temporary Quarter Section Post.
 41.65 A Brook, 2 links wide, runs S. 20 W.

Ch. Lk.
 61.25 A Brook, 5 links wide, runs S. 10 E., in which
 is an excellent coal bed.
 75.75 A Brook, 10 links wide, runs S. 10 W.
 77.00 Crossed North and South Line.
 Land very hilly, poor and stony; Timber, W. Oak,
 B. Oak, Beech, Chestnut Oak, Dogwood, &c.
 East continued Random Line, between Secs. 25 & 26.
 17.00 A Brook, 2 links wide, runs S. 70 E.
 30.25 A Brook, 30 links wide, runs S. 35 W.
 40.00 Set temporary Quarter Section Post.
 56.00 A Brook, 2 links wide, runs S. 35 W.
 76.00 A Brook, 2 links wide, runs S. 70 E.
 80.25 Fell 162 links South of Post, corner of Sections
 19, 20, 25, 26.

The first half mile over steep, high, poor, stony
 hills; last half mile, tolerable level, soil
 good; Timber, W. Oak, B. Oak, Beech, Chestnut
 Oak, Dogwood, &c.

July 5, 1805.

From Post, corner of Secs. 19, 20, 25, 26. Var. 0:35.
 West Corrected the line between Sections 25 & 26.
 17.65 A B. Oak, 24 inches diameter.
 40.12 Moved temporary In. Sec. Post to average mea-
 sure on true line; from which a W. Oak,
 12 ins. diam. bears S. 49 1/2 E. 7 links, and a W.
 Oak, 11 ins. diam. bears N. 74 W. 23 lks. distant.
 72.35 A B. Oak, 30 inches diameter.
 80.25 Fell 29 links North of temporary center Post.
 Moved it to the intersection of the lines, corner
 to Secs. 25, 26, 31, 32; from which a W. Oak, 26
 ins. diam. bears N. 19 1/2 E. 39 links, and a W. Oak,
 11 ins. diam. bears S. 83 W. 39 lks. distant.

Township 6, Range 4-7 Ranges.

6hs. 1/2. ^{North}
Then traveled between Sections 26 & 32, & moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 48 ins. diam. bears N. 48 W. 1 link, and a W. Oak, 14 ins. diam. bears N. 41 1/2 E. 34 1/2 lks. distant.

Then traveled South between Secs. 25 & 31, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 16 ins. diam. bears N. 58 E. 26 links, and a Hickory, 10 ins. diam. bears S. 42 E. 23 lks. distant.

West Corrected the line between Sections 31 & 32.

36.20 A B. Oak, 18 inches diameter.

38.50 Moved the temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 7 ins. diam. bears S. 5 W. 10 1/2 links, and a W. Oak, 9 ins. diam. bears N. 59 W. 8 1/2 links distant.

40.95 A B. Oak, 18 inches diameter.

71.80 A W. Oak, 18 inches diameter.

77.00 To Post, on Range Line, corner of Secs. 31 & 32.

Surveyed in June and July, 1805, by
Benjamin Rough,
Deputy Surveyor.

North Boundary.

Beginning at
East 1st Mile - [North side of Section 26.]
25.12 A B. Oak, 30 inches diameter.

41.32 A W. Oak, 24 inches diameter.

48.47 A W. Oak, 47 inches diameter.

61.95 A W. Oak, 13 inches diameter.

80.00 Set Post, [corner to Sections 30 & 36] from which a W. Oak, 16 ins. diam. bears N. 2 1/4 E. 39 lks., and a W. Oak, 15 ins. diam. bears N. 75 E. 52 links distant.

The land of this mile is made up of gentle inequalities, would produce wheat, corn, rye, &c.; the whole suitable for cultivation, timbered with Oak and Hickory. Near the center of this mile is a Brook, 3 yds wide, running South, upon the margin of which is a rich bottom, suitable for meadow.

East 2^d Mile - [North side of Section 30.]

18.18 A W. Oak, 20 inches diameter.

21.61 A Hickory, 10 inches diameter.

40.03 A W. Oak, 12 inches diameter.

63.78 A W. Oak, 20 inches diameter.

75.00 A B. Oak, 16 inches diameter.

80.00 Set Post, [corner to Sections 24 & 30] from which a W. Oak, 24 ins. diam. bears S. 52 E. 3 links, and a W. Oak, 20 ins. diam. bears N. 87 1/2 W. 32 links distant.

The land of this mile is similar to the last mile, timbered with Oak, Hickory, Walnut, Elm, Cherry, Dogwood, &c.

East 3^d Mile - [North side of Section 24.]

8.18 A W. Oak, 15 inches diameter.