

Township 6, Range 4-7 Ranges.

chs. Lk. ^{North}
 Then traveled between Sections 26 & 32, & moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 48 ins. diam. bears N. 48 W. 1 link, and a W. Oak, 14 ins. diam. bears N. 41 1/2 E. 34 1/2 lks. distant.

Then traveled South between Secs. 25 & 31, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 16 ins. diam. bears N. 58 E. 26 links, and a Hickory, 10 ins. diam. bears S. 42 E. 23 lks. distant.

West Corrected the line between Sections 31 & 32.
 36.20 A B. Oak, 18 inches diameter.
 38.50 Moved the temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 7 ins. diam. bears S. 5 W. 10 1/2 links, and a W. Oak, 9 ins. diam. bears N. 59 W. 8 1/2 links distant.
 40.95 A B. Oak, 18 inches diameter.
 71.80 A W. Oak, 18 inches diameter.
 77.00 To Post, on Range Line, corner of Secs. 31 & 32.

Surveyed in June and July, 1805, by
 Benjamin Rough,
 Deputy Surveyor.

North Boundary.

chs. Lk.
 Beginning at
 East 1st Mile - [North side of Section 26.]
 25.12 A B. Oak, 30 inches diameter.
 41.32 A W. Oak, 24 inches diameter.
 48.47 A W. Oak, 47 inches diameter.
 61.95 A W. Oak, 13 inches diameter.
 80.00 Set Post, [corner to Sections 30 & 36] from which a W. Oak, 16 ins. diam. bears N. 2 1/4 E. 39 lks., and a W. Oak, 15 ins. diam. bears N. 75 E. 52 links distant.

The land of this mile is made up of gentle inequalities, would produce wheat, corn, rye, &c.; the whole suitable for cultivation, timbered with Oak and Hickory. Near the center of this mile is a Brook, 3 yds wide, running South, upon the margin of which is a rich bottom, suitable for meadow.

East 2^d Mile - [North side of Section 30.]
 18.18 A W. Oak, 20 inches diameter.
 21.61 A Hickory, 10 inches diameter.
 40.03 A W. Oak, 12 inches diameter.
 63.78 A W. Oak, 20 inches diameter.
 75.00 A B. Oak, 16 inches diameter.
 80.00 Set Post, [corner to Sections 24 & 30] from which a W. Oak, 24 ins. diam. bears S. 52 E. 3 links, and a W. Oak, 20 ins. diam. bears N. 87 1/2 W. 32 links distant.

The land of this mile is similar to the last mile, timbered with Oak, Hickory, Walnut, Elm, Cherry, Dogwood, &c.

East 3^d Mile - [North side of Section 24.]
 8.18 A W. Oak, 15 inches diameter.

Township 7, Range 4-7 Ranges.

Chs. Lk.
 21.52 A Cherry, 13 inches diameter.
 27.50 A Rivulet, 15 yards wide, called North fork of Wheeling, runs S. 10 W. - a good mill seat, and plenty of water to supply a mill through the season.
 52.00 Wheeling Creek, 18 yards wide, runs about North.
 70.00 A W. Oak, 13 inches diameter.
 80.00 Set Post, [corner to Sections 18 & 24,] from which a W. Oak, 15 ins. diam. bears S. 10 1/4 W. 22 links and a W. Oak, 22 ins. diam. bears N. 67 E. 30 1/2 links distant.
 The land of this mile is very good, capable of cultivation, is interspersed with rich bottoms, suitable for meadow, well watered by the creek; the upland will produce rye, wheat, indian corn, oats, &c.; timbered with Oak, Sugar, Cherry, Ironwood, Elm, &c.

East 4th Mile - [North side of Section 18.]
 13.00 Wheeling Creek, 21 yards wide, runs -
 24.00 A Hickory, 13 inches diameter.
 37.85 A B. Oak, 30 inches diameter.
 62.52 A W. Oak, 24 inches diameter.
 68.61 A W. Oak, 30 inches diameter.
 80.00 Set Post, [corner to Sections 12 & 18,] from which a W. Oak, 18 ins. diam. bears S. 45 E. 7 1/2 links, and a W. Oak, 22 ins. diam. bears N. 67 E. 30 1/2 links distant.
 The land of this mile is similar to the last, in point of soil and timber.

East 5th Mile - [North side of Section 12.]
 14.88 A W. Oak, 24 inches diameter.
 20.50 A Brook, 10 yards wide, runs N. 20 E.; water sufficient to turn a mill at some seasons of the year.

Township 7, Range 4-7 Ranges.

Chs. Lk.
 25.33 A W. Oak, 20 inches diameter.
 51.91 A W. Oak, 14 inches diameter.
 71.18 A W. Oak, 30 inches diameter.
 80.00 Set Post, [corner to Sections 6 & 12,] from which a Red Oak, 20 ins. diam. bears S. 67 1/4 E. 39 links, and a W. Oak, 18 ins. diam. bears N. 20 1/4 W. 42 links distant.
 The land of this mile is, in general, good, the most of it fit for cultivation; timbered with W. & B. Oak, Hickory, Elm, Sugar, Beech, Dogwood.

East 6th Mile - [North side of Section 6.]
 28.37 A W. Oak, 14 inches diameter.
 54.56 A W. Oak, 15 inches diameter.
 70.89 A W. Oak, 18 inches diameter.
 80.00 Set Post from which a W. Oak, - ins. diam. bears S. 28 1/4 E. 16 1/2 links, and a W. Oak, 17 ins. diam. bears N. 26 1/2 W. 34 links distant.
 The land on this mile is similar to the 5th, timbered with Oak and Hickory.

East Boundary.

Beginning at
 South 1st Mile - [East side of Section 6.]
 18.03 A Red Oak, 15 inches diameter.
 42.40 A B. Oak, 40 inches diameter.
 70.70 A Hickory, 8 inches diameter.
 80.00 Set Post, [corner to Sections 5 & 6,] from which a W. Oak, 12 ins. diam. bears S. 58 W. 18 links, & a W. Oak, 12 ins. diam. bears S. 58 E. 21 links distant.
 Land along this mile proper for the cultivation of wheat or indian corn; Timber, Oak, Hickory.

Township 7, Range 4 - 7 Ranges.

Ch. No. ny, and Beech; a bottom 4 chains wide, proper for meadow or tillage.

South 2^d Mile - [East side of Section 5.]

- 14.02 A Beech, 13 inches diameter.
- 34.75 A B. Oak, 14 inches diameter.
- 52.92 A Beech, 7 inches diameter.
- 69.04 A W. Oak, 10 inches diameter.

80.00 Set Post, [corner to Sections 4 & 5,] from which a Hickory, 20 ins. diam. bears S. 25 W. 34 links, and a Hickory, 14 ins. diam. bears N. 57 E. 13 links distant.

Soil of a good quality, would produce large crops of English [small] grain, or indian corn; hills are not steep; Timber, Hickory, Oak, Beech, Maple.

South 3^d Mile - [East side of Section 4.]

- 11.20 A B. Walnut, 10 inches diameter.
- 29.73 A W. Oak, 30 inches diameter.
- 44.61 A Beech, 13 inches diameter.
- 50.80 A B. Oak, 14 inches diameter.

80.00 Set Post, [corner to Sections 3 & 4,] from which a Sugar, 14 ins. diam. bears S. 59 W. 12 links, and a Beech, 16 ins. diam. bears S. 5 E. 24 links distant.

The line passed over a tract of good land, fully answerable to the production of wheat, indian corn, flax, hemp, tobacco, or grass; ascents and descents gentle; Timber, Beech, Maple, Hickory, B. Walnut, and Oaks.

South 4th Mile - [East side of Section 3.]

- 13.05 A Red Oak, 36 inches diameter.
- 31.25 A Hickory, 30 inches diameter.

Township 7, Range 4 - 7 Ranges.

Ch. No. 57.44 A W. Oak, 8 inches diameter.

80.00 Set Post, [corner to Sections 2 & 3,] from which a W. Oak, 10 ins. diam. bears N. 1 E. 38 links, and a W. Oak, 18 ins. diam. bears S. 66 1/2 W. 43 links distant.

Soil rich and fertile, equal to the production of indian corn, wheat, flax, hemp or grass; the hills are formed by gentle ascents, and not high; Timber, Oak, Hickory, Beech, Sugar, &c.

South 5th Mile - [East side of Section 2.]

- 21.50 A W. Oak, 12 inches diameter.
- 49.48 A W. Oak, 7 inches diameter.

80.00 Set Post, [corner of Sections 1 & 2,] from which a B. Oak, 15 ins. diam. bears S. 6 1/2 W. 18 links, and a W. Oak, 16 ins. diam. bears S. 63 E. 28 links distant.

Soil proper for the production of wheat; Timber, Oak, Hickory, Beech, and Maple, large and thrifty. A stream, 10 yards wide, crosses the line on this mile, running east, on the sides of which is a bottom, good for meadow, 4 chains wide.

South 6th Mile - [East side of Section 1.]

- 9.40 A Poplar, 16 inches diameter.
- 34.19 A Hickory, 9 inches diameter.
- 77.40 A Gum, 7 inches diameter.

80.00 Set 6th Mile, or [Township] corner Post, from which a W. Oak, 14 ins. diam. bears N. 55 W. 6 links, and a W. Oak, 16 ins. diam. bears S. 35 1/4 W. 18 links distant.

Land along the pit half mile would produce good crops of wheat; the other half mile is

Township 7, Range 4-7 Ranges.

Chs. Hs.

very poor land, being of a thin soil, and stony;
Timber, Oak and Hickory.

Note. - This mile continued South 1/4 chs.
36 Hs., will be 1 ch. & 32 Hs. due East of the
North East corner of the 6th Township, in the
4th Range.

West Boundary.

Beginning at

South 1st Mile - [West side of Section 36.]

8-63 A Wild Cherry, 18 inches diameter.

19-80 A W. Oak, 15 inches diameter.

22-00 A B. Oak, 36 inches diameter.

50-91 A W. Oak, 8 inches diameter.

80-00 Set Post, [corner to Sections 35 & 36,] from which
a Cherry, 20 ins. diam. bears S. 8 E. 49 links,
and a W. Oak, 18 ins. diam. bears S. 33 W.
36 links distant.

The hills by no means high, are well adapted
to tillage, the soil of a good quality for
wheat, indian corn, grass, &c., with a variety
of gentle streams, one of which contains
sufficient water to turn a mill; Timber, W.
Oak, B. Oak, Spau. Oak, Hickory & Dogwood.

South 2^d Mile - [West side of Section 35.]

16-63 A W. Oak, 12 inches diameter.

34-80 A W. Oak, 24 inches diameter.

40-96 A Spau. Oak, 36 inches diameter.

53-12 A W. Oak, 18 inches diameter.

80-00 Set Post, [corner to Sections 34 & 35,] from which
a Red Oak, 20 ins. diam. bears N. 33 E. 14 Hs.,
and a Red Oak, - ins. diam. bears S. 40 1/2 E.
20 1/2 links distant.

Township 7, Range 4-7 Ranges.

Chs. Hs.

This mile is very similar to the last descri-
bed, except larger quantity meadow land,
timbered with Cherry, Plum and Crab
Apple. The upland timbered with W. & B.
Oak, Hickory & Dogwood, and well calculated
to produce wheat, rye, indian corn, &c.

South 3^d Mile - [West side of Section 34.]

24-88 A W. Oak, 20 inches diameter.

80-00 Set Post, [corner to Sections 33 & 34,] from
which a W. Oak, - ins. diam. bears S. 76 1/2
E. 50 links, and a W. Oak, - ins. diam. bears
N. 76 1/2 W. 37 links distant.

The ascents and descents along this mile are
gentle, interspersed with small streams of wa-
ter; the soil would produce wheat, indian
corn, grass, &c.; Timber, same as described
in the last mile.

South 4th Mile - [West side of Section 33.]

12-75 A W. Oak, 12 inches diameter.

27-12 A Hickory, 8 inches diameter.

41-15 A B. Oak, 15 inches diameter.

55-95 A W. Oak, 9 inches diameter.

80-00 Set Post, [corner to Sections 32 & 33,] from which
a W. Oak, 18 ins. diam. bears N. 38 1/2 W. 28
links, and a W. Oak, - ins. diam. bears N.
48 1/4 E. 71 links distant.

This mile the soil is calculated to produce
wheat, rye, indian corn, grass, &c.; timbered
with B. & W. Oak, Hickory and Dogwood.

South 5th Mile - [West side of Section 32.]

1-96 A Hickory, 36 inches diameter.

66.25 A W. Oak, 9 inches diameter.
 66.25 A Beech, 9 inches diameter.
 80.00 Set Post, [corner to Sections 31 & 32,] from which a W. Oak, 15 ins. diam. bears S. 20 E. 6 links, and a W. Oak, 8 ins. diam. bears S. 74 W. 5 links distant.
 The ascents and descents are gentle, the soil in some places very rich, and would produce indian corn, wheat, hemp, &c.; Timber, W., R., B. and Span. Oak, Beech, Hickory, Ash, Ironwood, &c.

South 6th Mile - [West side of Section 31.]

3.08 A W. Oak, 48 inches diameter.
 25.08 A Forked W. Oak.
 35.00 A W. Oak, 36 inches diameter.
 73.90 A W. Oak, 18 inches diameter.
 80.00 Set Post for South West Corner of the 7th Township, 4th Range; from which a W. Oak, pruned about 5 feet from the root, bears N. 35 1/2 W. 27 1/2 links, and a W. Oak, 12 ins. diam. bears N. 84 E. 27 1/2 links distant.
 Timber and soil the same with the last mile, well adapted to the cultivation of wheat, rye, indian corn, &c.

South Boundary.

Beginning at the South West Corner of the Township.

East 1st Mile - [South side of Section 31.]
 12.08 A W. Oak, 12 inches diameter.
 23.85 A W. Oak, 12 inches diameter.
 39.55 A W. Oak, 10 inches diameter.
 69.06 A B. Oak, 24 inches diameter.
 80.00 Set Post, [corner to Sections 25 & 31,] from which

66.25 a W. Oak, 36 ins. diam. bears N. 37 W. 33 1/2 links, and a Hickory, 12 ins. diam. bears S. 85 1/2 E. 13 links distant.
 The ascents and descents are gentle, interspersed with a number of streams of excellent water; soil thin, calculated to produce wheat, grass, &c.; Timber, W., B. & Span. Oak, Hickory, Dogwood, and Black Thorn.

East 2^d Mile - [South side of Section 25.]

15.53 A Span. Oak, 10 inches diameter.
 24.00 A Grob Apple tree.
 48.90 A W. Oak, 6 inches diameter.
 73.12 A W. Oak, 12 inches diameter.
 80.00 Set Post, [corner to Sections 19 & 25,] from which a W. Oak, 15 ins. diam. bears S. 65 E. 42 links, and a Hickory, 12 ins. diam. bears N. 3 1/2 W. 30 links distant.
 The land is of the same quality as the last mile, the hills steeper, timber as last mile. Here is a large brook, with sufficient water to turn a mill, on each side of which is a large bottom of excellent meadow land, covered with Plum, Grob Apple & wild cherry trees.

East 3^d Mile - [South side of Section 19.]

29.75 A W. Oak, 10 inches diameter.
 41.90 An Elm, 8 inches diameter.
 67.40 A W. Oak, 12 inches diameter.
 80.00 Set Post, [corner to Sections 13 & 19,] from which a W. Oak, 8 ins. diam. bears S. 32 W. 20 links, and a W. Oak, - ins. diam. bears N. 61 1/2 E. 9 1/2 links distant.
 This mile much broken with hills, soil thin

Township 7, Range 4-7 Ranges.

Chs. Hrs.

and stony; Timber, small W. B. & Span. Oak,
and Hickory.East 4th Mile - [South side of Section 13.]

6:20 A W. Oak, 12 inches diameter.

23:04 A W. Oak, 18 inches diameter.

80:00 Set Post, [corner to Sections 7 & 13,] from which
a W. Oak, 18 ins. diam. bears S. 61 E. 15 1/2 links,
and a B. Oak, 18 ins. diam. bears N. 6 E. 30 1/2
links distant.Land much broken with hills, but the soil
is of a good quality for wheat, rye, grass, &c.
Timber, W. B. & Span. Oak, Hickory & Dogwood.East 5th Mile - [South side of Section 7.]

6:50 A B. Oak, 15 inches diameter.

20:60 A W. Oak, 20 inches diameter.

32:25 A W. Oak, - inches diameter.

76:60 A Span. Oak, 18 inches diameter.

80:00 Set Post, [corner to Sections 1 & 7,] from which
a B. Oak, 15 ins. diam. bears N. 5 1/2 W. 18 1/2
links, and a B. Oak, 24 ins. diam. bears S.
21 1/2 E. 51 links distant.The land is much broken with hills, the soil
rich; a variety of ascents and descents, with a
number of fine brooks of excellent water;
Timber, large B. W. & Span. Oak, Hickory, and
Dogwood, with a large number of Pea vines.East 6th Mile - [South side of Section 1.]

41:18 A W. Oak, 24 inches diameter.

59:10 A W. Oak, 18 inches diameter.

65:00 A W. Oak, 8 inches diameter.

80:00 Set Post, [corner to Section 1,] & South East cor-

Township 7, Range 4-7 Ranges.

Chs. Hrs.

ner of Township 7, Range 4; from which a
W. Oak, 30 ins. diam. bears S. 70 W. 27 1/2 links,
and a W. Oak, 10 ins. diam. bears S. 18 E. 31 1/2
links distant.Hills high and steep, soil rich, and would
produce wheat, rye, indian corn, tobacco,
grass, &c.; Timber, the same as that descri-
bed in the last mile.Surveyed in 1786, by
Ebenezer Sproat,
Surveyor from Rhode Island.

Township 7, Range 4-7 Ranges

Friday, 13th May, 1803.

West 1st Mile - North Boundary of Section 6.
 2.41 Corner of Townships 7, R. 3, and 8, R. 4.
 15.00 Wheeling Creek, 1.50 links wide, course N. E. - rapid.
 17.75 A W. Oak, 20 inches diameter.
 32.00 A Creek, 100 links wide, S. E.
 41.65 A Cherry, 14 inches diameter.
 43.00 A Brook, 3 links, N.
 50.58 A W. Oak, 18 inches diameter.
 67.00 A Brook, 3 links, N. E.
 71.50 A Cherry, 12 inches diameter.
 80.50 Post, old corner of Sections 6 & 12, from which
 a W. Oak, 24 ins. diam. bears N. 20 1/4 W. 42
 links, and a W. Oak, 18 ins. diam. bears S. 1 E.
 62 links distant.
 Generally good tillable land, part rich bottom;
 Timber, Oak, Hickory, Sugar, &c.

West 2^d Mile - North Boundary of Section 12.
 1.62 Biggs' Post.
 24.75 A W. Oak, 12 inches diameter.
 27.75 A W. Oak, 12 inches diameter.
 28.32 A W. Oak, 16 inches diameter.
 47.85 A Sugar, 12 inches diameter.
 56.50 A Spring, 2 links, N. E.
 60.00 A Creek, 40 links, N. E.
 65.65 A W. Oak, 24 inches diameter.
 80.60 Old Corner.
 Generally level land, good soil; Timber, Oak,
 Sugar, Dogwood, &c.

West 3^d Mile - North Boundary of Section 18.
 .60 Biggs' corner.

Township 7, Range 4-7 Ranges

66.00 Do. " " S. E.
 80.25 Old corner, and also Biggs' corner of Secs. 13 & 19,
 [S. 8, R. 4] from which a W. Oak, 18 ins. diam.
 bears S. 10 W. 22 links, and a W. Oak, 24 ins.
 diam. bears N. 31 W. 34 links distant,
 Generally level Oak land, pretty good soil.
 West 4th Mile - North Boundary of Section 24.
 7.00 A Spring, 2 links, N.
 27.00 Creek, 100 links, N.
 37.20 A W. Oak, 20 inches diameter.
 52.00 Creek, 50 links, S.
 72.24 A W. Oak, 15 inches diameter.
 79.50 Biggs' Post.
 80.50 Old corner.
 Level land, good soil; Timber, Oak, Cherry, Thorn, &c.
 West 5th Mile - North Boundary of Section 30.
 5.00 A B. Oak, 14 inches diameter.
 10.22 A W. Oak, 16 inches diameter.
 17.50 A Brook, 3 links, S.
 19.00 Do Do Do.
 37.20 A W. Oak, 14 inches diameter.
 42.50 A Brook, 6 links, S. E. - kept up, crossing it.
 55.00 Left Brook to the right.
 62.48 A W. Oak, 16 inches diameter.
 79.25 Biggs' corner.
 80.60 Post, old corner; from which a W. Oak, 20
 ins. diam. bears N. 2 E. 39 links, and a W. Oak,

Township 7, Range 4-7 Ranges.

Ch. Lk.	
	18 ins. diam. bears N. 75 E. 52 links distant; Level land, good soil; Timber, Oak, Dogwood, &c.
West 6 th Mile - North Boundary of Section 36.	
5.50	A Brook, 3 links, S. E.
6.69	A W. Oak, 12 inches diameter.
18.25	A W. Oak, 12 inches diameter.
29.00	A Brook, 3 links, S.
38.00	A Brook, 6 links, S. E.
39.12	A W. Oak, 24 inches diameter.
55.30	A B. Oak, 30 inches diameter.
68.00	A Brook, 4 links, S.
69.00	A W. Oak, 12 inches diameter.
80.50	N.W. Corner of the Township; it is the corner of 4 Townships. A Post, from which a W. Oak, 18 ins. diam. bears S. 28 E. 16 links distant, and a W. Oak, 18 ins. diam. bears N. 36 1/2 W. 34 links distant. Land and timber the same.
South 1 st Mile - West Boundary of Section 36.	
12.50	A Brook, 8 links, S. E.
19.70	A W. Oak, 15 inches diameter.
36.00	A W. Oak, 12 inches diameter.
59.75	Biggs' corner.
67.90	A Hickory, 12 inches diameter.
75.00	Creek, 50 links, E.
77.50	Loopt Brook, 15 links, E.
80.25	Post, Old corner of Secs. 35 & 36; from which a W. Oak, 20 ins. diam. bears S. 33 W. 36 links, and a Cherry, 16 ins. diam. bears S. 8 E. 49 links distant. Level land, good soil; Timber, Oak, Cherry, Thorn, &c.

Township 7, Range 4-7 Ranges.

Ch. Lk.	
South 2 ^d Mile - West Boundary of Section 35.	
2.00	A Brook, 15 links, N. E.
5.00	Do. 15 " N. W.
12.00	Do. 15 " N. E.
35.10	A W. Oak, 30 inches diameter.
43.60	A B. Oak, 30 inches diameter.
56.00	A Spring, 2 links, E.
60.75	Biggs' corner.
80.50	A W. Oak, 18 ins. diam. Old corner of Sections 34 & 35; from which a R. Oak, 24 ins. diam. bears N. 33 E. 14 links, and a R. Oak, 30 ins. diam. bears S. 40 E. 20 links distant. Level land, good soil; Timber, Oak, Thorn, Dog- wood, &c.
South 3 ^d Mile - West side of Section 34.	
24.90	A W. Oak, 20 inches diameter.
32.00	A Brook, 3 links, E.
34.00	A Brook, 3 links, E.
40.00	A Hickory, 12 inches diameter.
53.50	A Spring, 2 links, S. E.
61.50	Biggs' Post.
80.25	Post, Old corner of Secs. 33 & 34; from which a W. Oak, 30 ins. diam. bears N. 76 1/2 W. 37 links, and a W. Oak, 28 ins. diam. bears S. 76 1/2 E. 50 links distant. Level good Oak land.
South 4 th Mile - West side of Section 33.	
1.00	A Brook, 3 links, E.
9.00	A Brook, 5 links, E.
12.75	A W. Oak, 15 inches diameter.
33.00	Road.
46.10	A W. Oak, 14 inches diameter.

Township 7, Range 4-7 Ranges.

6 hrs. Lks.

52.00 A Brook, 3 links, S. E.

62.25 Biggs' Post.

71.00 A Brook, 3 links, S. W.

80.00 Post, Old corner to Sections 32 & 33; from which a W. Oak 18 ins. diam. bears N. 38 1/2 W. 28 links, and a W. Oak, 18 ins. diam. bears N. 48 1/2 E. 71 links distant. Level land, thin soil; Timber, Oak, Dogwood.

South 5th Mile - West Boundary of Section 32.

1.50 A Brook, 5 links, E.

6.90 A Hickory, 36 inches diameter.

12.50 A Brook, 3 links, E.

26.00 A Brook, 3 links, E.

40.20 A W. Oak, 18 inches diameter.

57.60 A W. Oak, 14 inches diameter.

63.50 Biggs' Post.

66.00 A Brook, 3 links, E.

78.65 A Post set and trees noted for the corner of Sections 31 & 32.

80.00 Post, Old corner of Sections 31 & 32; from which a W. Oak, 18 ins. diam. bears N. 20 E. 6 links, and a W. Oak, - ins. diam. bears S. 74 W. 5 links distant. Level land; Timber, Oak, Dogwood, &c.

South 6th Mile - West Boundary of Section 31.

14.90 A Gum, 10 inches diameter.

27.35 A W. Oak, 18 inches diameter.

37.30 A W. Oak, 16 inches diameter.

64.75 Corner of Secs. 7 & 8, T. 8, R. 5.

74.00 A W. Oak, 18 inches diameter.

80.00 Post, corner of the 6th & 7th Townships, in the 4th Range; from which a W. Oak, 14 ins.

Township 7, Range 4-7 Ranges.

6 hrs. Lks.

diam. bears N. 84 E. 27 links, and a Double W. Oak, bears N. 35 1/2 W. 43 links distant. Level land, thin soil; Timber, Oak, Dogwood, &c.

East 1st Mile - South Boundary of Section 31.

6.00 A Brook, 3 links, S.

12.83 A W. Oak, 12 inches diameter.

31.50 A Brook, 5 links, S.

42.10 A W. Oak, 12 inches diameter.

56.00 A Brook, 3 links, S.

73.75 Biggs' Post.

80.25 Post, Old corner of Secs. 25 & 31; from which a W. Oak, 36 ins. diam. bears N. 70 W. 33 links, and a Dogwood, 6 ins. diam. bears S. 10 E. 23 links distant. N. B. - This corner attended. Level land, thin soil; Timber, Oak, Dogwood, &c.

East 2^d Mile - South Boundary of Section 35.

10.23 A Hickory, 9 inches diameter.

21.50 Creek, 15 links, N. E.

32.00 Creek, 30 links, S. E.

35.00 A Brook, 3 links, S.

48.20 A W. Oak, 10 inches diameter.

50.00 A Brook, 3 links, S.

74.50 Biggs' Post.

80.50 Post, Old corner of Sections 19 & 25; from which a Hickory, 13 ins. diam. bears N. 3 1/2 W. 30 links, and a W. Oak, 16 ins. diam. bears S. 65 E. 42 links distant. (This corner attended.) Generally level Oak land; part Thom bottom, &c.

East 3^d Mile - South Boundary of Section 19.

14.50 A Brook, 5 links, S.

55.30 A W. Oak, 10 inches diameter.

Township 7, Range 4-7 Ranges.

Chs. Lks.	
39.00	Creek, 40 links wide, N.E. Over a rocky stony point.
70.50	Creek, 50 links, S.
75.50	Biggs' Post.
80.00	Post Old corner of Sections 13 & 19; from which a W. Oak, 13 ins. diam. bears N. 6 1/4 E. 9 lks., and a W. Oak, 12 ins. diam. bears S. 32 W. 20 links distant. (Altered.) Rough stony land; Timber, Oak, Dogwood, &c.
East	4 th Mile - South Boundary of Section 13.
5.00	A Spring, 2 links, S.
6.26	A W. Oak, 12 inches diameter.
40.50	A Brook, 15 links, S.
43.50	A Brook, 8 links, S.
59.00	A Spring, 2 links, N.
77.50	Biggs' Post.
80.25	Old Post, bearing trees dead, corner of Sections 7 & 13; from which a W. Oak, 16 ins. diam. bears S. 48 W. 10 links, and a Hickory, 14 ins. diam. bears N. 48 E. 16 links distant. (Altered.) Willy rough land; Timber, Oak, Dogwood, &c.
East	5 th Mile - South Boundary of Section 7.
24.00	A Brook, 10 links, S.
32.20	A W. Oak, 16 inches diameter.
67.50	A Brook, 10 links, S.
78.50	Biggs' Post.
79.75	Old Post, corner of Sections 14 & 7; from which a B. Oak, 14 ins. diam. bears N. 5 W. 18 links, and a B. Oak, 24 ins. diam. bears S. 21 E. 51 links distant. [Altered.] Willy, rough land; Timber, Oak, Dogwood, &c.

Township 7, Range 4-7 Ranges.

Chs. Lks.	
East	6 th Mile - South Boundary of Section 1.
10.00	A Spring, 2 links, S.
17.50	A Brook, 10 links, S.
44.00	A Spring, 2 links, S.
45.80	A W. Oak, 13 inches diameter.
59.00	A W. Oak, 24 inches diameter.
63.00	A Spring, 2 links, S.
78.50	A Brook, 5 links, S.
80.00	Corner of the 6 th Township, 4 th Range.
81.35	S. E. corner of the Township; from which a W. Oak, 16 ins. diam. bears S. 9 E. 14 links, and a Beech, 4 ins. diam. bears N. 44 W. 12 links distant. Willy land generally; Timber, Oak, Dogwood, &c.
Monday, 16 th May, 1803.	
Began at the corner of Sections 7 & 13, and ran	
North	1 st Mile - Radow Line, between Secs. 7 & 13.
80.00	Radow Post.
North	2 ^d Mile - Radow Line, between Secs. 8 & 14.
80.00	Radow Post.
North	3 ^d Mile - Radow Line, between Secs. 9 & 15.
80.00	Radow Post.
North	4 th Mile - Radow Line, between Secs. 10 & 16.
80.00	Radow Post.
North	5 th Mile - Radow Line, between Secs. 11 & 17.
80.00	Radow Post.
North	6 th Mile - Radow Line, between Secs. 12 & 18.
84.50	Township Line - Fell 1.40 West of the Old Post.

Township 7, Range 4-7 Ranges.

Chs. Lks.	
	From the corner of Sections 24 & 30 -
South 80.00	1 st Mile - Random Line, between Secs. 24 & 30. Random Post.
South 80.00	2 ^d Mile - Random Line, between Secs. 23 & 29. Random Post.
South 80.00	3 ^d Mile - Random Line, between Secs. 22 & 28. Random Post.
South 80.00	4 th Mile - Random Line, between Secs. 21 & 27. Random Post. 17 th May.
South 80.00	5 th Mile - Random Line, between Secs. 20 & 26. Random Post.
South 82.50	6 th Mile - Random Line, between Secs. 19 & 25. Township Line - Fell 65 links West of the corner of Sections 19 & 25.
North 21.00	1 st Mile - Between Sections 19 & 25. Ven. 1 ⁰⁰ . A Brook, 8 links, S. E.
28.50	A Spring, 2 links, W.
29.14	A W. Oak, 12 inches diameter.
51.50	A Spring, 2 links, W.
57.00	A W. Oak, 15 inches diameter.
80.00	Post, corner to Sections 20 & 26; from which a W. Oak, 20 ins. diam. bears S. 45 W. 19 links and a W. Oak, 18 ins. diam. bears N. 68 E. 30 links distant. (Another corner of 19 & 25 established) Level poor land; Timber, Oak, Dogwood, &c.
North 11.00	Between Sections 20 & 26. A Brook, 3 links, E.
20.40	A W. Oak, 16 inches diameter.

Township 7, Range 4-7 Ranges.

Chs. Lks.	
34.00	A Brook, 8 links, S. E.
41.16	A W. Oak, 14 inches diameter.
53.50	A Spring, 2 links, W.
56.35	A W. Oak, 16 inches diameter.
80.00	Corner of Sections 20, 21, 26, 27. Level poor land; Timber, Oak, Dogwood, &c.
West 80.00	Between Sections 26 & 27 - Random Line. Random Post.
West 80.00	Between Sections 32 & 33 - Random Line. Fell 95 links South of Corner.
East 13.00	Between Sections 32 & 33 - Calculated course. A W. Oak, 16 inches diameter.
15.50	A Brook, 3 links, S.
34.35	A W. Oak, 16 inches diameter.
50.00	A Brook, 4 links, S.
55.00	A Brook, 3 links, S. W.
56.60	An Elm, 14 inches diameter.
80.00	Post, corner of Sections 26, 27, 32, 33; from which a W. Oak, 12 ins. diam. bears S. 26 E. 10 links, & a W. Oak, Double, bears N. 63 W. 45 links distant. Thin level land; Timber, Oak, Dogwood, &c.
East 8.50	Between Sections 26 & 27. A Brook, 4 links, S. E.
9.75	A Maple, 10 inches diameter.
38.60	A W. Oak, 16 inches diameter.
48.00	A Spring, 2 links, N. E.
50.00	A Brook, 5 links, S. E.
59.50	A Brook, 3 links, S.
61.55	A W. Oak, 16 inches diameter.
80.00	Post, corner of Sections 20, 21, 26, 27; from which

Township 7, Range 4-7 Ranges.

6 W. Lk.	a W. Oak, 12 ins. diam. bears S. 39 W. 19 Lk. and a W. Oak, 13 ins. diam. bears N. 13 E. 26 W. distant. Level land, thin soil; Timber, Oak, Dogwood, &c.
North	Between Sections 21 & 27.
18.00	A Spring, 2 links, E.
18.35	A W. Oak, 36 inches diameter.
31.50	A Spring, 2 links, E.
41.50	A Spring, 2 links, E.
44.86	A W. Oak, 16 inches diameter
48.50	A Brook, 4 links, S. E.
51.50	A Brook, 3 links, W.
54.80	A W. Oak, 10 inches diameter.
63.00	Road.
80.00	Post, corner to Sections 21, 22, 27, 28; from which a W. Oak, 18 ins. diam. bears S. 25 E. 16 links, and a W. Oak, 16 ins. diam. bears N. 25 W. 50 links distant. Level land, pretty good soil; Timber, Oak, Hickory, Dogwood, &c.
North	Between Sections 20 & 28. 18 th May, 1803.
15.42	An Ash, 10 inches diameter.
27.00	Brook, 4 links, E.
31.00	A Brook, 2 links, S. E.
31.50	A W. Oak, 16 inches diameter.
50.50	A Spring, 2 links, E.
80.25	Corner of Sections 22, 23, 28, 29. Level land, good soil; Timber, Oak, Hickory, Ash, &c.
West	Random Line, between Sections 28 & 29.
80.00	Random Post.

Township 7, Range 4-7 Ranges.

6 W. Lk.	West	Random Line between Sections 34 & 35. 81.00 Fell 42 links South of the corner of Sections 34 & 35.
East	Between Sections 34 & 35.	
3.00	A Spring; kept down it.	
11.50	Left Spring, running South.	
13.30	A W. Oak, 8 inches diameter.	
42.00	A Brook, 3 links, S. E.	
44.55	A W. Oak, 24 inches diameter.	
72.00	A Brook, 2 links, N.	
80.50	Post, corner of Sections 28, 29, 34, 35; from which a Beech, 6 ins. diam. bears S. - W. 4 1/2 links, and a W. Oak, 12 ins. diam. bears North 20 links distant. Uneven land; Timber, Oak, Hickory, Dogwood.	
East	Between Sections 28 & 29.	
16.50	A Brook, 6 links, N.	
17.92	A W. Oak, 36 inches diameter.	
44.14	A W. Oak, 16 inches diameter.	
66.00	A Brook, 3 links, N.	
67.07	A W. Oak, 18 inches diameter.	
80.50	Post, corner of Sections 22, 23, 28, 29; from which a B. Oak, 30 ins. diam. bears S. 76 W. 8 1/2 links, and a W. Oak, 20 ins. diam. bears N. 13 E. 19 links distant. Good level Oak land.	
North	Between Sections 23 & 29.	
13.00	A Brook, 5 links, E.	
15.25	A W. Oak, 16 inches diameter.	
22.00	A Brook, 3 links, E.	
37.00	A Brook, 3 links, S. E.	

Township 7, Range 4-7 Ranges.

Chs. Lks.
 40.45 A W. Oak, 12 inches diameter.
 58.00 A Brook, 3 links, S. E.
 60.00 A W. Oak, 16 inches diameter.
 66.00 A Brook, 3 links, S. W.
 80.50 Post, corner of Sections 23, 24, 29, 30; from which
 a W. Oak, 10 ins. diam. bears N. 34 E. 15 links,
 and a Walnut, 12 ins. diam. bears N. 77 W. 25
 links distant.
 Level land, good soil; Timber, Oak, Hickory, Dog-
 wood, &c.

North Between Sections 24 & 30.
 17.00 A W. Oak, 30 inches diameter.
 32.80 A Sugar, 6 inches diameter.
 42.00 A Spring, 2 links, N. W.
 55.00 A Brook, 40 links, E.
 60.13 A Cherry, 10 inches diameter.
 81.75 Post, Old corner of Sections 24 & 30; from which
 a W. Oak, 24 ins. diam. bears S. 52 E. 3 links, and
 a W. Oak, 24 ins. diam. bears N. 87 1/2 W. 32
 links distant.
 Wet land, rich soil; Timber, Oak, Sugar, Ash, &c.

From the corner of Sections 7 & 13, ran-
 North Between Sections 7 & 13.
 26.95 A W. Oak, 16 inches diameter.
 42.75 A W. Oak, 16 inches diameter.
 70.10 A B. Oak, 20 inches diameter.
 80.00 Post, corner of Sections 8 & 14; from which a W.
 Oak, 14 ins. diam. bears N. 17 W. 25 links, and
 a W. Oak, 12 ins. diam. bears S. 44 W. 93 links
 distant. (Another corner set for Secs. 7 & 13.)
 Uneven poor land; Timber, Oak, Dogwood, &c.

Township 7, Range 4-7 Ranges.

Chs. Lks.
 North Between Sections 8 & 14.
 9.00 A Brook, 3 links, W.
 23.70 A W. Oak, 18 inches diameter.
 58.25 A Hickory, 12 inches diameter.
 80.00 Corner of Sections 8, 9, 14, 15.
 Level rich land; Timber, Oak, Hickory, Sugar, &c.

Thursday, 19th May, 1803.
 From the corner of Secs. 8, 9, 14, 15, ran-
 West Random Line, between Secs. 14 & 15.
 80.00 Random Post.

West Between Sections 20 & 21, Random Line.
 79.75 Fell 35 links South of of the corner of Sections
 20, 21, 26, 27.

East Between Sections 20 & 21.
 20.53 A Cherry, 16 inches diameter.
 23.00 A Brook, 10 links, S.
 35.50 A Brook, 3 links, S.
 40.10 A Hickory, 16 inches diameter.
 62.50 A Walnut, 18 inches diameter.
 79.75 Post, corner of Sections 14, 15, 20, 21; from which an
 Elm, 20 ins. diam. bears S. 26 E. 7 links, and a
 Sugar, 10 ins. diam. bears N. 21 W. 30 links distant.
 Rich land; Timber, Oak, Walnut, Sugar, &c.

East Between Sections 14 & 15.
 8.00 A Brook, 6 links, S.
 23.35 A Hickory, 5 inches diameter.
 25.00 A Spring, 2 links, S.
 35.00 A Brook, 3 links, S.
 39.00 A Brook, 3 links, S. W.
 59.40 A Sugar, 8 inches diameter.

Township 7, Range 4-7 Ranges.

69.00 A Spring, 5 links, S. W.
 80.00 Post, corner of Sections 8, 9, 14, 15; from which
 a Dogwood, 5 ins. diam. bears N. 13 E. 9 1/2 links,
 and a Sugar, 4 ins. diam. bears S. 24 E. 19
 links distant.
 Level rich land; Timber, Oak, Sugar, Beech, &c.

East Between Sections 8 & 9.
 14.54 A Beech, 16 inches diameter.
 16.50 A Spring, 2 links, N. E.
 24.39 A R. Oak, 20 inches diameter.
 30.50 A Spring, 2 links, N.
 41.80 A Beech, 6 inches diameter.
 42.50 A Spring, 2 links, N.
 47.00 A Spring, 2 links, N.
 80.00 Post, corner of Sections 2, 3, 8, 9; from which a
 Sugar, 16 ins. diam. bears S. 60 W. 10 links, &
 an Elm, 12 ins. diam. bears N. 12 W. 22 links
 distant.
 Level rich land; Timber, Oak, Sugar, Beech, &c.

East Between Sections 2 & 3.
 .50 A Brook, 30 links, S. E.
 12.00 A Brook, 6 links, S.
 13.70 A W. Oak, 34 inches diameter.
 36.00 A Brook, 4 links, S.
 40.20 A W. Oak, 13 inches diameter.
 81.35 Post, in Range Line, corner of Sections 2 & 3, 60
 links North of the corner of Sections 32 & 33, in
 T. 6, R. 3; from which a W. Oak, 12 ins. diam.
 bears N. 48 W. 10 links, and another W. Oak,
 12 ins. diam. bears S. 30 E. 45 links distant.
 Generally poor land; Timber, Oak, Dogwood,
 &c.

Township 7, Range 4-7 Ranges.

69.00 From the corner of Sections 8, 9, 14, 15, ran-
 North Between Sections 9 & 15.
 6.00 A Spring, 2 links, E.
 31.60 A Sugar, 14 inches diameter.
 43.50 A Brook, 5 links, E.
 70.50 A Brook, 10 links, E.
 80.00 Post, corner of Sections 9, 10, 15, 16; from which
 a Sugar, 16 ins. diam. bears N. 74 W. 9 links,
 and a W. Oak, 14 ins. diam. bears S. 52 E. 56
 links distant.
 Rich level land; Timber, Oak, Sugar, Beech, &c.

North Between Sections 10 & 16.
 11.39 A W. Oak, 40 inches diameter.
 16.00 A Spring, 2 links, S. W.
 18.48 A R. Oak, 36 inches diameter.
 30.00 Road.
 48.50 A Beech, 16 inches diameter.
 53.00 A Spring, 2 links, N. E.
 60.00 A Brook, 4 links, East.
 80.25 Corner of Sections 10, 11, 16, 17.
 Rich, level land; Timber, Oak, Sugar, Beech, &c.

Friday, 20th May, 1803.

From the corner of Sections 10, 11, 16, 17, ran-
 West Between Sections 16 & 17, Range Line.
 80.00 Range Post.

West Between Sections 22 & 23, Range Line.
 80.00 Fell 80 links South of the corner.

East Between Sections 22 & 23.
 15.57 A W. Oak, 15 inches diameter.
 50.00 A Brook, 5 links, N.

Township 7, Range 4-7 Ranges.

Chs. Lks.	
56.00	A Spring, 2 links, N.E.
66.42	-----
67.00	A Spring, 2 links, S.E.
80.00	Post, corner of Sections 16, 17, 22, 23; from which a W. Oak, 18 ins. diam. bears West 25 links, and a Beech, 12 ins. diam. bears N. 87 E. 38 links distant. Uneven land, good soil; Timber, Oak, Hickory, Beech.
East	Between Sections 16 & 17.
8.26	A R. Oak, 36 inches diameter.
9.50	A Brook, 3 links, N.E.
28.64	A Beech, 14 inches diameter.
47.00	A Spring, 2 links, S.E.
51.00	A Brook, 4 links, N.E.
52.00	A Beech, 16 inches diameter.
61.00	A Spring, 2 links, N.
80.00	Post, corner of Sections 10, 11, 16, 17; from which a Sugar, 5 ins. diam. bears N. 37 W. 19 links, and a Sugar, 7 ins. diam. bears S. 49 E. 26 links distant. Level rich land; Timber, Oak, Sugar, Walnut, Beech, &c.
North	Between Sections 11 & 17.
15.00	A Brook, 6 links, E.
21.60	A Sugar, 12 inches diameter.
35.00	A W. Oak, 20 inches diameter.
57.57	A Sugar, 10 inches diameter.
80.00	A Spring, 2 links, E.
80.50	Post, corner to Sections 11, 12, 17, 18; from which a Sugar, 6 ins. diam. bears N. 66 E. 8 links, and a Sugar, 16 ins. diam. bears S. 55 W. 24 links distant.

Township 7, Range 4-7 Ranges.

Chs. Lks.	
	Level rich land; Timber, Oak, Sugar, Walnut, &c.
North	Between Sections 12 & 18.
16.16	A W. Oak, 20 inches diameter.
41.60	A W. Oak, 15 inches diameter.
55.00	A Creek, 40 links, E.
66.74	A W. Oak, 36 inches diameter.
84.00	Post. Fell 5 links East of Old corner of Sections 12 & 18, where a W. Oak, 20 ins. diam. bears S. 8 E. 4 links, and a W. Oak, 24 ins. diam. bears N. 62 E. 26 links distant. Hilly land, good soil; Timber, Oak, Sugar, &c.
East	From the corner of Sections 10, 11, 16, 17 - Between Sections 10 & 11.
8.59	A Sugar, 15 inches diameter.
25.00	A Brook, 3 links, N.E.
28.57	A W. Oak, 16 inches diameter.
46.00	A Sugar, 10 inches diameter.
64.60	A Beech, 9 inches diameter.
69.00	A Spring, 2 links, N. } An excellent Stone Quarry.
70.00	A Brook, 3 links, N.
80.00	Post, corner of Sections 4, 5, 10, 11; from which a W. Oak, 36 ins. diam. bears N. 18 W. 5 links, and a Sugar, 10 ins. diam. bears S. 35 E. 18 links distant. Rich land; Timber, Oak, Sugar, Walnut, Spice-wood, &c.
East	Between Sections 4 & 5.
17.68	A Beech, 16 inches diameter.
41.09	A Sugar, 12 inches diameter.
47.50	A Brook, 3 links, N.E.
66.50	A Spring, 2 links, N.

Township 7, Range 4-7 Ranges.

Ch. Lks
 73.32 A Sugar, 10 inches diameter.
 82.00 Post, in Range Line, 81 links North of the corner of Sections 34 & 35, [T. 6, R. 3; from which a Sugar, 10 ins. diam. bears N. 11 W. 153 lks. and a Sugar, 30 ins. diam. bears S. 10 W. 1.76 links distant.

Rich level land; Timber, Oak, Sugar, Beech, &c.

Went to the 3^d Mile Post, set in running the West Boundary of T. 6, R. 3. Made it the corner of Sections 3 & 4, in T. 7, R. 4; from which a W. Oak, 20 ins. diam. bears N. 50 W. 40 lks. and a Sugar, 12 ins. diam. bears S. 55 E. 40 links distant.

Measured 60 links South; set a Post, corner of Sections 33 & 34; from which a Sugar, 8 ins. diam. bears N. 47 W. 9 links, and a W. Oak, 24 ins. diam. bears S. 30 E. 20 links distant.

Established the 5 Mile Post, (set in running the West Boundary of T. 6, R. 3.) for the corner of Sections 5 & 6; from which a W. Oak, 10 ins. diam. bears N. 13 W. 32 links; and a Maple, 8 ins. diam. bears S. 52 E. 33 links distant.

Measured 81 links South; set a Post, corner of Sections 35 & 36; from which a Maple, 16 ins. diam. bears N. 14 W. 32 links, and a Maple, 6 ins. diam. bears S. 23 E. 34 lks. distant.

[Surveyed by Alexander Holmes, 1803.]

17th January, 1804.

Set a Post, ^{Ch. Lks} 1.35 East of old corner of Sections 14 & 7; from which a B. Oak, 16 ins. diam. bears S. 16 E. 7 links, and a W. Oak, 9 ins.

Township 7, Range 4-7 Ranges.

Ch. Lks
 diam. bears N. 68 W. 15 links distant.

Set a Post, for the corner of Sections 7 & 13, ^{Ch. Lks} 1.76 East of the Old corner; from which a B. Oak, 30 ins. diam. bears S. 80 E. 26 links, and a B. Oak, 30 ins. diam. bears N. 84 W. 40 links distant.

North Between Sections 7 & 13.

80.00 Post, corner of Sections 7 & 13; from which a B. Oak, 30 ins. diam. bears West 14 lks. and a W. Oak, 14 ins. diam. bears N. 30 E. 50 links distant.

Over poor hilly land; Timber, Oak, Dogwood, &c.

West

1.10 To the corner of Sections 8 & 14.

Set the corner of Sections 13 & 19 - ^{Ch. Lks} 1.35 East of the Old corner, from which a W. Oak, 36 ins. diam. bears S. 63 E. 5 links, and a W. Oak, 13 ins. diam. bears S. 82 W. 27 lks. distant.

Set a Post for the corner of Secs. 19 & 25 - ^{Ch. Lks} 1.35 East of the Old corner; from which a W. Oak, 14 ins. diam. bears S. 40 E. 4 links, and a W. Oak, 10 ins. diam. bears N. 31 E. 9 links distant.

North Between Sections 19 & 25.

20.00 A Brook, 8 links, S. E.

21.68 A W. Oak, 8 inches diameter.

30.00 A Spring, 2 links, W.

51.50 A Maple, 16 inches diameter.

52.00 A Spring, 2 links, W.

Township 7, Range 4-7 Ranges

Chs. Lks. 80.00 Post, corner of Sections 19 & 25; from which a W. Oak, 16 ins. diam. bears S. 2 E. 30 Ms, and a W. Oak, 12 ins. diam. bears N. 33 W. 43 links distant.

West 1.35 To the corner of Sections 20 & 26.

Set a Post, for the corner of Sections 25 & 31 - 7.85 East of the Old corner; from which a W. Oak, 14 ins. diam. bears N. 7 E. 25 Ms, and a W. Oak, 18 ins. diam. bears S. 5 E. 22 links distant.

[Corrected by Alex. Holmes, 1804.]

Township 7, Range 4-7 Ranges

Subdivision of "2 Mile Blocks."

July 11, 1805.

From Post on Township Line, corner of Secs. 1 & 7 - On Random Line between Sections 1 & 7.

North 40.00 Set temporary Quarter Section Post.

43.30 A Brook, 2 links wide, runs West.

50.10 A Brook, 2 links wide, runs West.

52.50 A Brook, 12 links wide, runs S. 30 W.

64.50 A Brook, 4 links wide, runs S. 80 E.

69.00 A Brook, 2 links wide, runs S. 60 E.

73.70 A Brook, 5 links wide, runs N. 80 E.

80.00 Set temporary Center Post.

Land hilly, soil good; Timber, W. Oak, B. Oak, Hickory, Ash, Dogwood, &c.

North Continued Random Line, between Secs. 2 & 8.

7.60 A Brook, 4 links wide, runs S. 40 E.

40.00 Set temporary Quarter Section Post.

40.10 A Brook, 3 links wide, runs N. 5 W.

44.70 Same Brook, runs N. 5 E.

52.00 A Brook, 6 links wide, runs S. 50 E.

69.60 A Brook, 2 links wide, runs S. 30 E.

75.00 A Brook, 30 links wide, runs S. 30 E.

80.00 Sell 262 links East of Post, corner of Sections 2, 3, 6, 9, 7, 4.

Land hilly, soil thin; Timber, W. Oak, Beech, Dogwood, &c.

From corner of Secs. 2, 3, 6, 9 Variation 0.56'.

South Corrected the line between Sections 2 & 8.

13.87 A W. Oak, 32 inches diameter.

26.65 A W. Oak, 18 inches diameter.

40.00 Moved temporary In. Sec. Post to true line.

66.60 A B. Oak, 28 inches diameter.

Township 7, Range 4-7 Ranges.

Chs. Lks.
 80.00 Moved temporary center Post to true line.
 South corrected the line between Sections 1 & 7.
 23.30 A W. Oak, 24 inches diameter.
 40.00 Moved temporary Dr. Sec. Post to true line.
 53.80 A Hickory, 12 inches diameter.
 80.00 To Post on Township Line, corner of Secs. 1 & 7.

July 12, 1805.

From Post, corner of Secs. 7 & 8 [West corner]
 East On Random Line between Secs. 7 & 8.
 23.85 A Brook, 4 links wide, runs S. 20 E.
 32.00 A Brook, 10 links wide, runs South.
 40.00 Set temporary Quarter Section Post.
 59.70 A Brook, 2 links wide, runs S. 40 E.
 78.60 Crossed North and South Line.

Land not very hilly, soil good; Timber, W. Oak, Beech, Dogwood, &c.

East Continued Random Line between Secs. 1 & 2.
 3.05 A Brook, 6 links wide, runs South.
 26.80 A Brook, 2 links wide, runs S. 10 W.
 40.00 Set temporary Quarter Section Post.
 54.60 A Brook, 2 lks. wide, runs S. 80 E. - a Spring 30 lks. N. of line.
 62.06 A Brook, 5 lks. wide, runs S. 70 W.
 75.15 A Brook, 2 lks. wide, runs S. 30 E.
 80.60 Fell 125 links South of Post on Range Line, corner of Sections 1 & 2, T. 7, R. 4.

Land uneven, soil good; Timber, W. Oak, B. Oak, Sugar, Hickory, Poplar, Elm, Beech, &c.

From Post, corner of Secs. 1 & 2, on Range Line -
 West corrected the line between Secs. 1 & 2. Var. 0.27.
 .04 A W. Oak, 10 inches diameter.

Township 7, Range 4-7 Ranges.

Chs. Lks.
 8.35 A Beech, 13 inches diameter.
 8.60 A Sugar, 14 inches diameter.
 24.70 A Sugar, 18 inches diameter.
 40.30 Moved temporary Dr. Sec. Post to average measure on true line; from which a B. Oak, 22 ins. diam. bears N. 44 W. 22 links, and a Sugar, 10 ins. diam. bears S. 32 W. 15 lks. distant.
 50.00 A Hickory, 20 inches diameter.
 76.50 A Poplar, 22 inches diameter.
 80.60 Fell 19 links North of temporary center Post. Moved it to center, at intersection of lines, corner to Sections 1, 2, 7, 8; from which a W. Oak, 15 ins. diam. bears N. 15 E. 14 lks., and a W. Oak, 12 ins. diam. bears S. 42 W. 34 links distant.

Then traveled North, between Secs. 2 & 8, and moved temporary Dr. Sec. Post to average measure on true line; from which a Beech, 12 ins. diam. bears N. 25 E. 29 1/2 links, and a W. Oak, 15 ins. diam. bears S. 80 W. 1 link distant.

Then traveled South, between Secs. 1 & 7, and moved temporary Dr. Sec. Post to average measure on true line; from which a Dogwood, 7 ins. diam. bears S. 8 E. 15 links, and a W. Oak, 12 ins. diam. bears N. 28 1/2 W. 21 1/2 lks. distant.

West corrected the line between Secs. 7 & 8.
 39.30 Moved the temporary Dr. Sec. Post to average measure on true line; from which a B. Oak, 26 ins. diam. bears N. 86 E. 18 links, and a W.

Township 7, Range 4 - 7 Ranges

Chs. Lks.
 Oak, 12 ins. diam. bears N. 67 W. 53 1/2
 links distant.
 54.30 A Poplar, 36 inches diameter.
 78.60 To Post, corner of Sections 7413, T. 7, R. 4.

July 13, 1805.

From Post on Township Line, corner of Secs. 13419
 North On Random Line between Secs. 13419.
 22.10 A Brook, 2 links wide, runs S. 80 W.
 40.00 Set temporary Quarter Section Post.
 64.58 A Brook, 2 links wide, runs N. 50 E.
 65.57 A Brook, 2 links wide, runs East.
 80.25 Fell 114 links East of Post, standing in the
 line of the North Boundary of Secs. 13419.
 Land tolerably level, soil good; Timber, W.
 Oak, Ironwood, Dogwood, Hawth, &c.

Beginning at the Post standing in the cen-
 ter of the line on the North Boundary of
 Sections 13419 - Thence -

South Corrected the line between Sections 13419.
 40.12 1/2 Moved the temporary Dr. Sec. Post to average
 measure, on true line; from which a W.
 Oak, 16 ins. diam. bears N. 63 1/2 W. 7 links,
 and a W. Oak, 14 ins. diam. bears S. 18 1/2
 W. 10 links distant.

40.71 A W. Oak, 18 inches diameter.
 59.06 A W. Oak, 18 inches diameter
 59.80 A W. Oak, 18 inches diameter.
 62.44 A W. Oak, 17 inches diameter.
 80.25 To Post on Township Line, corner of Sections
 13419.

From Post, corner of Sections 19425, T. 7, R. 4 -

Township 7, Range 4 - 7 Ranges

Chs. Lks.
 East On Random Line between Sections 19420.
 9.90 A Brook, 5 links wide, runs N. 50 E.
 23.60 A Brook, 25 links wide, runs S. 40 E.
 40.00 Set temporary Quarter Section Post.
 46.70 A Brook, 4 links wide, runs S. 45 W.
 80.00 Set temporary Center Post.
 Land uneven, soil good; Timber, W. Oak,
 Dogwood, Spice, Hawth, &c.

East On Random Line between Secs. 13414.
 9.95 A Brook, 5 links wide, runs S. 30 E.
 12.10 A Brook, 12 links wide, runs S. 30 W.
 21.85 A Brook, 5 links wide, runs S. 45 W.
 40.00 Set temporary Quarter Section Post.
 45.45 A Brook, 5 links wide, runs S. 40 E.
 60.40 A Brook, 2 links wide, runs S. 70 E.
 66.10 A Brook, 15 links wide, runs S. 20 E.
 80.25 Fell 126 links South of Post, corner of Sec-
 tions 7413, T. 7, R. 4.
 Land Hilly, soil good; Timber, W. Oak, B. Oak,
 Dogwood, Spice.

From Post, corner of Secs. 7413 - Var. 0:27.
 West Corrected the line between Sections 13414
 40.00 Moved temporary Dr. Sec. Post to true line.
 80.12 1/2 Moved temporary Center Post to the average mea-
 sure on true line; from which a W. Oak, 12
 ins. diam. bears N. 39 1/2 E. 12 links, and a
 W. Oak, 20 ins. diam. bears S. 3 1/2 W. 35
 links distant.

West Corrected the line between Secs. 19420.
 40.00 Moved temporary Dr. Sec. Post to average mea-
 sure, on true line; from which a W. Oak, 20

Township 7, Range 4-7 Ranges.

80.12 1/2 ins. diam. bears N. 51 E. 10 links, and a W. Oak, 24 ins. diam. bears S. 51 W. 31 1/2 links distant. To Post, corner of Sections 19 & 20.

Then travel back East, between Secs. 13 & 14, & moved temporary Dr. Sec. Post to average measure, on true line; from which a W. Oak, 12 ins. diam. bears N. 64 W. 31 links, and a W. Oak, 12 ins. diam. bears S. 58 E. 10 links distant. July 13, 1805.

July 15, 1805.

From Post, on Township Line, corner of Secs. 25 & 31.

North On Raudow Line, between Secs. 25 & 31.

7.44 A Brook, 4 links wide, runs N. 80 E.

17.00 A Brook, 12 links wide, runs S. 40 E.; cross on a small Island, long and narrow.

40.00 Set temporary Quarter Section Post.

44.00 A Brook, 2 1/2 links wide, runs S. 50 E.

47.50 A Brook, 2 links wide, runs S. 60 W.

53.10 A Brook, 4 links wide, runs S. 30 W.

80.00 Set temporary Center Post.

Land tolerably level, soil good; Timber, W. Oak, Hickory, Thorn, Plum, Hawth, &c.

North Continued Raudow Line, between Sections 26 & 32.

1.00 A Brook, 3 links wide, runs S. 45 W.

40.00 Set temporary Quarter Section Post.

80.50 Fell 338 links East of Post, corner of Sections 26, 27, 32, 33, T. 7, R. 4.

Land level, soil thin; Timber, W. & B. Oak, Hickory, Dogwood, &c.

From Post, corner of Sections 26, 27, 32, 33-

South corrected the line between Secs. 26 & 32. Var. 1° 12'.

Township 7, Range 4-7 Ranges.

40.00 Moved temporary Quarter Section Post to true line. 80.25 Moved temporary Center Post to average measure on true line.

South Corrected the line between Sections 25 & 31.

40.25 Moved temporary Dr. Sec. Post to true line.

80.25 To Post on Township Line, corner of Secs. 25 & 31.

July 16, 1805.

From Post, on Range Line, corner of Secs. 31 & 32-

[East Between Sections 31 & 32 - Raudow Line.]

8.70 A Brook, 5 links wide, runs S. 80 E. 40.00 Set temporary Quarter Section Post.

60.50 A Brook, 2 1/2 links wide, runs S. 40 E.

80.40 A Brook, 3 links wide, runs South.

81.00 Crossed North and South Line.

Land uneven, poor and stony; Timber, W. Oak, Hickory, Dogwood, Mountainberry, &c.

East Continued Raudow Line between Secs. 25 & 26.

64 A Brook, 3 links wide, runs S. 45 W.

40.00 Set temporary Quarter Section Post.

40.56 A Brook, 10 links wide, runs S. 30 E.

62.30 A Brook, 2 links wide, runs South.

67.50 A Brook, 2 links wide, runs S. 40 W.

80.50 Fell 103 links South of Post, corner of Secs. 19 & 25.

Land tolerably level, soil thin; Timber, W. Oak, Hickory, B. Oak, Dogwood, &c.

From Post, corner to Secs. 19 & 25 Var. 0° 25'.

West Corrected the line between Sections 25 & 26.

22.60 A Hickory, 15 inches diameter.

40.25 Moved temporary Dr. Sec. Post, to average measure, on true line; from which an Ironwood, 8 ins. diam. bears N. 55 1/2 W. 21 1/2 links, and

Township 7, Range 4-7 Ranges.

Chs. Lks.	
	an Ironwood, 6 ins. diam. bears S. 61 E. 1 1/2 lks. distant.
70.00	A B. Oak, 24 inches diameter.
80.50	Fell 21 links North of temporary Center Post; moved it to the intersection of the lines, corner to Sections 25, 26, 31, 32; from which a Maple, 10 ins. diam. bears S. 43 E. 17 links, and a W. Oak, 24 ins. diam. bears N. 34 1/2 W. 41 1/2 links distant.
	Then traveled North, between Secs. 26 & 32, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 8 ins. diam. bears N. 14 W. 34 links, and a Hickory, 12 ins. diam. bears S. 14 E. 10 links distant.
	Then traveled South, between Secs. 25 & 31, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 14 ins. diam. bears N. 34 E. 45 1/2 links, and a W. Oak, 14 ins. diam. bears S. 51 E. 9 1/2 lks. distant.
West 40.50	Corrected the line between Secs. 31 & 32, and at Moved temporary Dr. Sec. Post to the average measure, on true line; from which a W. Oak, 12 ins. diam. bears S. 38 W. 35 links, and a B. Oak, 18 ins. diam. bears N. 50 1/2 E. 17 1/2 links distant.
53.40	A B. Oak, 24 inches diameter.
81.00	To Post on Range Line, corner of Sections 31 & 32, T. 7, R. 4.

Township 7, Range 4-7 Ranges.

Chs. Lks.	
	July 15, 1865. From Post, corner of Secs. 26, 27, 32, 33—
North 13.20	On Random Line between Sections 27 & 33. A Brook, 3 links wide, runs S. 70 E.
33.20	Crossed the head of a Spring, running N. 50 E.
40.00	Set temporary Quarter Section Post.
42.65	A Brook, 2 links wide, runs N. 80 E.
55.80	A Brook, 5 links wide, runs S. 45 E.
74.50	Crossed State Road, leading from Whiting to Clatlocke.
80.00	Set temporary Center Post. Land level, soil thin; Timber, ^{W. & B.} Oak, Hickory, Dogwood, Yc; thick underbrush.
North 17.20	Continued Random Line, between Secs. 28 & 34. A Brook, 2 links wide, runs N. 50 E.
27.40	A Brook, 10 links wide, runs N. 20 W.
27.90	Same Brook, runs N. 60 E.
30.50	Same Brook, runs S. 60 W.
31.85	A Brook, 4 links wide, runs N. 50 W.
40.00	Set temporary Quarter Section Post.
64.50	A Brook, 2 links wide, runs West.
76.60	A Brook, 2 links wide, runs S. 45 W.
80.25	Fell 18 1/2 links East of Post, corner of Sections 28, 29, 34, 35. Land hilly, soil thin; Timber, W. Oak, B. Oak, Dogwood, Yc.
	From Post, corner of Secs. 28, 29, 34, 35— Nov. 0.39.
South 60	Corrected the Line between Sections 28 & 34. A W. Oak, 32 inches diameter.
37.50	A W. Oak, 16 inches diameter.
40.06	Moved temporary Dr. Sec. Post to average measure, on true line, East side of Section 34; from which a W. Oak, 20 ins. diam. bears N. 66 E. 6 links,

Township 7, Range 4-7 Ranges.

6hs. Lks.
 and a W. Oak, 15 ins. diam. bears N. 85 1/2 W. 12 1/2 links distant.
 80.12 Moved temporary better Post to average measure, corner of Sections 33 & 34; from which a Hickory, 7 ins. diam. bears S. 31 E. 5 links, and a W. Oak, 16 ins. diam. bears S. 89 W. 32 links distant.
 South Corrected the line between Sections 27 & 33.
 40.06 Moved temporary Dr. Sec. Post to average measure on true line; from which a B. Oak, 24 ins. diam. bears N. 59 E. 14 links, and a Hickory, 7 ins. diam. bears S. 59 1/2 W. 29 links distant.
 80.12 To Post, corner of Sections 26, 27, 32, 33.
 July 16, 1805.
 From Post, on Range Line, corner of Secs. 33 & 34.
 East On Random Line, between Secs. 33 & 34.
 17.07 A Brook, 12 links wide, runs N. 45 E.
 32.94 A Brook, 3 links wide, runs North.
 40.00 Set temporary Quarter Section Post.
 47.80 A Brook, 10 links wide, runs N. 10 W.
 53.10 A Brook, 2 links wide, runs S. 80 W.
 80.25 Fell 28 links South of Post, standing at the average measure, on the line East of the Boundary of Sections 33 & 34, T. 7, R. 4.
 Land hilly, soil good; Timber, W. Oak, B. Oak, Sugar, Dogwood, &c.
 From the Post standing in the center of the East Boundary Line of Sections 33 & 34 - Var. 0° 12'.
 West Corrected the line between Sections 33 & 34.
 .96 A W. Oak, 22 inches diameter.
 39.56 A Forked W. Oak, 30 inches diameter.

Township 7, Range 4-7 Ranges.


6hs. Lks.
 40.12 Moved temporary Dr. Sec. Post to average measure, on true line; from which a B. Oak, 18 ins. diam. bears S. 51 W. 53 links, and a W. Oak, 20 ins. diam. bears N. 4 1/2 E. 29 links distant.
 80.25 To Post on Range Line, corner of Secs. 33 & 34.
 July 15, 1805.
 From Post, corner of Sections 28, 29, 34, 35 -
 North On Random Line, between Sections 29 & 35.
 17.75 A Brook, 25 links wide, N. 40 E.
 20.60 A Brook, 5 links wide, runs East.
 33.00 A Brook, 3 links wide, runs S. 70 E.
 40.00 Set temporary Quarter Section Post.
 51.00 A Brook, 6 links wide, runs S. 45 E.
 80.00 Set temporary better Post.
 Land uneven, soil good; Timber, W. Oak, Hickory, Crab Apple, Plum, Thorn, Hawth, &c.
 North Continued Random line between Sections 30 & 36.
 4.40 A branch of Wheeling Creek, 50 links wide, runs E.
 40.00 Set temporary Quarter Section Post.
 72.80 A Brook, 3 links wide, runs S. 40 E.
 81.75 Fell 151 links East of Post on Township line, corner of Sections 30 & 36.
 Land level, soil good; Timber, W. Oak, Crab Apple, Dogwood, Plum, Thorn, &c.
 From Post, on Township Line, corner of Secs. 30 & 36 -
 South Corrected the line between Secs. 30 & 36. Var. 0° 32'.
 40.00 Moved temporary Dr. Sec. Post to true line.
 50.45 A W. Oak, 14 inches diameter.
 74.73 A Swamp W. Oak, 12 inches diameter.
 80.87 Moved temporary better Post to true line.

Township 7, Range 4-7 Ranges.

Chs. Sta
 South Corrected the line between Sections 29 & 35.
 45 A B. Oak, 12 inches diameter.
 40.87 Moved temporary Tr. Sec. Post to true line.
 67.60 A W. Oak, 16 inches diameter.
 80.87 To Post, corner of Sections 28, 29, 34, 35.

July 17, 1805.

From Post on Range Line, corner of Secs. 35 & 36.
 East On Randon Line between Sections 35 & 36.
 .55 A Brook, 20 links wide, runs N. 20 W.
 40.00 Set temporary Quarter Section Post.
 59.00 A Brook, 2 links wide, runs N.; Spring just above.
 80.25 Crossed North and South Line.
 Land hilly, soil good; Timber, W. Oak, B. Oak, Dog-wood, Thorn, Plum, Hawth, &c.

East Continued Randon Line between Secs. 29 & 30.
 7.60 A part of a branch of Wheeling Creek, 20 W. wide, runs round an Island, then over the island, thus: - W -  - E.

10.00 To the other part of the creek, running S. 45 E.
 11.30 A Brook, 3 links wide, runs South.
 40.00 Set temporary Quarter Section Post.
~~59.00 A Brook, 2 links wide, runs N. a Spring just above.~~
 80.25 Crossed North and South Line.
 Land hilly, soil good; Timber, W. Oak, B. Oak, Dogwood, Thorn, Plum, Hawth, &c.

57.00 Cross the same branch of Wheeling creek, 60 W. wide, running N. 45 W.
 80.50 Fell 54 links South of Post, corner of Sections 23, 24, 29, 30, T. 7, R. 4.
 Land hilly; Timber, W. Oak, B. Oak, Plum, Thorn, Hawth, &c.

Township 7, Range 4-7 Ranges.

Chs. Sta
 From Post, corner of Secs. 23, 24, 29, 30. Run 0.11 1/2.
 West Corrected the line between Sections 29 & 30.
 40.25 Moved temporary Tr. Sec. Post to average measure on true line; from which a B. Oak, 13 ins. diam. bears S. 49 W. 15 links, and a W. Oak, 12 ins. diam. bears N. 35 W. 75 links distant.
 80.50 Fell 26 links South of temporary Center Post. Moved it to center, at intersection of the lines, corner to Sections 29, 30, 35, 36; from which a B. Oak, 12 ins. diam. bears South 19 1/2 links, and a B. Oak, 12 ins. diam. bears N. 52 W. 18 1/2 links distant.

Traveled North between Secs. 30 & 36, and moved temporary Tr. Sec. Post to average measure on true line; from which a W. Oak, 13 ins. diam. bears N. 25 W. 12 1/2 links, and a W. Oak, 13 ins. diam. bears S. 34 1/2 E. 57 links distant.

Traveled South between Secs. 29 & 35, and moved temporary Tr. Sec. Post to the average measure on true line; from which a W. Oak, 18 ins. diam. bears S. 39 W. 8 1/2 links, and a W. Oak, 24 ins. diam. bears N. 21 1/2 W. 33 links distant.

West Corrected the line between Secs. 35 & 36.
 6.75 A Swamp W. Oak, 20 inches diameter.
 40.12 Moved temporary Quarter Section Post to average measure, on true line; from which a B. Oak, 15 ins. diam. bears N. 62 E. 19 1/2 links, and a Hickory, 5 ins. diam. bears S. 53 W. 46 links distant.
 80.25 To Post on Range Line, corner of Sections 30 & 36.

Township 7, Range 4-7 Ranges.

July 18, 1805.
 From Post, corner of Sections 16, 17, 22, 23.
 North On Random Line between Sections 17 & 23.
 59.90 A Brook, 2 links wide, runs West.
 74.00 A Brook, 2 links wide, runs N. 60 W.
 80.00 Set temporary Center Post.
 Land level, soil rich; Timber, W. Oak, B. Oak,
 Sugar, Walnut, Beech, Spice, &c.

North continued Random Line between Secs. 18 & 24.
 3.60 A Brook, 2 links wide, runs N. 80 W.
 8.00 A Brook, 20 links wide, runs N. 20 E.
 23.70 A Brook, 6 links wide, runs S. 50 E.
 40.00 Set temporary Quarter Section Post.
 60.40 A Brook, 2 links wide, runs S. 30 E.
 83.50 Fell 167 links East of Post, corner of Sections
 18 & 24, on Township Line.
 Land hilly, soil thin; Timber, W. Oak, B. Oak,
 Dogwood, &c.

July 19, 1805.

From Post on Township Line, corner of Secs. 18 & 24.
 South Corrected between Secs. 18 & 24. Var. 0° 35'.
 1.57 A W. Oak, 18 inches diameter.
 2.78 A W. Oak, 22 inches diameter.
 18.10 A W. Oak, 24 inches diameter.
 42.00 Moved temporary Dr. Sec. Post to true line.
 44.27 A W. Oak, 12 inches diameter.
 64.00 A W. Oak, 24 inches diameter.
 82.75 Moved temporary Center Post to true line.

From Post, corner to Sections 23, 24, 29, 30.
 East On Random Line between Sections 23 & 24.
 17.80 A Brook, 2 links wide, runs S. 30 E.

Township 7, Range 4-7 Ranges.

610. Sh.
 38.30 Cross the head of a Spring, running N. 45 E.
 40.00 Set temporary Quarter Section Post.
 47.85 A Brook, 3 links wide, runs S. 30 E.
 49.75 A Brook, 2 links wide, runs S. 45 W.
 70.25 A Brook, 4 links wide, runs S. 80 E.
 75.80 A Brook, 20 links wide, runs N. 30 E.
 80.00 Crossed North and South Line.
 Land hilly, soil rich, poor timber, but a very
 thick growth of small Locust, Walnut, W.
 Oak, Hickory, and Elm saplings.

East continued on Random line between Secs. 17 & 18.
 38.00 A Brook, 20 links wide, runs North.
 40.00 Set temporary Quarter Section Post.
 80.25 Fell 60 links North of Post, corner of Sections
 11, 12, 17, 18.
 Land hilly, soil good; Timber, W. Oak, B. Oak,
 Sugar, Hickory, Dogwood.

From Post, corner of Secs. 11, 12, 17, 18. Var. 0° 13'.
 West Corrected the line between Sections 17 & 18.
 28.10 A B. Oak, 30 inches diameter.
 40.12 Moved temporary Dr. Sec. Post to average mea-
 sure, on true line; from which a W. Oak, 11 in.
 diam. bears S. 19 W. 39 1/2 links, and a Maple,
 11 in. diam. bears N. 35 W. 39 1/2 links distant.
 75.40 A W. Walnut, 8 inches diameter.
 80.25 Fell 5 links South of temporary Center Post.
 Moved it to the Center, at intersection of lines,
 corner to Sections 17, 18, 23, 24; from which
 a B. Oak, 6 in. diam. bears N. 22 W. 12
 links, and a Hickory, 5 in. diam. bears
 S. 32 E. 16 links distant.

Township 7, Range 4-7 Ranges.

Chs. Ls.
Traveled North between Sections 18 & 24, and moved temporary Dr. Sec. Post to average measure, on true line; from which a W. Oak, 18 ins. diam. bears N. 22 E. 25 links, and a W. Oak, 18 ins. diam. bears S. 43 W. 13 1/2 links distant.

From Post, corner of Sections 4, 5, 10, 11.
North On Random Line, between Sections 5 & 11.
6.70 A Brook, 2 links wide, runs N. 45 W.
11.50 A Brook, 5 links wide, runs West.
12.10 A Brook, 2 links wide, runs S. 45 W.
29.50 A Brook, 5 links wide, runs N. 60 W.
39.00 A Brook, 2 links wide, runs West.
40.00 Set temporary Quarter Section Post.
48.35 A Brook, 2 links wide, runs West.
66.35 A Brook, 4 links wide, runs N. 60 W.
80.00 Set temporary center Post.
Land uneven, soil good; Timber, Sugar, W. Oak, B. Oak, Beech, Dogwood, &c.

North Continued Random Line between Secs. 6 & 12.
1.10 A Brook, 2 links wide, runs N. 60 W.
1.70 A Brook, 30 links wide, runs N. 80 E.
19.50 A Brook, 12 links wide, runs S. 80 E.
40.00 Set temporary Quarter Section Post.
44.35 A Brook, 6 links wide, runs S. 40 E.
46.65 A Brook, 2 links wide, runs S. 40 W.
73.00 A Spring 10 Ms. East of line, and immediately runs North with the line 5 Chs, then East.
81.80 A Brook, 10 links wide, runs East.
85.50 Fell 15 links East of Post, on Township Line, corner of Sections 6 & 12, T. 7, R. 4.
Land hilly, soil thin and stony; Timber, W. & B. Oak, Beech, Dogwood, &c.

Township 7, Range 4-7 Ranges.

Chs. Ls.
From Post on Township Line, corner of Secs. 6 & 12 -
South Corrected the line between Secs. 6 & 12. Var. 0:08.
5.70 A W. Oak, 18 inches diameter.
(30 in original) - 3.77 A Maple, 11 inches diameter.
43.00 Moved temporary Dr. Sec. Post to true line.
85.50 Moved temporary Center Post to true line.

South Corrected the line between Sections 5 & 11.
10.50 A W. Oak, 30 inches diameter.
29.67 A B. Oak, 30 inches diameter.
40.00 ^{Moved} Set temporary Quarter Section Post to true line.
51.55 A W. Oak, 26 inches diameter.
80.00 To Post, corner of Sections 4, 5, 10, 11, T. 7, R. 4.

From Post, corner of Sections 11, 12, 17, 18, ran-
East On Random line between Sections 11 & 12.
70 A Brook, 2 links wide, runs N. 70 E.
13.90 A Brook, 8 links wide, runs S. 40 E.
24.10 A Brook, 3 links wide, runs South.
28.50 A Brook, 2 link wide, runs S. 60 W.
53.75 A Brook, 15 links wide, runs S. 10 E.
78.25 Same Brook, 30 links wide, runs N. 30 E.
80.50 Crossed North and South Line.
Land hilly, soil good; Timber, W. Oak, B. Oak, Sugar, Beech, Dogwood, &c.

East Continued Random Line between Secs. 5 & 6.
1.25 A Brook, 2 links wide, runs N. 60 W.
9.50 A Brook, 4 links wide, runs N. 50 W.
43.20 A Brook, 2 links wide, runs S. 45 E.
81.25 Fell 106 links South of Post on Range Line, corner of Sections 5 & 6.
Land uneven, soil good; Timber, W. Oak, B. Oak, Sugar, Beech, Dogwood, &c.

Township 7, Range 4-7 Ranges

July 20, 1805.
 From Post on Range Line, corner of Sections 5 & 6 -
 West Corrected the line between Secs. 5 & 6. Var. 0° 26'.
 81.25 Fell 84 links North of temporary Center Post.
 Moved and set it in Center, at intersection,
 for corner to Sections 5, 6, 11, 12; from which
 a Maple, 8 ins. diam. bears N. 39° E. 14
 links, and a Beech, 6 ins. diam. bears
 S. 25 1/2° W. 13 links distant.

West Corrected the line between Sections 11 & 12.
 34.52 A W. Oak, 18 inches diameter.
 40.25 Moved temporary Dr. Sec. Post to average mea-
 sure on true line; from which a W. Oak, 18
 ins. diam. bears S. 36 1/2° W. 31 links, and a Beech,
 18 ins. diam. bears N. 40° E. 26 links distant.

x 48.00 A W. Oak, 18 inches diameter.
 80.50 To Post, corner of Sections 11, 12, 17, 18.

Then traveled back to said Center Post, and thence
 went North between Sections 6 & 12, and moved
 temporary Dr. Sec. Post to average measure
 on true line; from which a W. Oak, 11 ins.
 diam. bears N. 56° E. 15 links, and a Maple, 10
 ins. diam. bears N. 85° W. 27 links distant.

Then traveled South between Sections 5 & 11, and
 moved temporary Dr. Sec. Post to average
 distance on true line; from which a Mul-
 berry, 6 ins. diam. bears S. 57° W. 1 link, and a
 Sugar, 12 ins. diam. bears N. 31° E. 5 1/2 links distant.

July 18, 1805.
 From Post, corner of Sections 14, 15, 20, 21 -

Township 7, Range 4-7 Ranges


Chs. Lk.
 North On Random Line between Sections 15 & 21.
 3.60 A Brook, 2 links wide, runs East.
 13.80 A Brook, 2 links wide, runs East.
 24.20 A Brook, 4 links wide, runs S. 80° E.
 43.43 A Brook, 3 links wide, runs N. 70° E.
 47.40 A Brook, 3 links wide, runs S. 25° E.
 49.00 A Brook, 8 links wide, new South-line keeps up it.
 55.30 A Brook, 3 links wide, runs East.
 63.95 A Brook, 2 links wide, runs E. - 20 W. W. a large Run.
 67.70 A Brook, 2 links wide, runs S. 70° E. - 25 W. from large Run.
 78.50 Crossed State Road from Wheeling to Chillicothe.
 80.00 Set temporary Center Post.
 Land level, soil rich; Timber, Sugar, Ash, Walnut, W.
 Oak, Elm, Spice, &c.

North Continued Random Line between Sections 16 & 22.
 66.30 A Brook, 2 links wide, N. 80° E.
 80.25 Fell 161 links East of Post, corner of Sections
 16, 17, 22, 23, 27, 28, 34.
 Land level, soil rich; Timber, Beech, Ash, Sugar,
 Walnut, Spice, &c.

From Post, corner of Secs. 16, 17, 22, 23. Var. 0° 34'.
 South Corrected the line between Sections 16 & 22.
 39.10 A White Walnut, 18 inches diameter.
 40.00 Moved temporary Dr. Sec. Post to true line.
 80.50 Moved temporary Center Post to true line.

From Post, corner of Sections 21, 22, 27, 28, ran -
 East On Random Line between Sections 21 & 22.
 12.10 A Brook, 2 links wide, runs S. 10° E.
 13.10 A Brook, 2 links wide, runs S. 70° W.
 26.50 A Brook, 3 links wide, runs S. 70° E.
 33.10 A Brook, 4 links wide, runs S. 20° E.

Township 7, Range 4-7 Ranges.

- 64.26
50.00 A Brook, 4 links wide, runs S 45 E.
58.70 A Brook, 2 links wide, runs S. 85 W.
80.00 Crossed North and South Line.
Land level, soil good; Timber, W. Oak, B. Oak, Beech,
Sugar, Ash, Walnut, Spice, &c.
- East continued Random Line between Secs. 15 & 16.
7.00 Crossed State Road from Wheeling to Clillicoth, S. 80 W.
32.30 Crossed a Spring head, running N. 10 W.
40.00 Set temporary Quarter Section Post.
51.70 A Brook, 10 links wide, runs S. 40 E. - W. 
74.00 A Brook, 4 links wide, runs South.
80.00 Fell 18 links North of Post, corner of Sections
9, 10, 15, 16, T. 7, R. 4
Land uneven, soil good; Timber, W. Oak, Beech,
Walnut, Ash, Sugar, Spice, &c.

July 18, 1805.

- From Post corner of Sections 9, 10, 15, 16 -
West corrected the line between Sections 15 & 16. - True & nearly
24.70 A Sugar, 12 inches diameter.
40.00 Moved temporary In. Sec. Post to average measure
on true line; from which an Ash 11 ins.
diam. bears S. 26. 11 links, and a W. Walnut,
11 ins. diam. bears N. 2 1/2 W. 23 lbs. distant.
48.92 An Ash, 12 inches diameter.
80.00 Fell 8 links North of temporary Center
Post. Moved it to center, at intersec-
tion of lines, corner to Sections 15, 16,
21, 22; from which a W. Oak, 60
ins. diam. bears S. 14 E. 36 links, and
a Sugar, 10 ins. diam. bears N. 26 W.
21 links distant.

Township 7, Range 4-7 Ranges.

Then traveled between Sections 16 & 22,
and moved temporary Quarter Section
Post, to true line, at average measure;
where an Ash, 12 ins. diam. bears S.
5 1/2 W. 27 links, and a W. Walnut, 15
ins. diam. bears N. 61 W. 28 lbs. distant.

Surveyed in July, 1805, by
Benjamin Hough,
Deputy Surveyor.

[The lines between Sections 3 & 4, 9 & 10, and
27 & 28, do not appear to have been run.]