

Chs. Lks.

North Boundary.

From Post at

- East 1<sup>st</sup> Mile - [North Boundary of Section 36.] Thence -  
 6.07 A W. Oak, 24 inches diameter.  
 13.64 A W. Oak, 14 inches diameter.  
 43.74 A Red Oak, 17 inches diameter.  
 79.42 A W. Oak, 16 inches diameter.  
 80.00 [Get Post, corner to Sections 30 & 36, from which]  
 a W. Oak, 18 ins. diam. bears S. 67 $^{\circ}$  E. 36 lks.,  
 and a W. Oak, 18 ins. diam. bears S. 3 W.  
 35 links distant.

The first half mile has two narrow strips of Bottom, of crab-apple, cherry, &c. The upland is almost all rich, timbered with Large W. O., and Spanish Oak, Hickory, Dogwood, B. Walnut and Sugar.

East 2<sup>d</sup> Mile - [North side of Section 30.]

- 9.56 A W. Oak, 16 inches diameter.  
 19.26 A W. Oak, 15 inches diameter.  
 30.10 A Black Oak, 15 inches diameter.  
 36.65 A Swamp Oak, 15 inches diameter.  
 80.00 [Get Post, corner to Sections 24 & 30, from which]  
 a B. Oak, 18 ins. diam. bears N 16 $^{\circ}$  W. 39  
 links, and a B. Oak, 12 ins. diam. bears  
 S. 69 W. 54 links distant.

This mile possesses a very fine Bottom of Black Walnut, Elm and Sugar; the upland is timbered with B. & W. Oak, Hickory, &c.; fine wheat land.

East 3<sup>d</sup> Mile - [North side of Section 24.]

- 11.08 A W. Oak, 9 inches diameter.  
 21.81 A B. Oak, 7 inches diameter.



Township 7, Range 5-7 Ranges.

John Th.  
 33.71 A W. Oak, 14 inches diameter.  
 59.21 A Hickory, 11 inches diameter.  
 80.00 [Set Post, corner to Sections 18 & 24, from which]  
 a W. Oak, 30 ins. diam. bears S. 33<sup>1</sup>/<sub>2</sub> W. 47  
 links, and a W. Oak, 17 ins. diam. bears N.  
 71<sup>1</sup>/<sub>2</sub> W. 17<sup>1</sup>/<sub>2</sub> links distant.  
 This mile is almost all fine upland, suitable  
 for wheat; timbered with W. Oaks, and very  
 brushy; some B. Oak and Hickory.

East 4<sup>th</sup> Mile - [North side of Section 18.]

5.97 A W. Oak, 19 inches diameter.  
 10.50 A W. Oak, 18 inches diameter.  
 40.27 A Cherry, 15 inches diameter.  
 65.12 A Hickory, 9 inches diameter.  
 77.99 A W. Oak, 20 inches diameter.  
 80.00 [Set Post, corner to Sections 12 & 18, from which]  
 a W. Oak, 17 ins. diam. bears N. 12<sup>1</sup>/<sub>2</sub> W. 48<sup>1</sup>/<sub>2</sub>  
 links, and a Hickory, 12 ins. diam. bears S.  
 48 W. 12 links distant.

This mile is principally on upland, which is  
 well adapted to wheat, timbered with good  
 sized W. Oak. In the Bottom, which continues  
 North of the line almost all the way, the  
 timber is Hickory, <sup>Maple, poplar, Apple</sup> Cherry and Plum. The soil  
 is rich.

East 5<sup>th</sup> Mile - [North side of Section 12.]

5.28 A W. Oak, 16 inches diameter.  
 19.90 A W. Oak, 16 inches diameter.  
 ---78 A W. Oak, 14 inches diameter.  
 ---84 A W. Oak, 13 inches diameter.  
 78.01 A W. Oak, 14 inches diameter.  
 80.00 [Set Post, corner to Sections 6 & 12, from which]

Township 7, Range 5-7 Ranges.

6 W. Th.  
 a W. Oak, 15 ins. diam. bears N. 5<sup>1</sup>/<sub>2</sub> W.  
 22<sup>1</sup>/<sub>2</sub> links, and a W. Oak, 16 ins. diam.  
 bears S. 62<sup>1</sup>/<sub>2</sub> W. 64<sup>1</sup>/<sub>2</sub> links distant.  
 On this mile is fine wheat land; the little  
 bottom is timbered with Crab Apple and  
 Plum tree, and the upland with W. Oak,  
 principally, some B. Oak and Hickory.  
 The ascents and descents gentle and arable.

East 6<sup>th</sup> Mile - [North side of Section 6.]

16.57 A W. Oak, 13 inches diameter.  
 21.68 A W. Oak, 12 inches diameter.  
 35.19 A Hickory, 11 inches diameter.  
 66.13 A W. Oak, 8 inches diameter.  
 78.48 A W. Oak, 14 inches diameter.  
 80.00 Set Post for South East corner of this Town-  
 ship, from which a W. Oak, 18 ins. diam.  
 bears S. 54<sup>1</sup>/<sub>2</sub> W. 25 links, and a W. Oak,  
 15 ins. diam. bears N. 30 W. 32 links distant.

From this Post it is 26 chains 90  
 links East to the Western Boundary of the  
 4<sup>th</sup> Range; and the [South West] corner of  
 the 7<sup>th</sup> Township in that Range, is 15  
 chains 29 links South of this.

The Bottom land as the last; the upland  
 well adapted to wheat; Timber, B. &  
 W. Oak and Hickory.

East Boundary.

South 1<sup>st</sup> Mile - [East side of Section 6.]

20.43 A W. Oak, 10 inches diameter.  
 43.29 A W. Oak, 14 inches diameter.  
 65.45 A W. Oak, 20 inches diameter.  
 80.00 [Set Post, corner to Sections 5 & 6, from which]



Township 7, Range 5-7 Ranges.

6 hr. 1/2

a W. Oak, 14 ins. diam. bears S. 50 1/2 W. 27 links, and a W. Oak, 15 ins. diam. bears N. 27 1/4 E. 22 links distant.

The soil is generally light, but would produce wheat, &c.; Timber, W. & B. Oak, Hickory, Cherry, &c. There are several good bottoms for meadow, and the land is well watered.

South 2<sup>d</sup> Mile - [East side of Section 5.]

20.90 A W. Oak, 18 inches diameter.

34.17 A W. Oak, 10 inches diameter.

55.92 A W. Oak, 12 inches diameter.

72.58 A W. Oak, 14 inches diameter.

80.00 [Set Post, corner to Sections 4 & 5, from which]

a W. Oak, 14 ins. diam. bears S. 55 1/2 E. 16 1/2 links, and a W. Oak, - ins. diam. bears S. 65 1/4 W. 41 links distant.

This mile, the soil is generally pretty good; would produce wheat, rye and indian corn; timbered with Oak, Hickory, Beech, Maple, Poplar, Ironwood.

South 3<sup>d</sup> Mile - [East side of Section 4.]

5.50 A W. Oak, 18 inches diameter.

36.42 A W. Oak, 10 inches diameter.

61.67 A W. Oak, 10 inches diameter.

72.58 A W. Oak, 14 inches diameter.

80.00 [Set Post, corner to Sections 3 & 4, from which]

a W. Oak, 20 ins. diam. bears S. 68 W. 42 links, and a W. Oak, 12 ins. diam. bears N. 14 E. 31 1/2 links distant.

The soil and timber along this mile is similar to the preceding mile; well watered with a number of good brooks.

Township 7, Range 5-7 Ranges.

6 hr. 1/2

South 4<sup>th</sup> Mile - [East side of Section 3.]

5.45 A W. Oak, 20 inches diameter.

23.16 A W. Oak, 36 inches diameter.

66.22 A Hickory, 10 inches diameter.

76.04 A W. Oak, 20 inches diameter.

80.00 [Set Post, corner of Sections 2 & 3, from which] a W. Oak, 12 ins. diam. bears S. 22 W. 15 links, and a W. Oak, 20 ins. diam. bears S. 77 E. 44 links distant.

The first 39 chains of this mile is good for wheat. On the other part of the line runs a good bottom, 4 chains across, suitable for meadow, through which runs a brook, 4 yards wide.

South 5<sup>th</sup> Mile - [East side of Section 2.]

5.74 A Sugar, 20 inches diameter.

18.23 A Red Oak, 16 inches diameter.

46.88 A W. Oak, 10 inches diameter.

77.36 A B. Walnut, - inches diameter.

80.00 [Set Post, corner to Sections 1 & 2, from which] a Sugar, 10 ins. diam. bears N. 78 E. 36 1/2 links, and a Hickory, 14 ins. diam. bears N. 57 1/2 E. 53 links distant.

The first 18 chains the line continues along the bottom. The last 51 chains is upland, the soil light, thin, stony, &c.; timbered with W. Oak, some Hickory, Beech and Dogwood.

South 6<sup>th</sup> Mile - [East side of Section 1.]

14.32 A W. Oak, 12 inches diameter.

40.26 A W. Oak, 36 inches diameter.

61.85 A W. Oak, 13 inches diameter.

67.90 A W. Oak, 30 inches diameter.



Township 7, Range 5-7 Ranges

68.27 [Set Post] from which a W. Oak, 24 ins. diam. bears S. 2 1/2 W. 24 links, and a W. Oak, 36 ins. diam. bears N. 57 1/2 E. 53 links distant.  
 This mile is timbered with W. & B. Oak, Hickory, Beech, Dogwood, Maple, &c. The soil in some parts would produce wheat, but is generally a poor and thin soil.

West Boundary.

From Post at  
 South 1<sup>st</sup> Mile - [West side of Section 36.]  
 21.16 A Chestnut, 48 ins. diam. - notched N. & S. sides.  
 69.29 A W. Walnut, 12 inches diameter.  
 80.00 [Set Post, corner to Sections 35 & 36, from which] a Hickory, 10 ins. diam. bears S. 2 1/4 E. 22 links, and a W. Oak, 15 ins. diam. bears N. 58 W. 15 links distant.  
 The soil, for this mile, is generally of a good quality, suitable for raising wheat, rye, indian corn, hemp and tobacco; timbered with Oak, Hickory, Sugar, Walnut, Ash, Beech.

South 2<sup>d</sup> Mile - [West side of Section 35.]  
 17.43 A B. Oak, 12 inches diameter.  
 80.00 [Set Post, corner to Sections 34 & 35, from which] a B. Oak, 24 ins. diam. bears S. 9 1/4 W. 47 links distant. [No other trees noted.]  
 The land of this mile is hilly, the soil generally of a good quality, suitable for grazing or tillage; Timber, W. & B. Oak, Hickory, Sugar, Beech, Poplar.

South 3<sup>d</sup> Mile - [West side of Section 34.]  
 35.92 A W. Oak, 36 inches diameter

Township 7, Range 5-7 Ranges

68.27 A W. Oak, 24 inches diameter.  
 80.00 An Ash bush, 3 ins. diam. [stands for corner to Sections 33 & 34.] from which a W. Oak, 20 ins. diam. bears N. 49 W. 16 links, and a Beech, 7 ins. diam. bears S. 54 1/2 E. 30 links distant.  
 The soil of this mile is generally of a good quality, proper for raising wheat, rye, indian corn, hemp and tobacco; timbered with Oak, Hickory, Ash, Poplar and Beech.

South 4<sup>th</sup> Mile - [West side of Section 33.]  
 14.50 A W. Oak, 12 inches diameter.  
 34.19 A forked W. Oak, each fork 20 ins. diam.  
 80.00 [Set Post, corner to Sections 32 & 33, from which] a W. Oak, 30 ins. diam. bears N. 56 W. 29 links, and a W. Oak, 20 ins. diam. bears S. 52 3/4 E. 20 links distant.  
 The soil of this mile is generally of a good quality, covered with Oak, Ash, Hickory, Beech and Chestnut.

South 5<sup>th</sup> Mile - [West side of Section 32.]  
 28.78 A B. Oak, 30 ins. diameter.  
 31.00 A Chestnut, 18 inches diameter.  
 34.58 A Chestnut, 15 inches diameter.  
 80.00 [Set Post, corner to Sections 31 & 32, from which] a B. Oak, 16 ins. diam. bears S. 9 1/4 E. 25 1/2 links, and a Spanish Oak, 10 ins. diam. bears N. 4 1/2 W. 30 links distant.  
 The soil for this mile, is, in general, of a middling quality, suitable for the production of wheat, rye, indian corn, &c. The timber is Oak, Hickory, Chestnut and Poplar.



Township 7, Range 5-7 Ranges.

6th. Lks.  
 South 0<sup>th</sup> Mile - [West side of Section 31.]  
 33.23 A W. Oak, 42 inches diameter.  
 80.00 A W. Oak, 18 ins. diam. marked 6 notches and a blose [stands for corner] from which a W. Oak, 22 ins. diam. bears S. 40 W. 10 links, and a W. Oak, 14 ins. diam. bears N. 9 E. 42 links distant.  
 The soil of this mile is generally of a middling quality for raising wheat, rye, indian corn, &c.; timbered with Oak, Hickory & Chestnut.

South Boundary.

From Post Thence  
 East 1<sup>st</sup> Mile - [South side of Section 31.]  
 37.00 A forked W. Oak, each fork 14 ins. diam.  
 64.00 A W. Oak, 12 inches diameter.  
 80.00 [Set Post, corner to Sections 25 & 31, from which] a W. Oak, 12 ins. diam. bears N. 84 W. 41 links, and a W. Oak, 15 ins. diam. bears S. 87 1/2 E. - links distant.

The land is hilly, and in some places rocky; the soil is in general thin, but would produce good crops of wheat and rye for a few years without manure. The timber is W. Oak and Hickory.

East 2<sup>d</sup> Mile - [South side of Section 25.]  
 3.20 A B. Oak, 30 inches diameter.  
 36.85 A W. Oak, 24 inches diameter.  
 80.00 A W. Oak, 9 ins. diam. [stands for corner to Sections 19 & 25,] from which a forked W. Oak, the fork nearest the corner 10 ins. diam. bears S. 66 E. 36 links, and a W. Oak, 11 ins. diam. bears S. 5 1/4 W. 17 links distant.

Township 7, Range 5-7 Ranges.

6th. Lks.  
 The land on the line for this mile is poor and hilly, covered mostly with W. Oak - some Hickory and Dogwood.

East 3<sup>d</sup> Mile - [South side of Section 19.]  
 23.76 A W. Oak, 20 inches diameter.  
 56.14 A W. Oak, 12 inches diameter.  
 80.00 A W. Oak, 18 ins. diam. [is corner to Sections 13 & 19, from which] a W. Oak, 14 ins. diam. bears S. 41 1/2 E. 35 links, and a W. Oak, 11 ins. diam. bears N. 24 W. 38 links distant.  
 The soil of this mile is generally good for tillage and pasturage; covered with W. Oak, B. Oak, Hickory, Dogwood and Sassafras.

East 4<sup>th</sup> Mile - [South side of Section 13.]  
 40.14 A B. Oak, 18 inches diameter  
 60.23 A Hickory, 10 inches diameter.  
 80.00 [Set Post, corner to Sections 7 & 13, from which] a W. Oak, 14 ins. diam. bears S. 9 W. 44 links, and a W. Oak, 14 ins. diam. bears N. 42 1/2 W. 10 links distant.  
 Middling good wheat land on the line for this mile; covered with Oak, Hickory, Poplar, Dogwood, Sassafras, &c.

East 5<sup>th</sup> Mile - [South side of Section 7.]  
 16.09 A B. Oak, 18 inches diameter.  
 47.57 A B. Oak, 16 inches diameter  
 80.00 [Set Post, corner to Sections 1 & 7, from which] a W. Oak, 10 ins. diam. bears N. 50 E. 26 links, and a Poplar, 11 ins. diam. bears S. 56 W. - links distant.  
 The soil on this mile is generally thin, but



Township 7, Range 5-7 Ranges.

Chs. Lks.

is sufficiently rich to produce wheat, rye, &c. for a few years without manure; Timber, W. & B. Oak, Hickory, and some Poplar.

- East 6<sup>th</sup> Mile - [South side of Section 1.]
- 12.61 A W. Oak, 10 inches diameter.
- 61.50 A Sugar, 20 inches diameter.
- 77.50 Intersected the South Line, [measuring West Boundary] of the 4<sup>th</sup> Range.
- 80.00 [Set Post from which] a W. Oak, 15 ins. diam. bears S. 26 1/2 W. 13 links, and a W. Oak, 14 ins. diam. bears N. 32 1/4 E. 35 links distant.

The soil is generally of a middling good quality for raising wheat and rye, covered with Oak, Hickory, Dogwood and Sassafras.

Surveyed in 1786 - by Absalom Martin, Surveyor from New Jersey.

Township 7, Range 5-7 Ranges.

Chs. Lks.

Beginning at the Southeast corner of Section No. 1, in Township No. 7, of the 5<sup>th</sup> Range. Here the Township line coming from the West crosses the Range Line, and runs into the Town East of it 23

- North On the East Boundary of Section 1.
- 12 A W. Oak, 19 inches diameter.
- 20.12 A Brook, 6 links, W.
- 24.62 A W. Oak, 22 inches diameter.
- 42.99 A W. Oak, 13 inches diameter.
- 56.12 A Brook, 5 links, course E.
- 63.12 A Brook, 3 links, course E.
- 67.12 Captina Creek, 50 links wide, course S. 40 E.
- 68.18 Same Creek, 50 links S. 40 W.
- 69.62 A B. Walnut, 23 inches diameter.
- 76.12 Captina Creek, 50 links, course S. 20 E.
- 79.62 A Brook, 4 links, W.
- 80.00 1 Mile Post, corner to Sections 1 & 2, from which a W. Oak, 12 ins. diam. bears N. 38 E. 12 links, and a W. Oak, 12 ins. diam. bears S. 89 W. 18 links distant. Trees marked by the plan. Over steep hills, soil poor; Timber, Oak.

- North continued - East Boundary of Section 2.
- 10.93 A W. Oak, 12 inches diameter.
- 18.62 A Brook, 5 links, course W.
- 25.62 A W. Oak, 10 inches diameter.
- 27.56 A W. Oak, 12 inches diameter.
- 30.62 A Brook, 4 links, W.
- 33.90 A W. Oak, 12 inches diameter.
- 40.42 A W. Oak, 13 inches diameter.
- 53.12 A Brook, 4 links, course W.
- 57.12 Captina Creek, 50 links, runs S. 30 W.
- 61.20 A Sugar tree 22 inches diameter.



Township 7, Range 5-7 Ranges.

- 61.42 A W. Oak, 12 inches diameter.
- 70.12 A Brook, 6 links, near E.
- 73.12 2 Mile Post, corner to Sections 2 & 3, from which a Hickory, 10 ins. diam. bears South 6 links, and a W. Oak, 13 ins. diam. bears N. 66 W. 23 links distant. Trees marked by plan. Over steep hills, soil poor; Timber, Oak.
- North continued - East Boundary of Section 3.
- 4.62 A Brook, 5 links, E.
- 5.62 A Brook, 40 links, S. 20 E.
- 9.62 A Brook, 4 links, S. 20 W.
- 21.12 A Brook, 5 links E.
- 21.62 A Brook, 30 links, S. 20 E.
- 29.09 A W. Oak, 13 inches diameter.
- 37.86 A W. Oak, 10 inches diameter.
- 40.46 A W. Oak, 12 inches diameter.
- 42.51 A W. Oak, 30 inches diameter.
- 45.73 A W. Oak, 12 inches diameter.
- 48.77 A W. Oak, 15 inches diameter.
- 50.62 A Brook, 3 links, W.
- 52.08 A W. Oak, 13 inches diameter.
- 56.41 A B. Oak, 15 inches diameter.
- 61.62 A Brook, 6 links, W.
- 64.02 A W. Oak, 14 inches diameter.
- 69.12 A Brook, 20 links wide, course S. 20 W.
- 70.12 A Brook, 20 links, S. 20 E.
- 71.08 A Hickory, 11 inches diameter.
- 71.47 A Sugar tree, 10 inches diameter.
- 75.44 A W. Oak, 28 inches diameter.
- 75.62 A Brook, 20 links, S. 20 W.
- 80.00 3 Mile Post, corner to Secs. 3 & 4. A W. Oak, 10 ins. diam. bears N. 74 1/2 E. 29 links, and a Cherry, 6 ins. diam. bears S. 27 W. 22 links distant.

Township 7, Range 5-7 Ranges.

- Trees marked by plan. Over hilly land, soil thin; Timber, Oak.
- North continued - East Boundary of Section 4.
- 3.12 A Brook, 4 links, E.
- 5.79 A W. Oak, 18 inches diameter.
- 8.02 A W. Oak, 18 inches diameter.
- 12.12 A W. Oak, 16 inches diameter.
- 20.62 A Brook, 5 links, E.
- 21.21 A W. Oak, 14 inches diameter.
- 33.82 A Brook, 4 links, E.
- 39.62 A Brook, 10 links, S. 30 E.
- 54.12 A Brook, 4 links, W.
- 57.42 A Spring Run, W.
- 59.44 A W. Oak, 11 inches diameter.
- 62.61 A W. Oak, 12 inches diameter.
- 72.29 A W. Oak, 15 inches diameter.
- 78.12 A Brook, 7 links, S. 10 W.
- 80.00 4 Mile Post, corner to Sections 4 & 5. A W. Oak, 16 ins. diam. bears N. 4 W. 19 links, and a W. Oak, 11 ins. diam. bears S. 7 E. 46 links distant. Trees marked by plan. Over hilly land, soil thin; Timber, Oak.
- North continued - East Boundary of Section 5.
- 2.65 A W. Oak, 9 inches diameter.
- 6.14 A Poplar, 9 inches diameter.
- 8.38 A W. Oak, 10 inches diameter.
- 10.70 A W. Oak, 8 inches diameter.
- 27.81 A W. Oak, 9 inches diameter.
- 28.12 A Spring Run, E.
- 37.62 A Brook, 7 links, E.
- 53.29 A W. Oak, 14 inches diameter.
- 57.62 A large Spring, E.



Township 7, Range 5-7 Ranges.

Chs. Lks.	
59.12	A Brook, 8 links, N. 15 W.
68.15	A Brook, 20 links, E.
78.28	A W. Oak, 16 inches diameter.
80.00	5 Mile Post, corner to Secs. 5 & 6. A W. Oak, 18 ins. diam. bears S. 40 W. 5 1/4 links, and a Dogwood, 6 ins. diam. bears N 82 E. 4 links distant. Trees marked per plan. Over uneven land, soil thin; Timber, Oak.
North Continued - East Boundary of Section 6.	
13.12	A Brook, 4 links, S 30 E.
36.62	Mc Mackin's creek, 40 links, E.
43.98	A Spring, E.
63.62	Corner of the Town on the right.
77.50	N. E. corner. A W. Oak, 13 ins. diam. bears N. 60 E. 15 links, and a W. Oak, 17 ins. diam. bears S. 38 W. 27 1/2 links distant. Trees marked, &c. Over same kind of land to the creek; then land nearly the same, only covered with undergrowth of Hazle and Thorn.
Repaired to the Southeast corner of Section No. 1.	
Beginning 234 links West of the Old corner.	
West	On the South Boundary of Section 1. A Gum, 9 ins. diam. bears N. 84 E. 9 links, and a W. Oak, 14 ins. diam. bears N. 75 W. 24 1/2 links distant. Trees marked by plan.
13.00	A Brook, 4 links, S.
15.63	A Sugar tree, 12 inches diameter.
19.00	Captina creek, 50 links, S. 40 E.
22.50	A Brook, 4 links, N. 60 E.
53.50	A Spring, N.
55.50	A Brook, 4 links, N.

Township 7, Range 5-7 Ranges.

Chs. Lks.	
62.00	A Brook, 8 links, N. 80 E.
80.00	1 Mile Post, corner to Sections 1 & 7. A W. Oak, 12 ins. diam. bears N. 54 W. 15 1/2 links, and a W. Oak, 14 ins. diam. bears S. 25 E. 13 1/2 links distant. Trees marked by plan. Over hilly land, thin soil; Timber, W. Oak.
West	Continued - South Boundary of Section 7.
2.50	A Brook, 3 links, N.
9.00	A Brook, 6 links, N.
14.50	A B. Oak, 15 inches diameter.
24.50	A Brook, 5 links, S.
39.00	Fork of Brook, 7 links, S.
74.00	A Brook, 12 links, S.
80.00	2 Mile Post, corner to Sections 7 & 13. A W. Oak, 14 ins. diam. bears S. 68 W. 2 links, and a Maple, 10 ins. diam. bears N. 68 E. 2 links distant. Trees marked by plan. Over uneven land, soil tolerable; Timber, S. & W. Oak and Hickory.
North	Between Sections 7 & 13.
.50	A Brook, 4 links, N. 40 E.
1.50	A Brook, 8 links, E.
13.21	A W. Oak, 12 inches diameter.
14.50	A Spring, E.
24.50	Fork Brook, 9, S. 30 E.
33.13	A dead W. Oak, 18 inches diameter.
40.00	A Brook, 7 links, S. 20 W.
45.00	A Brook, 5 links, E.
49.50	A W. Oak, 13 inches diameter.
64.00	A Brook, 3 links, E.
71.66	A Hickory, 14 inches diameter.
80.00	1 Mile Post, corner to Sections 7, 8, 13, 14. A Hickory, 14 ins. diam. bears N. 20 E. 28 links, and a W. Oak, 18 ins. diam. bears S. 33 W. 13 1/2 links distant.



Township 7, Range 5-7 Ranges.

Trees marked by plan.  
Over uneven land, soil tolerable; Timber, B. Oak,  
W. Oak, and Hickory, Dogwood, &c.

North continued - Between Sections 8 & 14.  
4.53 A W. Oak, 16 inches diameter.  
10.00 A Spring, W.  
18.00 A Brook, 8 links, S. 20 E.  
26.00 A Brook, 12 links, E.  
33.92 A W. Oak, 15 inches diameter.  
34.35 A W. Oak, 12 inches diameter.  
34.84 A W. Oak, 12 inches diameter.  
50.50 A Brook, 5 links, E.  
52.74 A W. Oak, 32 inches diameter.  
54.00 A Brook, 4 links, S. 40 E.  
74.94 A B. Oak, 18 inches diameter.  
A Brook, 3 links, N. 20 E.  
80.00 2 Mile Post, corner to Sections 8, 9, 14, 15. A W.  
Oak, 11 ins. diam. bears N. 82 E. 20 links, and  
a W. Oak, 14 ins. diam. bears N. 69 W. 26 links  
distant. Trees marked by plan.  
Over same kind of land as the last mile.

East On Random Line between Sections 8 & 9.  
80.00 Random Post.

East continued Random Line, between Secs. 2 & 3.  
81.00 N. & S. Line, on East Boundary, 40 links North.

West Between Sections 2 & 3.  
1.90 A W. Oak, 36 inches diameter.  
25.00 A Brook, 3 links, S.  
31.50 A Brook, 12 links, S.  
35.04 A Poplar, 9 inches diameter.

Township 7, Range 5-7 Ranges.

39.50 A Spring, N.  
76.57 A W. Oak, 12 inches diameter.  
80.00 1 Mile Post, corner to Sections 2, 3, E, 9. A W.  
Oak, 32 ins. diam. bears S. 54 W. 22 1/2 links,  
and a W. Oak, 28 ins. diam. bears N. 75  
E. 56 links distant; by a Brook, 10 links South.  
Trees marked by plan.  
Over hilly land, soil tolerable; Timber, B. & W.  
Oak and Hickory.

West continued - Between Sections 8 & 9.  
17.36 A B. Oak, 18 inches diameter.  
28.31 A W. Oak, 12 inches diameter.  
29.50 A Brook, 9 links, S.  
38.58 A W. Oak, 15 inches diameter.  
49.00 A Brook, 12 links, S.  
60.43 A W. Oak, 15 inches diameter.  
63.23 A W. Oak, 16 inches diameter.  
68.00 A Creek, 40 links, South.  
73.00 A Brook, 12 links, S. 30 E.  
79.00 A Brook, 3 links, N.  
80.00 2 Mile Post. Land same. Then -

North Between Sections 9 & 15 1<sup>st</sup> May, 1801.  
2.00 A Brook, 10 links, E.  
10.50 A W. Oak, 17 inches diameter.  
24.00 A Brook, 30 links, E.  
59.00 A Brook, 3 links, E.  
67.00 A Brook, 4 links, N. 20 E.  
74.00 A Brook, 4 links, E.  
77.16 A W. Oak, 14 inches diameter.  
80.00 3 Mile Post, corner to Sections 9, 10, 15, 16. A W.  
Oak, 18 ins. diam. bears N. 12 W. 39 1/2 links,  
and a W. Oak, 14 ins. diam. bears S. 7 E. 52 links  
distant. Trees marked by plan.



Township 7 Range 5-7 Ranges.

Over hilly land, soil poor; Timber, W. Oak.

North continued—Between Sections 10 & 16.  
 5.00 A Brook, 7 links, E.  
 5.13 An Ash, 13 inches diameter.  
 6.50 A Brook, 15 links, E.  
 15.00 A Brook, 15 links, S. 20 W.  
 34.00 A Brook, 15 links, S. 20 E.  
 66.63 A W. Oak, 15 inches diameter.  
 67.04 A B. Oak, 21 inches diameter.  
 75.60 A W. Oak, 30 inches diameter.  
 80.00 4 Mile Post, corner to Sections 10, 11, 16, 17. A B. Oak, 22 ins. diam. bears N. 10 E. 22 1/2 links, and W. Oak, 9 ins. diam. bears S. 61 E. 18 1/2 links distant. Trees marked by plan.  
 Over hilly land, soil thin; Timber, W. Oak, and some B. Oak and Hickory.

East On Random Line, between Secs. 10 & 11.  
 80.00 Random Post.

East continued—Between Secs. 4 & 5.  
 80.90 N. & S. line, on East Boundary, South 16 links.

West Between Sections 4 & 5.  
 5.00 A Spring, S.  
 17.12 A W. Oak, 13 inches diameter.  
 21.00 A Brook, 4 links, S.  
 32.50 A Brook, 6 links, S.  
 47.41 A Hickory, 10 inches diameter.  
 54.34 A Hickory, 14 inches diameter.  
 80.00 1 Mile Post, corner to Sections 4, 5, 10, 11. A Poplar, 9 ins. diam. bears N. 73 1/2 W. 20 links, and a W. Oak, 9 ins. diam. bears S. 57 E. 39 1/2 links distant. Trees marked by plan.

Township 7 Range 5-7 Ranges.

Over hilly land, soil poor and stony; Timber, Oak, some Beech and Hickory.

West continued—Between Sections 10 & 11.  
 21.98 A W. Oak, 15 inches diameter.  
 23.50 A Brook, 5 links, S.  
 42.73 A B. Oak, 17 inches diameter.  
 50.00 A Brook, 12 links, S.  
 55.42 A W. Oak, 14 inches diameter.  
 59.00 A Brook, 9 links, S.  
 64.00 A Spring, N.  
 80.00 2 Mile Post.  
 Over hilly land, soil tolerable; Timber, Oak and Hickory.

North Between Sections 11 & 17.  
 19.37 A Hickory, 8 inches diameter.  
 23.00 A Spring, E.  
 27.73 A W. Oak, 10 inches diameter.  
 29.40 A B. Oak, 16 inches diameter.  
 31.53 A W. Oak, 16 inches diameter.  
 47.00 A Spring, W.  
 48.50 A Spring, W.  
 55.00 A Spring, W.  
 78.16 A W. Oak, 38 inches diameter.  
 80.00 5 Mile Post, by a Brook, 6 links, N. 20 E; corner to Sections 11, 12, 17, 18. A W. Oak, 8 ins. diam. bears N. 55 E. 33 links, and a W. Oak, 12 ins. diam. bears S. 38 W. 24 links distant. Trees marked by plan.  
 Over good Oak land.

North continued—Between Sections 12 & 18.  
 3.75 A W. Oak, 12 inches diameter.



Township 7, Range 5-7 Ranges.

66. Lks.  
 8.00 A Brook, 6 links, E.  
 27.83 A W. Oak, 17 inches diameter.  
 48.70 A W. Oak, 9 inches diameter.  
 50.06 A W. Oak, 17 inches diameter.  
 51.60 A W. Oak, 14 inches diameter.  
 56.50 A Brook, 12 links, E.  
 65.50 A Brook, 15 links, S. 50 G.  
 70.00 A Brook, 7 links, S. 20 W.  
 77.50 6 Mile Post, on Town Line, corner to Secs. 12 & 18.  
 A W. Oak, 34 ins. diam. bears S. 65 W. 19 Ms.  
 and a W. Oak, 13 ins. diam. bears N. 10 E. 41  
 links distant. Trees marked by plan.  
 Over uneven Oak land. 12<sup>th</sup> May, 1801.

West On North Boundary of Section 6.  
 4.22 A W. Oak, 12 inches diameter.  
 16.43 A W. Oak, 9 inches diameter.  
 22.00 A Brook, 20 links, S.  
 43.48 A W. Oak, 12 inches diameter.  
 47.04 A Hickory, 13 inches diameter.  
 60.39 A W. Oak, 12 inches diameter.  
 63.20 A W. Oak, 10 inches diameter.  
 65.47 A W. Oak, 13 inches diameter.  
 80.00 1 Mile Post, corner to Sections 6 & 12. A W.  
 Oak, 15 ins. diam. bears N. 44 W. 53 1/2 links,  
 and a W. Oak, 18 ins. diam. bears S. 44 E. 7 1/2  
 links distant. Trees marked by plan.  
 Over uneven thin W. Oak land.

West Continued North Boundary of Sec. 12.  
 3.44 A W. Oak, 12 inches diameter.  
 26.74 A B. Oak, 22 inches diameter.  
 28.74 A dead W. Oak, 9 inches diameter.  
 44.50 A Brook, 15 links, S.

Township 7, Range 5-7 Ranges.

66. Lks.  
 45.18 A W. Oak, 12 inches diameter.  
 45.77 A W. Oak, 12 inches diameter.  
 53.07 A W. Oak, 12 inches diameter.  
 53.45 A W. Oak, 13 inches diameter.  
 55.86 A W. Oak, 12 inches diameter.  
 56.57 A W. Oak, 13 inches diameter.  
 60.90 A W. Oak, 13 inches diameter.  
 76.33 A W. Oak, 13 inches diameter.  
 79.00 A Brook, 6 links, S.  
 80.50 2 Mile Post corner to Sections 12 & 18.  
 Over uneven thin W. Oak land.

Repaired to South Boundary  
 West On South Boundary of Section 13.  
 .50 A Brook, 3 links, N.  
 4.50 A Brook, 3 links, N.  
 15.91 A Hickory, 11 inches diameter.  
 33.97 A B. Oak, 15 inches diameter.  
 47.50 A Brook, 4 links, S.  
 80.00 3 Mile Post, corner to Sections 13 & 19, by a Brook.  
 7 links, S. A W. Oak, 10 ins. diam. bears S. 54  
 W. 42 links, and a W. Oak, 15 ins. diam. bears  
 N. 58 E. 59 links distant. Trees marked by plan.  
 Over uneven land, soil thin; Timber, B. & W. Oak  
 and Hickory; Undergrowth, W. Oak, Hickory and  
 Dogwood.

West On South Boundary of Section 19.  
 .50 A Brook, 20 links, S.  
 10.10 A W. Oak, 16 inches diameter.  
 11.13 A W. Oak, 14 inches diameter.  
 15.00 A Brook, 3 links, S. 40 G.  
 17.11 A W. Oak, 11 inches diameter.  
 33.00 A Brook, 5 links, S.



Township 7, Range 5-7 Ranges.

6th. Sta.  
 49.24 A W. Oak, 33 inches diameter.  
 51.00 A Spring, S.  
 72.83 A W. Oak, 10 inches diameter. Old Post.  
 80.00 4 Mile Post, corner to Sections 19 & 25. A W. Oak, 12 ins. diam. bears N. 37 E. 4 1/2 links, and a Hickory, 9 ins. diam. bears S. 21 W. 31 links distant. Trees marked by plan. Land the same as the last mile.

North Between Sections 19 & 25.  
 3.50 A Brook, 8 links, S. 10 W.  
 7.78 A W. Oak, 15 inches diameter.  
 10.00 A Brook, 3 links, E.  
 22.50 A Brook, 3 links, E.  
 25.43 A W. Oak, 14 inches diameter.  
 38.61 A B. Oak, 14 inches diameter.  
 41.10 A W. Oak, 14 inches diameter.  
 66.52 A W. Oak, 12 inches diameter.  
 76.26 A W. Oak, 12 inches diameter.  
 80.00 1 Mile Post, corner to Sections 19, 20, 25, 26. A W. Oak, 13 ins. diam. bears N. 7 E. 29 links, and a W. Oak, 12 ins. diam. bears S. 75 W. 14 links distant. Trees marked by plan. Over uneven land, soil thin and stony; Timber, W. Oak; Undergrowth, Oak, Hickory, Aspen, &c., very thick set.

North continued Between Sections 20 & 26.  
 21.40 A B. Oak, 13 inches diameter.  
 35.50 A Brook, 40 links, W.  
 47.00 A Brook, 4 links, S. 40 W.  
 53.02 A W. Oak, 12 inches diameter.  
 59.61 A Maple, 14 inches diameter.  
 63.50 A Brook, 6 links, S. 60 W.

Township 7, Range 5-7 Ranges.

6th. Sta.  
 69.83 A B. Oak, 13 inches diameter.  
 80.00 2 Mile Post, corner to Sections 20, 21, 26, 27. A W. Oak, 13 ins. diam. bears S. 15 W. 26 links, and a hickory, 28 ins. diam. bears N. 11 E. 41 1/2 links distant. Trees marked by plan. Over uneven land, soil tolerable; Timber, B. & W. Oak; Undergrowth the same, and very thick set.

East On Random Line - Between Secs 20 & 21.  
 80.00 Random Post.

East continued Random Line, between Secs 14 & 15.  
 79.68 N. & S. Line, South 28 links.

West Between Sections 14 & 15.  
 2.00 A Brook, 4 links, N.  
 11.34 A W. Oak, 32 inches diameter.  
 18.00 A Brook, 5 links, N.  
 30.00 A Brook, 6 links, N.  
 38.26 A forked W. Oak, 24 inches diameter.  
 52.50 A W. Oak, 11 inches diameter.  
 57.85 A Yew, 10 inches diameter.  
 69.82 A W. Oak, 30 inches diameter.  
 80.00 3 Mile corner; a Maple, 5 ins. diam. corner tree to Sections 14, 15, 20, 21. A Hickory, 13 ins. diam. bears S. 53 1/2 W. 22 links, and a Dogwood, 4 ins. diam. bears N. 19 E. 11 1/2 links distant. Trees marked by plan.

Over uneven land, soil thin; Timber, B. & W. Oak, and Hickory; Undergrowth the same.

West continued between Sections 20 & 21.  
 6.00 A W. Oak, 9 inches diameter.



Township 7, Range 5-7 Ranges.

Chs. No.	Description
15.27	A W. Oak, 12 inches diameter.
24.00	A Brook, 8 links, S.
26.92	A W. Oak, 14 inches diameter.
30.92	A Hickory, 12 inches diameter.
37.61	A W. Oak, 30 inches diameter.
42.50	A Brook, 8 links, S. 40 C.
49.38	A Maple, 13 inches diameter.
56.50	A forked Maple, 28 inches diameter.
67.20	A W. Oak, 16 inches diameter.
80.00	4 Mile Post, corner to Sections 20, 21, 26, 27. Over uneven land, thin soil; Timber, B. & W. Oak, Hickory, &c.; Undergrowth the same, and very thick.
North Between Sections 21 & 27.	
4.03	A Chestnut, 22 inches diameter.
16.56	A Hickory, 14 inches diameter. 18th June, 1891.
27.00	A Brook, 5 links, S. 20 C.
33.90	A B. Oak, 32 inches diameter.
42.61	A Hickory, 22 inches diameter.
50.59	A W. Oak, 19 inches diameter.
62.50	A Brook, 5 links, S. 20 C.
71.91	A W. Oak, 19 inches diameter.
80.00	3 Mile Post, corner to Sections 21, 22, 27, 28. A W. Oak, 28 ins. diam. bears S. 56 W. 6 links, and a Hickory, 13 ins. diam. bears N. 11 W. 16 links distant. Trees marked by plan. Over uneven land, soil 2 <sup>d</sup> rate; Timber, B. & W. Oak, Hickory, &c.
North <sup>continued</sup> Between Sections 22 & 28.	
3.03	A W. Oak, 18 inches diameter.
15.71	A B. Oak, 18 inches diameter.
25.54	A Sugar tree, 10 inches diameter.
54.50	A Brook, 6 links, E.

Township 7, Range 5-7 Ranges.

Chs. No.	Description
59.85	An Ash, 11 inches diameter.
60.78	A B. Oak, 9 inches diameter.
69.92	A Chestnut, 36 inches diameter.
72.00	A Spring, E.
75.00	A Brook, 8 links, E.
80.00	4 Mile Post, corner to Sections 22, 23, 28, 29. A W. Oak, 13 ins. diam. bears S. 77 C. 22 Ws., and a W. Oak, 8 ins. diam. bears N. 85 W. 15 links distant. Trees marked by plan. Over uneven land, soil good; Timber, B. & W. Oak, Hickory, some Walnut and Sugar tree; Under- growth, Rich weed, Nettles, &c.
East Random Line - Between Secs. 22 & 23.	
80.00	Set Random Post.
East continued Random Line.	
80.45	N. & S. line, North 52 links.
West Between Sections 16 & 17.	
5.03	A W. Oak, 14 inches diameter.
6.40	A W. Oak, 12 inches diameter.
11.00	3 forks of a Brook, course S.
12.00	A W. Oak, 12 inches diameter.
28.00	A Brook, 9 links, S.
35.50	A Brook, 12 links, S.
44.00	A Brook, 15 links, S. 70 C.
46.00	Same, 15 links, N. 70 C., and up the same.
79.50	A W. Oak, 12 inches diameter.
80.00	3 Mile Post, corner to Secs. 16, 17, 22, 23. A W. Oak, 13 ins. diam. bears S. 78 C. 20 links, and a W. Oak, 16 ins. diam. bears N. 23 C. 24 links distant. Trees marked by plan. Over uneven land, soil thin; Timber, W. Oak; Underg <sup>th</sup> same.



Township 7, Range 5-7 Ranges.

66. Sh. West Between Sections 22 & 23.  
 Then leaving said Brook to the right hand -  
 6.20 A W. Oak, 13 inches diameter.  
 13.11 A W. Oak, 14 inches diameter.  
 17.00 A Brook, 3 links, N.  
 20.03 A W. Oak, 15 inches diameter.  
 34.00 A Brook, 10 links, N. 70 E.  
 40.66 A W. Oak, 15 inches diameter.  
 41.50 A Brook, 3 links, S.  
 53.50 A Brook, 10 links, S. 70 E.  
 54.85 A Hickory, 15 inches diameter.  
 73.78 A B. Oak, 34 inches diameter.  
 80.00 4 Mile Post, already set.  
 Over uneven land, soil thin; Timber, B. & W. Oak,  
 Hickory, &c.

North Between Sections 23 & 29.  
 6.17 A W. Oak, 18 inches diameter.  
 16.50 A Brook, 4 links, E.  
 18.62 A W. Oak, 13 inches diameter.  
 19.08 A W. Oak, 38 inches diameter.  
 41.00 A Brook, 8 links, E.  
 43.44 A W. Oak, 12 inches diameter.  
 50.92 A Chestnut, 26 inches diameter.  
 71.00 A Brook, 9 links, W.  
 80.00 5 Mile Corner - A W. Oak, 16 inches diameter.  
 Over uneven thin Oak land.

North Between Sections 24 & 30.  
 7.79 A W. Oak, 31 inches diameter.  
 11.00 A W. Oak, 13 inches diameter.  
 22.50 A Brook, 6 links, W.  
 26.00 A Brook, 12 links, N. 10 E.  
 35.38 A W. Walnut, 9 inches diameter.

Township 7, Range 5-7 Ranges.

66. Sh. 37.00 A Brook, 15 links, N. 20 W.  
 45.27 A W. Oak, 14 inches diameter.  
 45.75 A W. Oak, 16 inches diameter.  
 47.84 A B. Oak, 17 inches diameter.  
 68.50 A Brook, 8 links, S. 20 W.  
 77.00 6 Mile - Township Line. A Sugar tree, 16 ins. diam.  
 bears N. 5 W. 40 links, and a W. Oak, 13 inches  
 diam. bears S. 76 W. 28 links distant. [corner  
 of Secs. 24 & 30.] Trees marked by plan.  
 Over hilly land, soil poor and stony; Timber Oak.  
 East On Random Line [N. Boundary of Sec. 24.]  
 80.00 Random Post.

East continued Random Line  
 81.00 Post already set. Then

West On the North Boundary of Section 16.  
 1.50 A W. Oak, 17 inches diameter.  
 12.27 A Hickory, 10 inches diameter.  
 16.00 A Brook, 15 links, S. 70 E.  
 28.23 A W. Oak, 12 inches diameter.  
 38.97 A Cherry tree, 14 inches diameter.  
 51.00 A Brook, 3 links, N.  
 63.50 A Brook, 12 links, N. 70 E.  
 68.63 A W. Oak, 15 inches diameter.  
 72.72 A W. Oak, 12 inches diameter.  
 73.18 A W. Oak, 15 inches diameter.  
 76.00 A Brook, 8 links, S. 70 E.  
 80.00 3 Mile Post, corner to Sections 18 & 24. A W. Oak,  
 12 ins. diam. bears N. 24 E. 6 links, and a W.  
 Oak, 15 ins. diam. bears S. 6 1/2 W. 14 links distant.  
 Trees marked by plan.  
 Over uneven thin Oak land.



Township 7, Range 5-7 Ranges.

6th Sta. West continued - North Boundary of Section 24.  
 19.20 A Hickory, 10 inches diameter.  
 43.42 A W. Oak, 14 inches diameter.  
 55.71 A W. Oak, 16 inches diameter.  
 58.50 A Brook, 3 links, S.  
 66.41 A W. Oak, 10 inches diameter.  
 81.00 4 Mile Post, corner to Sections 24 & 30. A Sugar, 16 ft. <sup>1/2</sup> W. Oak, and a W. Oak 12, 5 1/2 W. Oak 27 link distance  
 Over uneven thin Oak land.

Repaired to the South Boundary.

West On South Boundary of Section 25.  
 .20 A Brook, 6 links, S.  
 28.00 A Brook, 25 links, S.  
 34.66 A W. Oak, 20 inches diameter.  
 41.24 A W. Oak, 10 inches diameter.  
 50.20 A Brook, 4 links, S.  
 52.42 A dead cherry, 20 inches diameter.  
 54.00 A creek, 50 links, S.  
 62.50 A Brook, 4 links, N.  
 67.87 A B. Oak, 32 inches diameter.  
 77.00 A Brook, 4 links, N. forks.  
 80.00 5 Mile Post, corner to Secs. 25 & 31. A W. Oak, 16  
 ins. diam. bears N. 32 W. 5 links, and a W. Oak,  
 16 ins. diam. bears S. 1 E. 40 links distant. Trees  
 marked by plan.  
 Over hilly land, thin soil; Timber, chiefly W. Oak,  
 some B. Oak and Hickory; Undergrowth very  
 thick.

West continued on South Boundary of Section 31.  
 17.00 A Stone Quarry.  
 44.00 A Brook, 6 links, S.  
 69.50 6 Mile corner - a W. Oak, 13 ins. diam. A W.  
 Oak, 17 ins. diam. bears S. 39 W. 9 1/2 links, and

Township 7, Range 5-7 Ranges.

6th Sta. a W. Oak, 17 ins. diam. bears N. 9 E. 41 links  
 distant. Trees marked by plan.  
 Land the same.

North On the West Boundary of Section 31.  
 41.74 A W. Oak, 43 inches diameter.  
 80.00 1 Mile Post, corner to Sections 31 & 32. A B. Oak,  
 12 ins. diam. bears S. 4 W. 30 links, and a W. Oak,  
 12 ins. diam. bears N. 6 E. 37 links distant. Trees  
 marked by plan.  
 Over poor and hilly Oak land, and very brushy

North continued - West Boundary of Section 32.  
 2.24 A W. Oak, 23 inches diameter.  
 26.00 A Brook, 7 links, E.  
 28.91 A W. Oak, 13 inches diameter.  
 30.50 A Brook, 6 links, E.  
 47.84 A Chestnut, 21 inches diameter.  
 54.00 A Brook, 6 links, E.  
 56.53 A W. Oak, 20 inches diameter.  
 60.50 A Brook, 12 links, E.  
 70.00 A Brook, 4 links, W.  
 80.00 2 Mile Post, corner of Sections 32 & 33. A W. Oak,  
 14 ins. diam. bears North 69 links, and a W.  
 Oak, 14 ins. diam. bears S. 5 1/2 E. 20 links  
 distant. Trees marked by plan.  
 Over hilly land, soil of middling quality; Tim-  
 ber, W. & B. Oak, Hickory, &c.; Undergrowth the same.

East On Railroad Line - Between Secs. 32 & 33.  
 69.50. Railroad Post.

East continued -  
 80.00. N. Line corner - South 97 links.



Township 7, Range 5-7 Ranges.

6<sup>th</sup> Lks.  
 West Between Sections 26 & 27.  
 5.48 A B. Oak, 16 inches diameter,  
 14.00 A Brook, 4 links, S.  
 20.79 A W. Oak, 4.8 inches diameter.  
 46.50 A Brook, 7 links, S; stands in puddles.  
 62.83 A W. Oak, 12 inches diameter.  
 67.15 A W. Oak, 12 inches diameter.  
 67.50 A Brook, 15 links, S. 20<sup>th</sup> June, 1801, lay in camp.  
 76.50 A Brook, 5 links, S. 50 C.  
 80.00 5 Mile Post, corner of Sections 26, 27, 32, 33. A  
 W. Oak, 26 ins. diam. bears S. 29 C. 26 links, and  
 a W. Oak, 15 ins. diam. bears N. 14 W. 5 1/2 Ms.  
 distant. Trees marked by plow over uneven thin  
 oak land.

West continued - Between Sections 32 & 33.

6.04 A W. Oak, 10 inches diameter.  
 9.08 A W. Oak, 12 inches diameter.  
 13.00 A Brook, 4 links, S.  
 27.39 A W. Oak, 17 inches diameter.  
 32.00 A Brook, 9 links, S.  
 44.45 A W. Oak, 11 inches diameter.  
 47.30 A W. Oak, 28 inches diameter.  
 53.00 A Brook, 15 links, S; crossed it 3 times.  
 58.26 A W. Oak, 19 inches diameter.  
 69.50 Post already set. Then -

over hilly land, soil of a middling  
quality; timber, W. O. Oak, Hick-  
ory & c; Undergrowth the same.

North On West Boundary of Section 33.

18.00 A Brook, 15 links, E.  
 28.03 A W. Oak, 11 inches diameter.  
 43.08 A W. Oak, 38 inches diameter.  
 62.80 A W. Oak, 11 inches diameter.  
 80.00 3 Mile Post, corner to Sections 33 & 34. A Sugar-  
 tree, 10 ins. diam. bears N. 73 E. 39 1/2 Ms., and a W. Oak,  
 bears N. 53 W. 28 links distant. Over 1<sup>st</sup> rate Oak land.

Township 7, Range 5-7 Ranges.

6<sup>th</sup> Lks.

North continued - West Boundary of Section 34.  
 1.50 A Brook, 4 links, E.  
 6.50 A Brook, 3 links, E.  
 8.26 A W. Oak, 22 inches diameter.  
 13.00 A Brook, 9 links, S. 10 C.  
 18.00 A Brook, 3 links, W.  
 40.50 A W. Oak, 34 inches diameter.  
 70.00 A Brook, 8 links, E.  
 80.00 4 Mile Post, corner to Sections 34 & 35. A W.  
 Oak, 16 ins. diam. bears N. 40 E. 4 links, and  
 a W. Oak, 11 ins. diam. bears S. 3 1/2 C. 22 1/2  
 links distant. Trees marked by plow.  
 Over first rate Oak land.

East On Railroad Line - between Secs. 34 & 35.

69.50 Railroad Post.

East continued Railroad - Between Secs. 28 & 29.

81.00 N. & S. Line, South 91 links

West Between Sections 28 & 29.

7.75 A W. Oak, 12 inches diameter.  
 12.80 A B. Oak, 19 inches diameter.  
 17.20 A Brook, 8 links, S. 90 C.  
 23.39 A B. Oak, 38 inches diameter.  
 31.10 A B. Oak, 18 inches diameter.  
 79.56 A Dogwood, 8 inches diameter.  
 80.00 5 Mile Post, corner of Sections 28, 29, 34, 35. -  
 A Dogwood, 5 ins. diam. bears N. 14 E. 10 links,  
 and a Poplar, 4 ins. diam. bears S. 34 1/2 C.  
 20 links distant. Trees marked by plow.  
 First 50 chains over first rate Oak land; the  
 rest over poor hilly Oak land.



Township 7, Range 5-7 Ranges.

Chains	Notes
West	Continued—Between Sections 34 & 35.
12.00	A B. Oak, 18 inches diameter.
22.98	A B. Oak, 16 inches diameter.
32.80	Forked W. Oak and Sugar tree, 15 ins. diam.
39.00	A Brook, 10 links, N.
39.33	A B. Oak, 16 inches diameter.
58.40	A W. Oak, 15 inches diameter.
69.74	A W. Oak, 16 inches diameter.
70.31	A W. Oak, 15 inches diameter.
70.50	6 mile Post, already set. Over poor hilly and stony Oak land.
North	On the West Boundary of Section 35.
6.00	A Brook, 3 links, S 10 E.
28.77	A W. Oak, 26 inches diameter.
44.00	A Brook, 20 links, E.
62.66	A B. Oak, 15 inches diameter.
69.50	A Spring, E.
73.00	A Brook, 10 links, W.
80.00	5 Mile Post, corner to Sections 35 & 36. A W. Oak, 15 ins. diam. bears South 14 1/2 links, and a W. Oak, 18 ins. diam. bears N. 71 E. 16 links distant. Trees marked by plan. First 60 chains over tolerable good Oak land, some stony; then steep rich land to the end of the mile.
North	Continued—On West Boundary of Section 36.
10.00	A W. Walnut, 13 inches diameter.
17.50	A Brook, 10 links, E.
30.50	A Brook, 7 links, S. 10 E.
39.00	A Spring, W.
57.33	A Dead Chestnut, 50 inches diameter.
64.00	A Brook, 7 links, E.

Township 7, Range 5-7 Ranges.

Chains	Notes
66.50	Town corner on the West.
77.50	North West corner of Section 36. A Hickory, 10 ins. diam. bears S. 2 E. 24 links, and a Hickory, 15 ins. diam. bears N. 45 W. 33 1/2 links distant. Trees marked by plan. Over steep hills, soil rich; Timber, Oak, Hickory, Ash, Walnut, Sugar tree, Spruce wood, &c. 23 <sup>d</sup> June, 1801.
East	On Rainbow Line—North side of Section 36.
80.00	Rainbow Post.
East	Continued—North side of Section 30.
71.50	Post already set.
West	On North Boundary of Section 30.
30.00	A Spring, S.
37.00	A Brook, 5 links, S.
41.00	A Brook, 15 links, N. 70 W.
47.50	A Brook, 4 links, S.
55.88	A W. Oak, 12 inches diameter.
57.66	A W. Oak, 12 inches diameter.
65.40	A W. Oak, 13 inches diameter.
74.48	A W. Oak, 14 inches diameter.
78.05	A W. Oak, 15 inches diameter.
80.00	5 Mile Post, corner to Sections 30 & 36. A W. Oak, 14 inches diameter, bears N. 16 E. 31 links, and an Elm, 9 ins. diam. bears S. 9 1/2 E. 22 links distant. Trees marked by plan. Over hilly land, soil 2 <sup>d</sup> rate; Timber, Oak and Hickory.
West	Continued—North Boundary of Section 36.
7.00	A Brook, 12 links, N.



Township 7, Range 5-7 Ranges.

Chs. Lks.	
19.48	A Poplar, 26 inches diameter.
20.46	A Hickory, 12 inches diameter.
27.56	A B. Oak, 14 inches diameter.
43.50	A Brook, 30 links, N.
50.48	A W. Walnut, 15 inches diameter.
59.06	A W. Oak, 12 inches diameter.
64.50	A Brook, 6 links, S. 70 E.
66.00	A W. Oak, 14 inches diameter.
67.50	A W. Oak, 26 inches diameter.
71.50	6 Mile Post, N.W. corner of Section 36. Over hilly land, soil rich; Timber, Oak, Hickory, and some Sugar tree.

Surveyed in 1801 - by  
Deputy Surveyor.

Township 7, Range 5-7 Ranges.

Chs. Lks.	
	Subdivision of "Two Mile Blocks." June 10, 1805.
	From Post on Township Line, corner of Section 6412 -
South	Random Line between Sections 6412, T. 7, R. 5.
29.45	A Brook, 20 links wide, runs East.
40.00	Set temporary Quarter Section Post.
80.00	Set temporary Center Post. Land uneven, soil good; Timber, W. Oak, B. Oak, Hickory, Dogwood, Thorn, &c.
South	continued Random Line between Secs. 5411.
2.00	A Brook, 2 links wide, runs with the line 1 chain, then S. 40 E.
3.30	A Brook, 3 links wide, runs East.
10.00	A Brook, 2 links wide, runs N. 40 E.
34.75	A Brook, 4 links wide, runs with the line 75 links, then turns S. 80 E.
38.30	A Brook, 2 links wide, runs N. 70 E.
40.00	Set temporary Quarter Section Post.
64.50	A Brook, 4 links wide, runs East.
65.70	A Brook, 2 links wide, runs N. 80 E.
69.00	A Brook, 3 links wide, runs N. 80 E.
80.30	Fell 28 links West of Post, corner of Sections 4, 5, 10, 11, T. 7, R. 5. Land, first 3/4 good; last 1/4 hilly and stony; Timber, W. Oak, B. Oak, Hickory, Poplar, Dogwood, &c.
	June 11, 1805.
	From Post, corner of Sections 4, 5, 10, 11 - Run 0° 06' 1/2'.
North	Connected the line between Sections 5411.
24.50	A B. Oak, 18 inches diameter.
40.00	Moved temporary Qr. Sec. Post to true line.
40.75	A Chestnut, 24 inches diameter.



Township 7, Range 5-7 Ranges.

6th Sta  
80.00 Moved temporary Center Post to true line.  
North  
27.75 continued corrected line between Secs. 6 & 12.  
A W. Oak, 36 inches diameter.  
40.00 Moved temporary Quarter Section Post to true line.  
61.80 A W. Oak, 14 inches diameter.  
74.00 A W. Oak, 15 inches diameter.  
80.30 To Post on Township line, corner of Secs. 6 & 12.

June 27, 1805.

From Post, corner of Secs. 11, 12, 17, 18 - ran  
East  
Random Line between Sections 11 & 12.  
30 A Brook, 2 links wide, runs N. 50 E.  
9.50 A Brook, 2 links wide, runs N. 40 E. Spring 3  
chains above.  
11.16 A Brook, 2 links wide, runs N. 10 E. Spring 4  
chains above.  
12.25 A Brook, 3 links wide, runs N. 40 W.  
40.00 Set temporary Quarter Section Post.  
80.00 A Brook, 2 links wide, runs South.  
81.50 crossed North and South Line.  
Land level and good; Timber, W. Oak, B. Oak,  
Hickory, Ash, Gum, Dogwood, Sugar, &c.

East  
continued Random Line, between Sections 5 & 6.  
11.00 A Brook, 2 links wide, runs S. 45 W.  
24.50 A Brook, 2 links wide, runs S. 25 E.  
40.00 Set temporary Quarter Section Post.  
47.20 A Brook, 4 links wide, runs S. 35 E.  
68.10 A Brook, 5 links wide, runs S. 10 E.  
81.25 Fell 23 links South of Post on Range Line,  
corner of Sections 5 & 6, T. 7, R. 5.  
Land uneven, soil good; Timber, W. Oak, B. Oak,  
Hickory, Dogwood, &c.

Township 7, Range 5-7 Ranges.

6th Sta  
From Post on Range Line, corner of Secs. 5 & 6.  
West  
corrected the line between Secs. 5 & 6. - ran 5 nearly.  
4.25 A W. Oak, 18 inches diameter.  
40.62 1/2 Moved temporary Quarter Section Post, and set it  
at average measure on true line, from which  
a W. Oak, 36 ins. diam. bears S. 10 1/2 E. 13 1/2 links,  
and a B. Oak, 20 ins. diam. bears N. 39 1/2  
W. 22 1/2 links distant.  
45.35 A B. Oak, 18 inches diameter.  
81.25 Fell 86 1/2 links North of temporary Center Post.  
Moved it to center, at intersection of the lines,  
corner to Sections 5, 6, 11, 12; from which a  
Double Beech, 12 ins. diam. bears S. 65 E. 14  
links, and a W. Oak, 32 ins. diam. bears  
N. 28 W. 44 1/2 links distant.

Then travelled North, between Secs. 6 & 12,  
and moved temporary Quarter Section Post, and  
set it at average measure, on true line, from  
which a W. Oak, 11 ins. diam. bears S. 25 1/2 E.  
23 links, and a W. Oak, 11 ins. diam. bears  
S. 34 1/2 W. 38 links distant.

Travelled South, between Secs. 5 & 11, and moved  
temporary Quarter Section Post, and set it at  
average measure on true line, from which  
a W. Oak, 12 ins. diam. bears N. 50 W. 55 links,  
and a W. Oak, 18 ins. diam. bears S. 83 1/2 W. 45 1/2  
links distant.

West  
corrected the line between Secs. 11 & 12.  
40.95 Moved temporary Quarter Section Post, and set it  
at average measure, on true line, from which  
a W. Oak, 36 ins. diam. bears S. 44 E. 30 links,



Township 7, Range 5-7 Ranges

6th Lk. and a W. Oak, 11 ins. diam. bears N. 33 W. 24 links distant.  
 80.00 A W. Oak, 12 ins. diameter.  
 81.50 To Post, corner of Sections 11, 12, 17, 18.

June 10, 1805.

South From Post, corner of Sections 4, 5, 10, 11, ran  
 40.00 Random Line between Sections 4 & 10.  
 80.00 Set temporary Quarter Section Post.

Set temporary Center Post.  
 Land uneven and thin, and very brushy, and much  
 interlocked with Grape Vines; Timber, W. Oak,  
 B. Oak, Chestnut and Dogwood.

South Continued Random Line, between Sections 3 & 9.  
 13.00 A Brook, 2 links wide, N. 70 E. Spring 1 chain above.  
 40.00 Set temporary Quarter Section Post.  
 60.00 Crossed the head of a Spring, running East.  
 69.20 A Brook, 2 links wide, runs S. 50 E.  
 78.10 A Brook, 2 links wide, runs E.  
 81.50 Fell 28 links West of Post, corner of Sections

2, 3, 8, 9, T. 7, R. 5.  
 Land uneven, soil thin and stony; Timber, W. Oak,  
 B. Oak, Poplar, Hickory, Chestnut, Dogwood,  
 Beech, and a great quantity of underbrush.

June 11, 1805.

North From Post, corner of Sections 2, 3, 8, 9. Ran 6 nearly  
 18.90 Corrected the line between Sections 3 & 9.  
 20.00 A W. Oak, 27 inches diameter.  
 40.00 A Black Oak, 24 inches diameter.  
 81.50 Moved temporary Quarter Section Post to true line.  
 Moved temporary Center Post to true line.

Township 7, Range 5-7 Ranges

6th Lk. North Continued to correct the line, between Secs 4 & 10.  
 11.75 A W. Oak, 12 inches diameter.  
 12.90 A B. Oak, 21 inches diameter.  
 14.80 A B. Oak, 28 inches diameter.  
 40.00 Moved temporary In. Sec. Post to true line.  
 40.40 A B. Oak, 18 inches diameter.  
 58.88 A B. Oak, 16 inches diameter.  
 66.75 A W. Oak, 17 inches diameter.  
 80.00 To Post, corner of Sections 4, 5, 10, 11.

June 25, 1805.

East From Post, corner of Sections 9, 10, 15, 16, ran  
 Random line between Sections 9 & 10.

6.30 A Brook, 20 links wide, runs S. 10 E.  
 33.30 A Brook, 15 links wide, runs S. 30 W.  
 37.60 A Brook, 2 links wide, runs N. 45 W.  
 40.00 Set temporary Quarter Section Post.  
 81.50 Crossed North and South Line.

Land hilly, soil thin; Timber, W. Oak, B. Oak,  
 Hickory, Poplar, Dogwood, &c., with a thick  
 growth of underbrush.

East - Continued Random Line between Secs. 3 & 4.

40.00 Set temporary Quarter Section Post.  
 41.20 A Brook, 10 links wide, runs South.  
 58.25 A Brook, 2 links wide, runs S. 40 W.  
 81.00 Fell 57 links South of Post on Range Line, cor-  
 ner of Sections 3 & 4, T. 7, R. 5.

Land hilly, soil thin; Timber, W. Oak, B. Oak,  
 Hickory, Dogwood, &c.

June 26, 1805.

West From Post on Range Line, corner of Secs. 3 & 4.  
 Corrected the line between Sections 3 & 4. Ran 12.



Township 7, Range 5-7 Ranges.

Chs. Lks.  
 32.37 A W. Oak, 10 inches diameter.  
 40.50 Moved temporary Dr. Sec. Post, and set it at average measure, on true line, from which a Sugar, 12 ins. diam. bears N. 72 W. 2 1/2 links, and a Sugar, 24 ins. diam. bears N. 84 1/2 E. 19 links distant.  
 72.50 A B. Oak, 18 inches diameter.  
 81.00 Fell 69 links South of temporary better Post. Moved it to the center, at intersection of lines, corner of Sections 3, 4, 9, 10; from which a Poplar, 6 ins. diam. bears N. 69 1/2 E. 3 1/2 links, and a Poplar, 9 ins. diam. bears S. 49 W. 14 links distant.  
 Then travelled North between Sections 4 & 10, and moved temporary Dr. Sec. Post, and set it on true line at average measure; from which a Hickory, 8 ins. diam. bears S. 85 E. 4 links, and a Hickory, 10 ins. diam. bears S. 66 W. 25 links distant.  
 Travelled South between Sections 3 & 9, and moved temporary Dr. Sec. Post, and set it on true line at average measure; from which a W. Oak, 14 ins. diam. bears S. 17 E. 18 1/2 links, and a B. Oak, 26 ins. diam. bears N. 63 E. 25 1/2 links distant.  
 West  
 21.38 Corrected the line between Secs. 9 & 10, and moved  
 40.75 Temporary Dr. Sec. Post, and set it on true line at average measure; from which a W. Oak, 10 ins. diam. bears S. 56 W. 1 link, and a W. Oak, 12 ins. diam. bears N. 14 W. 19 links distant.  
 41.07 A W. Oak, 18 inches diameter.  
 59.14 A W. Oak, 12 inches diameter.

Township 7, Range 5-7 Ranges.

Chs. Lks.  
 63.90 A W. Oak, 12 inches diameter.  
 81.50 To Post, corner of Sections 9, 10, 15, 16, T. 7, R. 5.  
 June 10, 1805.  
 From Post, corner of Sections 2, 3, 8, 9, ran South Random Line between Sections 2 & 8.  
 1.10 A Brook, 6 links wide, runs N. 80 W.  
 1.55 Crossed same Brook, running with the line, South 2.05 links, then left it, running S. 60 W.  
 13.80 A Brook, 2 links wide, runs N. 80 W.  
 28.65 A Brook, 3 links wide, runs West.  
 40.60 Set temporary Quarter Section Post.  
 41.40 Touched on a head of the last mentioned brook, on the West side of the line.  
 42.00 Crossed same Brook, running S. 50 E.  
 44.50 Crossed same Brook, 8 links wide, runs S. 15 W.  
 62.00 Crossed same Brook, running S. 10 E.  
 72.50 A Brook, 2 links wide, runs N. 45 W.  
 80.00 Set temporary better Post.  
 Land uneven, soil thin; Timber, W. Oak, Lym, Sugar, Haw, Thorn, and very thick underbrush.  
 South Continued Random Line between Secs 147, T. 7, R. 5.  
 2.10 Captina creek, 30 links wide, runs N. 85 E.  
 3.00 Up a steep bank of rocks.  
 19.75 A Brook, 7 links wide, runs N. 80 E.  
 40.00 Set temporary Quarter Section Post.  
 63.75 A Brook, 10 links wide, runs S. 50 E.  
 81.75 Fell 145 links West of Post on Township Line, corner of Sections 147, T. 7, R. 5.  
 Land hilly and stony; Timber, W. Oak, B. Oak, Gum, Hickory, Dogwood, &c.



Township 7, Range 5-7 Ranges.

June 11, 1805.  
 From Post on Township Line, corner of Secs. 1 & 7. <sup>Var. 31' nearly</sup>  
 Corrected the line between Secs. 1 & 7.  
 North  
 36.70 A W. Oak, 14 inches diameter.  
 40.00 Moved temporary In. Sec. Post to true line.  
 76.50 A W. Oak, 16 inches diameter.  
 81.75 Moved temporary Center Post to true line.  
  
 North continued true line between Secs. 2 & 8.  
 40.00 Moved temporary In. Sec. Post to true line.  
 54.20 A W. Oak, 13 inches diameter.  
 80.00 To Post, corner of Sections 2, 3, 8, 9, T. 7, R. 5.

June 24, 1805.

From Post, corner of Sections 7, 8, 13, 14, ran  
 East Random Line between Sections 7 & 8.  
 20.50 A Brook, 2 links wide, runs S. 10 W.  
 38.50 A Brook, 2 links wide, runs S. 10 E.  
 40.00 Set temporary Quarter Section Post.  
 74.25 A branch of Captina Creek, 40 links wide, runs  
 S. 50 E.  
 76.25 A Brook, main part 4 links wide, and where  
 the line crosses, a Pond 20 links wide, S. 70 E.  
 79.50 A Brook, 8 links wide, runs S. 20 E. - one chain  
 from the bank.  
 81.25 Crossed North and South Line.  
 Land hilly, soil D. rate; Timber, W. & B. Oak, Hick-  
 ory, Sugar, Dogwood, Thome, &c.  
 East continued Random Line between Sections 1 & 2.  
 3.50 Touch on a bend of the above mentioned branch of  
 Captina Creek, South of line.  
 14.10 A Brook, 8 links wide, runs S. 30 W., about 150  
 links from the creek.

Township 7, Range 5-7 Ranges.

25.50 A Brook, 4 links wide, runs S. 50 W., over a fall.  
 40.00 Set temporary Quarter Section Post.  
 47.30 A Brook, 2 links wide, runs S. 15 W.  
 49.70 A Brook, 2 links wide, runs S. 80 W.  
 77.50 A branch of Captina Creek, 30 links wide, runs S. 35 E.  
 81.00 Fell 56 links South of Post on Range Line, corner  
 of Sections 1 & 2, T. 7, R. 5.  
 Land hilly and poor; Timber, W. Oak, B. Oak, and  
 a thick growth of Dogwood & other underbrush.  
  
 From Post on Range Line, corner of Secs. 1 & 2. <sup>Var. 12' nearly</sup>  
 West corrected the line between Sections 1 & 2.  
 19.67 A W. Oak, 18 inches diameter.  
 40.50 Moved temporary In. Sec. Post, and set it on true line,  
 at average measure, from which a W. Oak, 20 ins.  
 diam. bears N. 18 E. 32 links, and a W. Oak, 16 ins.  
 diam. bears S. 72 W. 31 links distant.  
 42.86 A B. Oak, 26 inches diameter.  
 43.46 A B. Oak, 20 inches diameter.  
 69.50 Over a steep precipice of rocks.  
 81.00 Fell 53 links, South of temporary Section Post.  
 Set it in the center, at intersection of the lines,  
 corner to Sections 1, 2, 7, 8; from which a W.  
 Oak, 18 ins. diam. bears N. 21 1/2 E. 10 1/2 links,  
 and a B. Oak, 12 ins. diam. bears S. 64 W.  
 33 links distant.

Then travelled North between Sections 2 & 8,  
 and moved temporary In. Sec. Post, and set  
 it on true line at average measure; from  
 which a W. Oak, 12 ins. diam. bears S.  
 84 1/2 W. 21 links, and a W. Oak, 14 ins.  
 diam. bears S. 9 E. 34 1/2 links distant.



Township 7, Range 5-7 Range

Then travelled South between Sections 17 & 7, and moved temporary Dr. Sec. Post, and set it on true line at average measure, from which a Hickory, 6 ins. diam. bears N. 10 W. 19 1/2 links, and a Hickory, 5 ins. diam. bears S. 51 W. 17 links distant.

West Corrected the line between Secs 7 & 8, & moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 10 ins. diam. bears S. 34 E. 19 1/2 links, and a W. Oak, 16 ins. diam. bears N. 7 W. 50 links distant.

81.25 Do Post, corner of Sections 7, 8, 13, 14, T. 7, R. 5.

June 12, 1805.

From Post on Township line, corner of Secs. 18 & 24.

South Random Line between Secs. 18 & 24.

2.00 A Brook, 6 links wide, runs West.

28.00 A Brook, 2 links wide, runs N. 80 E.

40.00 Set temporary Quarter Section Post.

50.00 A Brook, 2 links wide, runs East.

71.80 A Brook, 2 links wide, runs S. 60 E.

80.00 Temporary Center Post set.

Land level; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

South continued Random Line between Secs. 17 & 23.

38.05 A Brook, 2 links wide, runs S. 80 W.

40.00 Set temporary Quarter Section Post.

42.75 A Brook, 8 links wide, runs S. 20 E.

79.20 Fell 57 links East of Post, corner of Sections 16, 17, 22, 23, T. 7, R. 5.

Land level; Timber, W. & B. Oak, Hickory, Dogwood, &c.

Township 7, Range 5-7 Range

June 14, 1805.

From corner of Sections 16, 17, 22, 23. Run 0.12.

North Corrected the line between Sections 17 & 23.

2.20 A W. Oak, 19 inches diameter.

9.45 A W. Oak, 15 inches diameter.

20.70 A W. Oak, 24 inches diameter.

40.00 Moved temporary Dr. Sec. Post to true line.

45.47 A W. Oak, 15 inches diameter.

76.12 A W. Oak, 12 inches diameter.

80.00 Moved temporary Center Post to true line.

North continued true line between Sections 18 & 24.

.30 A W. Oak, 12 inches diameter.

4.90 A B. Oak, 15 inches diameter.

20.18 A B. Oak, 18 inches diameter.

28.10 A W. Oak, 15 inches diameter.

31.95 A W. Oak, 14 inches diameter.

40.00 Moved temporary Dr. Sec. Post to true line.

49.30 A W. Oak, 13 inches diameter.

77.65 A W. Oak, 18 inches diameter.

79.20 Do Post on Township Line, corner of Secs. 18 & 24.

June 26, 1805.

From Post, corner of Secs. 23, 24, 29, 30, run

East Random Line between Secs. 23 & 24.

17.30 A Brook, 2 links wide, runs S. 10 W.

40.00 Set temporary Quarter Section Post.

60.50 A Spring, runs with line 1 chain, then S. 45 E.

81.60 Crossed North and South Line.

First half mile hilly and poor; last half level and good; Timber, W. & B. Oak, Hickory, Dogwood, &c.

East continued Random Line between Sections 17 & 18.

8.68 A Brook, 2 links wide, runs S. 25 E.



Township 7, Range 5-7 Range.

- 6h. 2h.
  - 9-40 A Brook, 2 links wide, runs S. 30 W.
  - 31-35 A Brook, 2 links wide, runs S. 30 E.
  - 40-00 Set temporary Quarter Section Post.
  - 50-75 Fell 16 links South of Post, corner of Sections 11, 12, 17, 18.
- Land level and good; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

June 27, 1805.

- From Post, corner of Secs. 11, 12, 17, 18, ran
- West Corrected the line between Secs 17 & 18. Ran 0:05 nearly.
  - 1-92 A W. Oak, 18 inches diameter.
  - 35-95 A B. Oak, 14 inches diameter.
  - 40-37 1/2 Moved temporary Dr. Sec. Post, and set it on true line at average measure; from which a gum, 10 ins. diam. bears N. 37 1/2 E. 41 links, and a W. Oak, 11 ins. diam. bears S. 20 1/2 W. 29 1/2 links distant.
  - 71-74 A W. Oak, 12 inches diameter.
  - 80-75 Fell 15 1/2 links North of temporary Center Post. Set it at Center, at intersection of lines, corner to Sections 17, 18, 23, 24; from which a B. Oak, 30 ins. diam. bears S. 84 1/2 W. 37 links, and a W. Oak, 12 ins. diam. bears N. 52 1/2 E. 28 links distant.

Then travelled North between Secs. 18 & 24, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 15 ins. diam. bears S. 77 1/2 W. 31 links, and a W. Oak, 18 ins. diam. bears S. 23 W. 41 links distant.

Township 7, Range 5-7 Range.

- 6h. 2h.
- Then travelled South between Secs. 17 & 23, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 18 ins. diam. bears N. 41 E. 2 links, and a W. Oak, 12 ins. diam. bears S. 48 W. 18 links distant.
- West Corrected the line between Sections 23 & 24.
- 40-80 Moved temporary Dr. Sec. Post, and set it at average measure on true line, from which a W. Oak, 18 ins. diam. bears N. 49 E. 36 links, and a W. Oak, 20 ins. diam. bears S. 2 1/2 E. 15 1/2 links distant.
- 47-55 A W. Oak, 18 inches diameter.
- 81-60 To Post, corner of Sections 23, 24, 29, 30, 27, R. 5.

June 19, 1805.

- From Post, corner of Sections 16, 17, 22, 23, ran
- South Random Line between Sections 16 & 22.
  - 75 A Brook, 15 links wide, runs S. 60 E.
  - 40-00 Set temporary Quarter Section Post.
  - 41-75 A Brook, 3 links wide, runs S. 30 W.
  - 42-20 Same Brook, runs S. 50 E.; very stony banks.
  - 45-40 A Brook, 2 links wide, runs S. 50 W.
  - 46-50 Same Brook, runs S. 30 E.
  - 54-70 Same Brook, runs West.
  - 57-70 A Brook, 20 links wide, runs S. 70 W.
  - 72-60 A Brook, 5 links wide, runs N. 40 E.
  - 80-00 Set temporary Center Post.
- Land uneven, thin and stony; Timber, W. Oak, B. Oak, Dogwood, with much underbrush.
- South continued Random Line between Secs. 15 & 21.
- 22-50 A Brook, 2 links wide, runs East.
  - 23-00 Touched on a bend of the same Brook, on the East side of the line.



Township 7, Range 5-7 Ranges.

6 hrs. 2 hrs.  
 25-10 A Brook, 6 links wide, runs East.  
 40-00 Set temporary Quarter Section Post.  
 81-65 Fell 67 links West of Post, corner of Sections  
 14, 15, 20, 21.  
 Land uneven, thin and stony; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

June 13, 1805.

From Post, corner of Secs. 14, 15, 20, 21. Ran. 14.  
 North Connected the line between Secs. 15 & 21.  
 7-75 A B. Oak, 24 inches diameter.  
 13-87 A B. Oak, 26 inches diameter.  
 36-75 A B. Oak, 30 inches diameter.  
 40-00 Moved temporary Dr. Sec. Post to true line.  
 60-70 A W. Oak, 32 inches diameter.  
 81-65 Moved temporary Center Post to true line.

North Connected the line between Sections 16 & 22.  
 40-00 Moved temporary Dr. Sec. Post to true line.  
 80-00 To Post, corner of Sections 16, 17, 22, 23.

June 25, 1805.

From Post, corner of Secs. 21, 22, 27, 28, ran-  
 East Random Line between Sections 21 & 22.  
 24-50 A Brook, 5 links wide, runs S. 45 E.  
 25-30 A Brook, 2 links wide, S. 30 W.  
 40-00 Set temporary Quarter Section Post.  
 75-80 A Brook, 2 links wide, runs N. 20 E.; Spring  
 1 chain above.  
 80-75 Crossed North and South line.  
 Land level and good; Timber, W. Oak, B. Oak, Chestnut, Hickory, Ash, Sugar, Dogwood, &c.

Township 7, Range 5-7 Ranges.

6 hrs. 2 hrs.  
 East Continued Random Line between Secs. 15 & 16.  
 2-50 A Brook, 2 links wide, runs N. 10 W.  
 15-20 A Brook, 15 links wide, runs S. 20 E.  
 35-70 A Brook, 4 links wide, runs South.  
 40-00 Set temporary Quarter Section Post.  
 45-30 A Brook, 2 links wide, runs S. 10 W.  
 81-20 Fell 54 links South of Post, corner of Sections  
 9, 10, 15, 16, T. 7, R. 5.  
 Land hilly and thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c., with a very thick growth of underbrush, interlocked with Grouse Vines.

June 26, 1805.

From Post, corner of Sections 9, 10, 15, 16. Ran. 11.  
 West Connected the line between Sections 15 & 16.  
 40-60 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 16 ins. diam. bears S. 68 1/2 W. 24 1/2 links, and a W. Oak, 18 ins. diam. bears N. 61 E. 29 1/2 links distant.  
 67-70 A W. Oak, 18 inches diameter.  
 81-20 Fell 68 links South of temporary Center Post; moved it to the Center, at intersection of the lines, corner to Sections 15, 16, 21, 22; from which a W. Oak, 7 ins. diam. bears N. 67 1/2 E. 3 links, and a W. Oak, 14 ins. diam. bears N. 86 1/2 W. 31 1/2 links distant.

Then traveled North between Secs. 16 & 22, & moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 18 ins. diam. bears S. 65 1/2 W. 21 1/2 links; and a W. Oak, 13 ins. diam. bears S. 23 E. 39 1/2 links distant.



Township 7, Range 5-7 Ranges

Then traveled South, between Sections 15 & 21, and moved temporary In. Sec. Post, and set it at average measure on true line; from which a Hickory, 5 ins. diam. bears N. 33 E. 9 links, and a Hickory, 12 ins. diam. bears N. 61 1/2 W. 37 links distant.

West Corrected the line between Sections 21 & 22. Moved temporary In. Sec. Post, and set it at average measure on true line; from which a B. Oak, 20 ins. diam. bears N. 48 1/2 W. 31 links, and a W. Oak, 24 ins. diam. bears S. 54 E. 44 1/2 links distant. To Post, corner of Sections 21, 22, 27, 28.

June 12, 1805.

From Post, corner of Sections 14, 15, 20, 21, ran South Random Line between Sections 14 & 20. 4.25 A Brook, 2 links wide, runs S. 70 W. 40.00 Set temporary Quarter Section Post. 40.40 A Brook, 4 links wide, runs S. 50 W. 52.30 A Brook, 2 links wide, runs West. 73.10 A Brook, 2 links wide, runs S. 70 W. 80.00 Set temporary Center Post. Land poor, hilly and stony; Timber W. Oak, B. Oak, Hickory, Dogwood, &c.

South continued Random Line, between Secs. 13 & 19. 15.20 A Brook, 3 links wide, runs S. 80 W. 27.00 A Brook, 2 links wide, runs N. 50 W. 40.00 Set temporary Quarter Section Post. 40.30 A Brook, 2 links wide, runs W. 75.00 A creek, 35 links wide, runs S. 10 E.; branch of Captiva creek. 80.00 Fell 130 links West of Post on Township

Township 7, Range 5-7 Ranges

Line, corner of Sections 13 & 19, T. 7, R. 5. Land hilly, poor and stony; Timber, W. Oak, Dogwood, Service and Whortleberry.

Jan. 13, 1805.

From Post on Township Line, corner of Secs. 13 & 19.

North Corrected the Line between Sections 13 & 19. 35.70 A W. Oak, 19 inches diameter. 40.00 Moved temporary In. Sec. Post to true line. 58.85 A W. Oak, 18 inches diameter. 73.30 A W. Oak, 17 inches diameter. 80.80 A W. Oak, 15 inches diameter. 81.30 Moved temporary Center Post to true line.

North Corrected the line between Sections 14 & 20. 40.00 Moved temporary In. Sec. Post. to true line. 53.00 A B. Oak, 18 inches diameter. 65.20 A B. Oak, 24 inches diameter. 74.00 A Hickory, 30 inches diameter. 79.50 A B. Oak, 32 inches diameter. 80.00 To Post, corner to Sections 14, 15, 20, 21, T. 7, R. 5.

June 24, 1805.

From Post, corner of Sections 19, 20, 25, 26. East Random Line between Sections 19 & 20. 31.59 A Brook, 6 links wide, runs S. 15 E. 40.00 Set temporary Quarter Section Post. 72.75 A Brook, 12 links wide, runs S. 10 E. 81.00 Crossed North & South Line. Land hilly, soil thin; Timber, W. Oak, B. Oak, with very thick growths of small W. Oak, B. Oak, Dogwood, and Hickory saplings.



Township 7, Range 5-7 Ranges

East  
 16.50 Continued Random Line between Secs. 13 & 14.  
 A Brook, 3 links wide, runs S. 20 W.  
 55.00 A Spring 40 links north of line, runs eastwardly.  
 60.50 Crossed the brook of the last mentioned Spring, 3  
 links wide, runs S. 40 E.  
 67.00 Crossed the same Brook, 4 links wide, runs N. 30 E.  
 81.00 Fell 137 links South of Post, corner of Sections  
 7, 8, 13, 14, T. 7, R. 5.  
 Land uneven; Timber, W. Oak, B. Oak, Hickory,  
 and a thick growth of W. Oak, B. Oak, Hick-  
 ory, Dogwood and Maple saplings.

June 24, 1805.

From Post, corner of Secs. 7, 8, 13, 14. Van. 28'.  
 West Corrected the line between Sections 13 & 14.  
 36.85 A Hickory, 14 inches diameter.  
 40.50 Moved temporary Tr. Sec. Post, and set it at av-  
 erage measure on true line; from which a  
 W. Oak, 22 ins. diam. bears S. 82 1/2 E. 15 Ws.,  
 and a W. Oak, 8 ins. diam. bears S. 75 1/2 W.  
 48 links distant.  
 78.30 A W. Oak, 16 inches diameter.  
 81.00 Fell 108 links South of temporary Center Post.  
 Moved it to the center, at intersection of lines,  
 corner to Sections 13, 14, 19, 20; from which  
 a Gum, 10 ins. diam. bears N. 77 W. 6 links,  
 and a W. Oak, 16 ins. diam. bears S. 34 1/2 E.  
 44 links distant.

Then traveled North between Sections 14 & 20, &  
 moved temporary Tr. Sec. Post, and set it at av-  
 erage measure on true line; from which a Hickory,  
 14 ins. diam. bears S. 10 1/2 W. 16 links, and a Hick-  
 ory, 14 ins. diam. bears S. 82 1/2 E. 16 1/2 Ws. distant.

Township 7, Range 5-7 Ranges.

6 hrs. 1/2  
 Traveled South between Sections 13 & 19, and moved  
 temporary Tr. Sec. Post, and set it at average  
 measure on true line; from which a Hickory,  
 10 ins. diam. bears N. 36 1/2 E. 19 links, and a  
 W. Oak, 16 ins. diam. bears N. 72 W. 26 links  
 distant.  
 West Corrected the line between Sections 19 & 20,  
 40.50 Moved temporary Tr. Sec. Post, and set it at av-  
 erage measure on true line; from which a W.  
 Oak, 15 ins. diam. bears S. 42 W. 26 links, and  
 a W. Oak, 12 ins. diam. bears N. 2 W. 47 links  
 distant.  
 81.00 To Post, corner of Sections 19, 20, 25, 26.

June 20, 1805.

From Post, on Township Line, corner of Secs. 30 & 36.  
 South Random Line between Sections 30 & 36.  
 7.15 A Brook, 3 links wide, runs S. 75 W. - Springy about  
 3 chains above.  
 12.80 A Brook, 3 links wide, runs S. 10 W. and emp-  
 ties itself into a larger one, 20 links below.  
 14.50 A Brook, 10 links wide, runs S. 50 W.  
 18.00 A Brook, 3 links wide, runs N. 50 E. - The spring near.  
 30.20 A Brook, 2 links wide, runs N. 70 E.  
 38.00 Set temporary Quarter Section Post.  
 57.70 A Brook, 3 links wide, runs S. 80 E.  
 64.60 A Brook, 2 links wide, runs N. 20 E.  
 78.00 Set temporary Center Post.  
 First half mile very rich land; Timber,  
 Lym, Walnut, Sugar, Spice, &c. Last  
 half mile hilly thin land; Timber, W. Oak,  
 B. Oak, Beech, Dogwood.



Township 7, Range 5-7 Ranges.

Chs. Lks.  
 South Continued Random Line between Secs. 29 & 35.  
 25.50 A Brook, 2 links wide, runs S. 25 W.  
 26.50 A Brook, 2 links wide, runs S. 70 W.  
 31.60 A Brook, 2 links wide, runs N. 80 W.  
 40.00 Set temporary Quarter Section Post.  
 73.60 A Brook, 6 links wide, runs N. 70 W.  
 81.75 Fell 136 links West of Post, corner of Sections  
 28, 29, 34, 35, T. 7, R. 5.  
 Land hilly, soil good; Timber, W. Oak, B. Oak, Sugar,  
 Dogwood, &c.

June 21, 1805.

From Post, corner of Sections 28, 29, 34, 35  
 North Connected the line between Secs. 29 & 35. Run. 29' nearly  
 13.10 A B. Oak, 28 inches diameter.  
 15.05 A W. Oak, 18 inches diameter.  
 36.54 A W. Oak, 36 inches diameter.  
 37.86 A W. Oak, 12 inches diameter.  
 40.00 Moved temporary In Sec. Post to true line.  
 68.14 A W. Oak, 18 inches diameter.  
 80.00 Moved temporary Center Post to true line.

North Connected the line between Sections 30 & 36.  
 2.11 A B. Oak, 16 inches diameter  
 7.35 A B. Oak, 24 inches diameter.  
 28.30 A Chestnut, 22 inches diameter.  
 40.00 Moved temporary In Sec. Post to true line  
 75.45 A W. Oak, 19 inches diameter.  
 76.60 A Hickory, 18 inches diameter.  
 79.75 To Post on Township line, corner of Secs. 35 & 36.

June 26, 1805.

From Post on Range Line, corner of Secs. 35 & 36.  
 East Random Line between Sections 35 & 36.

Township 7, Range 5-7 Ranges.

Chs. Lks.  
 22.50 A Brook, 15 links wide, runs N. 20 W.  
 23.25 A Brook, 5 links wide, runs N. 60 W. - Spring  
 2 chains above.  
 35.50 Set temporary Quarter Section Post.  
 61.10 A Brook, 2 links wide, runs South.  
 72.00 Crossed North and South Line.  
 Land very hilly, soil good; Timber, W. Oak, B. Oak,  
 Hickory, Sugar, Ash, Dogwood.

East Continued Random Line, between Sections 29 & 30.  
 29.25 Crossed a Spring head, running N. 45 W.  
 30.70 A Brook, 10 links wide, runs N. 30 W.; then up a  
 steep bank.  
 40.00 Set temporary Quarter Section Post.  
 44.70 A Brook, 2 links wide, runs S. 15 E.  
 69.40 A Brook, 2 links wide, runs N. 60 E.  
 77.25 A Brook, 5 links wide, runs N. 10 W.  
 81.50 Fell 119 links South of Post, corner of Sections  
 23, 24, 29, 30, T. 7, R. 5.  
 Land very hilly, stony and thin; Timber, W. Oak,  
 B. Oak, Dogwood, &c.

June 27, 1805.

From Post, corner of Sections 23, 24, 29, 30 -  
 West Connected the line between Secs. 29 & 30. Run. 26'.  
 5.30 A W. Oak, 42 inches diameter  
 26.75 A forked Chestnut, 48 inches diameter.  
 40.75 Moved temporary In Sec. Post, and set it at an  
 average measure on true line; from which a W.  
 Oak, 12 ins. diam. bears S. 13 W. 5/8 W. and  
 a Hickory, 10 ins. diam. bears N. 30 W. 8/8  
 links distant.  
 59.75 Over a large rock.  
 81.50 Fell 155 links North of temporary center



Township 7, Range 5-7 Ranges

64. 2 1/2  
Post. Set in the Center, at intersection of lines, corner to Sections 29, 30, 35, 36; from which a Hickory, 11 ins. diam. bears N. 72 1/2 E. 1 7/8 links, and a W. Oak, 10 ins. diam. bears S. 46 1/2 W. 4 2/3 links distant.

Then traveled North, between Sections 30 & 36, and moved temporary In Sec. Post, and set it at average measure on true line, from which a W. Oak, 24 ins. diam. bears N. 77 W. 14 links, and a Hickory, 12 ins. diam. bears S. 70 E. 6 1/2 links distant.

Traveled South between Sections 29 & 35, and moved temporary In Sec. Post to average measure on true line; from which a B. Oak, 17 ins. diam. bears N. 40 W. 9 1/2 links, and a B. Oak, 17 ins. diam. bears S. 85 1/2 E. 11 1/2 links distant.

West Connected the line between Sections 35 & 36.  
81 A B. Oak, 22 inches diameter.  
36.00 Moved temporary In Sec. Post, and set it at average measure on true line; from which a W. Oak, 20 ins. diam. bears S. 35 E. 10 links, and a W. Oak, 22 ins. diam. bears N. 2 1/2 W. 31 1/2 links distant.

53.10 A Walnut, 16 inches diameter.  
72.00 To Post on Range line, corner of Secs. 35 & 36

June 20, 1805.

From Post, corner of Sections 28, 29, 34, 35, ran South Random Line between Sections 28 & 34.  
40.00 Set temporary Quarter Section Post.

Township 7, Range 5-7 Ranges

64. 2 1/2  
59.00 A Brook, 2 links wide, runs S. 7.0 E.  
78.30 A Brook, 2 links wide, runs S. 40 E.  
80.00 Set temporary Center Post.  
Land uneven, first half mile soil good; last half poor and stony; Timber, W. Oak, B. Oak, Sugar, Beech, Chestnut, Dogwood, &c.

South Continued Random line between Sections 27 & 33.  
15.60 A Brook, 2 links wide, runs S. 80 E.  
40.00 Set temporary Quarter Section Post.  
49.60 A Brook, 2 links wide, runs S. 75 E.  
77.30 A Brook, 3 links wide, runs S. 30 E.  
79.10 A Brook, 2 links wide, runs N. 80 E.  
82.00 Fell 60 links West of Post, corner of Sections 26, 27, 32, 33.  
Land uneven, poor and brushy; Timber, W. Oak, Maple, Gum, Dogwood, &c.

June 21, 1805.

From <sup>Post</sup> corner of Sections 26, 27, 32, 33 -  
North Connected the line between Secs. 27 & 33. Var. 13' nearly.  
12.66 A W. Oak, 13 inches diameter.  
40.00 Moved temporary In Sec. Post to true line.  
77.95 A W. Oak, 19 inches diameter.  
81.00 Moved temporary Center Post, and set it at average measure on true line.

North Continued true line between Sections 28 & 34.  
3.95 A W. Oak, 14 inches diameter.  
41.00 Moved temporary In Sec. Post to true line.  
55.19 A B. Oak, 18 inches diameter.  
69.20 A Sugar, 12 inches diameter.  
81.00 To Post, corner to Sections 28, 29, 34, 35.



June 25, 1805.

From Post on Range Line, corner of Secs. 33 & 34.  
 Rainbow Line between Sections 33 & 34.  
 East  
 4-40 A Brook, 8 links wide, runs S. 30 E.  
 20-60 A Brook, 4 links wide, runs S. 15 W.  
 35-00 Set temporary Quarter Section Post.  
 44-90 A Brook, 2 links wide, runs S. 10 E.  
 71-00 Crossed North and South Line.  
 Land uneven and poor; Timber, W. Oak, B. Oak,  
 Gum, Dogwood, &c. with a thick growth of  
 underbrush.

Continued Rainbow Line between Sections 27 & 28.  
 East  
 1-70 A Brook, 2 links wide, runs S. 30 E.  
 21-10 A Brook, 4 links wide, runs S. 15 E.  
 24-30 A Brook, 2 links wide, runs S. 60 W.; Spring 150  
 links above.  
 40-00 Set temporary Quarter Section Post.  
 46-10 A Brook, 6 links wide, runs S. 10 W.  
 49-10 A Brook, 2 links wide, runs S. 70 W.  
 81-20 Fell 115 links South of Post, corner of Sections  
 21, 22, 27, 28.  
 Land uneven and poor; Timber, W. Oak, B. Oak,  
 Hickory, Dogwood, &c. with a very thick growth  
 of underbrush.

June 26, 1805.

From Post, corner of Sections 21, 22, 27, 28 -  
 West  
 Corrected the line between Secs. 27 & 28. Var. 26' nearly  
 1-06 A W. Oak, 20 inches diameter.  
 24-00 A Chestnut, 18 inches diameter.  
 31-75 A Double Maple, 24 inches diameter.  
 40-60 Moved temporary Quarter Section Post, and set  
 it at average measure on true line; from

which a W. Oak, 12 ins. diam. bears S.  
 79 W. 8 links, and a Sugar, 7 ins. diam. bears  
 N. 63 E. 20 1/2 links distant.  
 81-20 Fell 15 links North of temporary Center Post.  
 Moved it to Center, at intersection of lines,  
 for corner of Sections 27, 28, 33, 34; from  
 which a W. Oak, 12 ins. diam. bears N.  
 81 1/2 W. 34 1/2 links, and a W. Oak, 12 ins. diam.  
 bears S. 60 E. 56 links distant.

Then traveled North between Sections 28 & 34, &  
 moved temporary In. Sec. Post, and set it  
 at average measure on true line; from which  
 a B. Oak, 20 ins. diam. bears S. 62 1/2 E. 33  
 links, and a B. Oak, 20 ins. diam. bears  
 S. 85 W. 41 links distant.

Then traveled South between Sections 27 & 33,  
 and moved temporary In. Sec. Post, and set  
 it at average measure on true line; from  
 which a Hickory, 9 ins. diam. bears N. 37  
 E. 15 links, and a Hickory, 5 ins. diam. bears  
 S. 85 E. 24 links distant.

West  
 Corrected the line between Sections 33 & 34.  
 35-50 Moved temporary In. Sec. Post, and set it at average  
 measure, on true line; from which a W. Oak, 7  
 ins. diam. bears N. 55 E. 15 1/2 links, and a Hick-  
 ory, 6 ins. diam. bears S. 72 W. 10 1/2 links  
 distant.  
 71-00 To Post on Range Line, corner of Secs. 33 & 34.

June 20, 1805.

From Post, corner of Sections 26, 27, 32, 33, ran-



Township 7, Range 5-7 Ranges.

40.00 - Set temporary Quarter Section Post  
58.50 - A Brook, 2 links wide, runs S. 45 W.

6 hrs. Lks.  
 South Random Line between Sections 26 & 32.  
 18.50 A Brook, 3 links wide, runs S. 50 E.  
 32.10 A Brook, 2 links wide, runs S. 60 E.  
 33.30 A Brook, 12 links wide, runs S. 50 W.  
 40.00 Set temporary Quarter Section Post.  
 64.50 A Brook, 4 links wide, runs S. 50 W.  
 80.00 Set temporary Center Post.  
 Land hilly, poor and stony; Timber, W. Oak,  
 Hickory, Gum, Dogwood, and very thick  
 growth of underbrush.

South Continued Random Line between Secs. 25 & 31.  
 19.00 A Brook, 4 links wide, runs S. 10 W.  
 25.00 A Slick about 2 chains West of the line.  
 26.50 A Brook, 2 links wide, runs S. 80 W.  
 72.50 A Branch of Captina Creek, 40 links wide,  
 runs S. 50 E.  
 82.00 Fell 100 links West of the Post on the Town-  
 ship line, corner of Sections 25 & 31.  
 Land poor and hilly, also very brushy and  
 stony; Timber, W. & B. Oak, Dogwood, Beech, &c.

North Connected the line between Sections 25 & 31, from  
 Post on Township Line, corner of Secs. 25 & 31.  
 2.10 A W. Oak, 16 inches diameter. [Var. 21' nearly.]  
 30.00 A W. Oak, 16 inches diameter.  
 40.00 Moved temporary Qr. Sec. Post to true line.  
 81.00 Moved temporary Center Post to true line,  
 and set it at the average measure.

North Connected the line between Sections 26 & 32.  
 41.00 Moved temporary In. Sec. Post to true line  
 42.40 A W. Oak, 18 inches diameter.  
 63.55 A Hickory, 11 inches diameter.

Township 7, Range 5-7 Ranges.

6 hrs. Lks.  
 81.00 To Post, corner of Sections 26, 27, 32, 33, & 7, R. 5.  
 June 22, 1805  
 From Post on Range Line, corner of Secs. 31 & 32  
 East Random Line between Sections 31 & 32.  
 17.90 A Brook, 2 links wide, runs S. 30 E.  
 35.00 Set temporary Quarter Section Post.  
 36.65 A Brook, 2 links wide, runs N. 20 E.  
 54.00 A branch of Captina Creek, 30 links wide, runs  
 S. 10 W. - at a ripple.  
 70.50 Crossed North and South Line.  
 Land hilly and poor, and in places stony; Tim-  
 ber, W. Oak, B. Oak, Dogwood, &c.

East Continued Random Line between Sections 25 & 26.  
 4.00 A Brook, 2 links wide, runs S. 20 E. - Spring  
 50 links above.  
 6.08 A Brook, 2 links wide, runs South - Spring 1  
 chain above.  
 11.50 A Brook, 2 links wide, runs S. 80 W.  
 30.00 A Brook, 2 links wide, runs S. 30 E.  
 35.00 Over several large rocks, near the top of a hill.  
 40.00 Set temporary Quarter Section Post.  
 52.00 A Brook, 2 links wide, runs S. 45 E.  
 62.00 A Brook, 12 links wide, runs South.  
 80.50 Fell 132 links South of Post, corner of Sec-  
 tions 19, 20, 25, 26, & 7, R. 5.  
 Land very hilly, stony and poor; Timber,  
 W. & B. Oak, Hickory, and very thick with  
 underbrush.

From Post, corner of Sections 19, 20, 25, 26 -  
 West Connected the line between Sections 25 & 26.  
 6.00 A B. Oak, 12 inches diameter.



Township 7, Range 5-7 Ranges.

- 40.25 Moved temporary Quarter Section Post, and set it at average measure on true line; from which a W. Oak, 16 ins. diam. bears S. 35 $\frac{1}{2}$  E. 26 links, and a W. Oak, 16 ins. diam. bears N. 8 $\frac{1}{2}$  W. 33 links distant.
- 63.85 A W. Oak, 20 inches diameter.
- 77.45 A W. Oak, 15 inches diameter.
- 80.50 Fell 9 links South of temporary Quarter Post. Set it at the center, at intersection of line, corner to Sections 25, 26, 31, 32; from which a W. Oak, 24 ins. diam. bears N. 11 $\frac{1}{2}$  W. 12 links, and a Poplar, 12 ins. diam. bears S. 28 $\frac{1}{2}$  E. 69 $\frac{1}{2}$  links distant.
- Then traveled North between Sections 26 & 32, and moved temporary Quarter Section Post; set it at average measure on true line; from which a W. Oak, 20 ins. diam. bears S. 33 W. 10 $\frac{1}{2}$  links, and a Hickory, 9 ins. diam. bears N. 26 W. 44 links distant.
- Then traveled South between Sections 25 & 31, and moved temporary Quarter Section Post. Set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 71 $\frac{1}{2}$  W. 17 links, and a W. Oak, 8 ins. diam. bears N. 23 W. 14 links distant.
- West Corrected the line between Sections 31 & 32.
- 12.23 A forked W. Oak, 24 inches diameter.
- 28.95 A W. Oak, 18 inches diameter.
- 35.25 Moved temporary Quarter Section Post. Set it at average measure on true line; from which a W. Oak, 22 ins. diam. bears N.

Township 7, Range 5-7 Ranges.

- 53 $\frac{1}{2}$  E. 33 links, and a W. Oak, 20 ins. diam. bears S. 58 W. 35 links distant.
- 55.88 A Hickory, 11 inches diameter.
- 70.50 To Post on Range Line, corner of Sections 31 & 32, T. 7, R. 5.

Surveyed in June, 1805, by  
Benjamin Hough,  
Deputy Surveyor.