

Township 8, Range 4-7 Ranges.

Chs. Lks.

x x x x x x x x x

East Boundary

x x x x x x x
 Set Post, [corner to Sections 3 & 4], from which
 a W. Oak, 12 ins. diam. bears N. 1° 08' E. 11 1/2
 links, and a W. Oak, 22 ins. diam. bears S. 82° 16'
 W. 20 links distant.

The first 30 chs., and from 50 chs. to end of the mile,
 a thin soil, but would produce good crops of
 wheat, timbered with Oak, and Hickory. From
 30 to 50 chs., the land rich, equal to the pro-
 duction of any thing requiring a fertile soil,
 shaded with the various kinds of Oak, Hick-
 ory, Sugar, W. Walnut, Beech, and Cherry.

South 4th Mile [East side of Section 3.]

21.64 A Red Oak, 16 inches diameter.

38.02 A W. Oak, 17 inches diameter.

50.20 A Stream, 40 links wide, runs S. 20° E. Here is a
 bottom, 10 chs. & 40 lks. wide, suitable for grass or
 cultivation, timbered with Oak, B. & W. Walnut,
 Sugar, Cherry, Lyum, Elm, Ironwood, B. & W. Hard.
 There is a good mill seat on this branch, 5
 links on the right, where the water falls 5
 feet perpendicular.

52.21 A W. Oak, 11 inches diameter.

70.96 A W. Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 2 & 3], from which a
 W. Oak, 20 ins. diam. bears N. 81° 50' W. 10 1/2 links,
 and a Cherry, 16 ins. diam. bears N. 12° 12' E. 5 1/2
 links distant.

The last 30 chs. the soil is equal to the cultivation of Indian
 corn, tobacco, hemp; timbered with Oak, Hickory, Cherry, White
 Walnut, Locust, Mulberry, Elm, &c.

Township 8, Range 4-7 Ranges.

chs. Lhs.
 South 5th Mile [East side of Section 2.]
 7.91 A W. Oak, 31 inches diameter.
 31.08 A Red Oak, 60 inches diameter.
 45.53 An Elm, 24 inches diameter. [Distance perhaps 48.53.]
 80.00 Set Post, [corner to Sections 1 & 2,] from which a
 a W. Ash, 60 ins. diam. bears N. 64 W. 11 1/4 lbs,
 and a Sugar, 15 ins. diam. bears S. 28 E. 27 1/2
 links distant.
 This mile passes over rich hills, which may
 be easily cultivated, timbered with B. & W.
 Walnut, Maple, Cherry, Sugar, Elm, Ash, Hawth.

South 6th Mile [East side of Section 1.]
 18.97 A W. Oak, 18 inches diameter.
 33.49 A Red Oak, 15 inches diameter.
 53.08 A W. Oak, 30 inches diameter.
 79.48 Intersected the South Boundary line of this (8th)
 Township, 2 chs. 42 lbs. West of the 6th Mile
 Post thereon, [at which intersection set Post,
 South East corner of Township 8,] from which
 a Hickory, — ins. diam. bears N. 56 1/2 E. 11 1/4 lbs,
 and a Red Oak, 16 ins. diam. bears S. 83 1/4 W.
 31 1/2 links distant.

The first 24 chs. 30 lbs. the soil and timber is of
 the same quality with that described in the
 preceding mile. Here the line entered a
 rich bottom, excellent for meadow or til-
 lage; shaded with B. Oak, W. Walnut,
 Elm, Ironwood, Ash, Buckeye and Cher-
 ry. From 52 chains to the close of
 the mile, the land is good, and answer-
 able to the production of indian corn;
 timbered with Maple, Hickory, Oak, &c.

Township 8, Range 4-7 Ranges.

West Boundary.

+ + + + +
 Set Post, [corner to Sections 33 & 34,] from which
 a W. Oak, 20 ins. diam. bears S. 24 E. 16 links,
 and a B. Oak, 18 ins. diam. bears N. 62 1/2 E.
 28 links distant.

This mile is excellent land, suitable for tobacco,
 hemp, flax, or grass, wheat or other grain;
 timbered with W. & B. Oak and Hickory; but lit-
 tle underwood, plenty of pea vine, new weed
 and other weeds.

South 4th Mile [West side of Section 33.]
 14.24 A B. Oak, 24 inches diameter.
 17.87 A Hickory, 24 inches diameter.
 54.48 A W. Oak, 36 inches diameter.
 61.33 A W. Oak, 54 inches diameter.
 80.00 To the trunk of a W. Oak tree, 48 ins. diam.
 broken off 30 feet from the ground, [which
 stands for corner of sections 32 & 33,] from
 which a W. Oak, — ins. diam. bears N. 41 1/2
 W. 53 links, and a W. Oak, 14 ins. diam.
 bears S. 48 W. 73 links distant.

This mile is of a quality similar to preceding;
 land good, and not too uneven for improvement,
 timbered with lofty Oak, Hickory, &c.

South 5th Mile [West side of Section 32.]
 15.48 A W. Oak, 30 inches diameter.
 34.10 A W. Oak, 13 inches diameter.
 54.20 A Brook, 10 yard wide, running East, with wa-
 ter sufficient to supply a mill.
 57.12 A Hickory, 14 inches diameter.
 80.00 Set Post, [corner to Sections 31 & 32,] from which

Township 8, Range 4-7 Ranges.

Chs. Lks.

a B. Oak, 20 ins. diam. bears N. 28 1/2 W. 30 1/2 links, and a W. Oak, 14 ins. diam. bears S. 70 1/2 E. 33 1/2 links distant.

The whole of this rule is good land for indian corn, grass, wheat, or any other grain, sufficiently level for improvement, well timbered with Oak, Hickory, Dogwood, &c.

South 0th Mile - [West side of Section 31.]

28.37 A W. Oak, 14 inches diameter.

54.56 A W. Oak, 14 inches diameter.

70.89 A W. Oak, 18 inches diameter.

80.00 Set Post

from which a W. Oak, - ins. diam. bears S. 28 1/2 E. 16 1/2 links, and a W. Oak, 17 ins. diam. bears N. 26 1/2 W. 34 links distant.

The land in this rule is similar to the last described, timbered with Oak and Hickory.

South Boundary.

East 1st Mile, [South side of Section 31.]
25.12 A B. Oak, 50 inches diameter.

41.32 A W. Oak, 24 inches diameter.

48.47 A W. Oak, 47 inches diameter.

61.95 A W. Oak, 13 inches diameter.

80.00 Set Post, [corner to Sections 25 & 31.] from which a W. Oak, 16 ins. diam. bears N. 21 1/2 E. 39 links, and a W. Oak, 15 ins. diam. bears N. 75 E. 52 links distant.

The land in this rule is made up of gentle inequalities, and would produce wheat, corn, rye, Oats, &c. The whole of it is suitable for cultivation, timbered with Oak, &c. Near the center of this rule is a Brook, 3 yards wide,

Township 8, Range 4-7 Ranges.

Chs. Lks.

running South, on the margin of which is a rich bottom, suitable for meadow.

East 2^d Mile - [South side of Section 25.]

18.18 A W. Oak, 20 inches diameter.

21.61 A Hickory, 10 inches diameter.

40.03 A W. Oak, 12 inches diameter.

63.78 A W. Oak, 20 inches diameter.

75.00 A B. Oak, 16 inches diameter.

80.00 Set Post, [corner to Sections 19 & 25.] from which a W. Oak, 24 ins. diam. bears S. 52 E. 3 links, and a W. Oak, 20 ins. diam. bears N. 87 1/2 W. 32 links distant.

The land on this rule is similar to the last, timbered with Oak, Hickory, White Walnut, Elm, Cherry, &c.

East 3^d Mile - [South side of Section 19.]

8.18 A W. Oak, 15 inches diameter.

21.52 A Cherry, 13 inches diameter.

27.50 A Stream, 15 yards wide, runs S. 10 W. - called the North Fork of Wheeling Creek; a good mill seat, there being plenty of water to supply a mill through the season.

52.00 Wheeling Creek, 18 yards wide, runs North

70.00 A W. Oak, 13 inches diameter.

80.00 Set Post, [corner to Sections 13 & 19.] from which a W. Oak, 15 ins. diam. bears S. 10 1/2 W. 22 links, and a W. Oak, 22 ins. diam. bears N. 31 W. 34 links distant.

The land of this rule is very good, capable of cultivation, and is interspersed with rich bottoms, suitable for meadow, well watered by the creek. The upland will produce

Township 8, Range 4-7 Ranges.

Chs. Ls.
wheat, rye, indian corn, oats, &c.; timbered
with Oak, Sugar, Cherry, Ironwood, Elm, &c.

East 4th Mile - [South side of Section 13.]
13.00 Wheeling creek, 21 yards wide.
24.00 A Hickory, 13 inches diameter.
37.85 A B. Oak, 30 inches diameter.
62.52 A W. Oak, 24 inches diameter.
68.61 A W. Oak, 30 inches diameter.
80.00 Set Post, [corner to Sections 7 & 13,] from which
a W. Oak, 18 ins. diam. bears S. 45° E. 7 1/2 lbs,
and a W. Oak, 22 ins. diam. bears N. 67° E.
30 1/2 links distant.
The land of this mile is similar to the last,
in point of soil and timber.

East 5th Mile - [South side of Section 7.]
14.88 A W. Oak, 24 inches diameter.
20.50 A Brook, 10 yards wide, runs N. 20° E.; water suf-
ficient to carry a mill at some seasons of the year.
25.33 A W. Oak, 20 inches diameter.
51.91 A W. Oak, 14 inches diameter.
71.18 A W. Oak, 30 inches diameter.
80.00 Set Post, [corner to Sections 1 & 7,] from which
a Red Oak, 20 ins. diam. bears S. 67 1/4° E. 39
links, and a W. Oak, 18 ins. diam. bears N.
20 1/4° W. 42 links distant.
The land on this mile is generally good, the
most of it fit for cultivation; Timber, W.
413. Oak, Hickory, Elm, Cherry, Sugar, Beech,
Dogwood, &c.

East 6th Mile - [South side of Section 1.]
8.98 A Cherry, 14 inches diameter.

Township 8, Range 4-7 Ranges.

Chs. Ls.
28.04 A W. Oak, 24 inches diameter.
38.61 A Cherry, 14 inches diameter.
60.26 A W. Oak, 12 inches diameter.
71.80 A Sugar, 14 inches diameter.
[77.58] At this distance the South Boundary is intersected
by the East Boundary of this Township, where is a
Post set for the South East corner of the Township;
from which a Hickory, - ins. diam. bears N.
56 1/4° E. 11 1/2 links, and a Red Oak, 16 ins. diam.
bears S. 83 1/4° W. 31 1/2 links distant.]
80.00 Set corner at end of 6th mile, at which a Su-
gar, 12 ins. diam. is the corner; and from
which a W. Oak, 24 ins. diam. bears S. 55 1/2°
W. 37 links, and a W. Walnut, 14 ins. diam.
bears S. 37 1/2° E. 45 links distant.
This mile is good land for grass, and for wheat
or any other grain. Wheeling creek crosses
it twice, on which are a number of good
mill seats.

Surveyed in 1786, by
E. Sproat,
Surveyor from Rhode Island.

Township 8, Range 4-7 Ranges.

Chs. Lks.

September 12th, 1800.

Bearing Trees at the beginning of this Township, a B. Oak, 12 ins. diam. bears S. 50 $\frac{1}{2}$ E. 31 links, and a W. Oak, 8 ins. diam. bears N. 23 $\frac{1}{2}$ W. 6 links distant. Trees marked by plan.

Beginning at the South East corner of Section No. 1, in 8th Township of the 4th Range. On the East Boundary of Section 1.

- 7-71 A Sugar tree, 15 inches diameter.
 - 27-00 Wheeling creek, 100 links wide, and down the same 1300 links, crossing the same, then runs N. 30 E.
 - 41-50 A Hickory, 11 inches diameter.
 - 51-40 A Hickory, 12 inches diameter.
 - 62-50 A B. Walnut, 20 inches diameter.
 - 63-91 A Sugar tree, 10 inches diameter.
 - 64-47 A B. Walnut, 14 inches diameter.
 - 80-00 1 Mile Post, corner to Sections 1 & 2; from which a Hickory, 14 ins. diam. bears N. 84 $\frac{1}{2}$ W. 5 links, and a Sugar tree, 7 ins. diam. bears S. 33 E. 10 $\frac{1}{2}$ links distant. Trees marked by plan.
- Over hilly rich land; Timber, Sugar tree, Walnut, Oak, Hackberry, &c.

North Continued, on East Boundary of Section 2.

- 6-58 A W. Walnut, 12 inches diameter.
- 11-50 A Brook, 3 links wide, E.
- 28-50 A Brook, 5 links, E.
- 31-22 A Spanish Oak, 50 inches diameter.
- 34-85 An Elm, 18 inches diameter.
- 40-78 A Hickory, 15 inches diameter.
- 49-74 A Span. Oak, 15 inches diameter.
- 61-00 A Brook, 5 links, E.

Township 8, Range 4-7 Ranges.

Chs. Lks.

- 73-16 A W. Oak, 42 inches diameter.
 - 79-25 A Brook, 3 links, E.
 - 80-00 2 Mile Post, by the West side of a Brook, 25 links wide, course S. 15 E., corner to Sections 2 & 3; from which an Elm, 8 ins. diam. bears S. 10 E. 17 links, and an Elm, 6 ins. diam. bears N. 46 W. 16 links distant. Trees marked by plan.
- Over rich hilly land; Timber, Sugar tree, Walnut, Beech, Hackberry, &c.

North Continued, on East Boundary of Section 3.

- 9-87 A W. Oak, 13 inches diameter.
 - 13-00 A Brook, 15 links, S. 20 E.
 - 17-50 A Brook, 15 links, S. 20 W.
 - 18-95 A W. Oak, 10 inches diameter.
 - 29-04 A W. Oak, 12 inches diameter.
 - 31-00 A Brook, 15 links, S. 20 E.; runs rapidly.
 - 43-20 A W. Oak, 13 inches diameter.
 - 60-37 A B. Oak, 13 inches diameter.
 - 77-50 A Brook, 10 links, S. 20 W.
 - 80-00 3 Mile Post, corner to Sections 3 & 4; from which a W. Oak, 14 ins. diam. bears N. 12 E. 27 links, and a Sugar tree, 10 ins. diam. bears S. 31 $\frac{1}{2}$ W. 30 links distant. Trees marked by plan.
- Over hilly land, thin soil; Timber, Oak; undergrowth, Ironwood, Dogwood, Beech, &c.

Repaired to the S. E. corner of Section 1.

West On the South Boundary of Section 1.

- 11-00 Wheeling creek, 100 links wide, course N.
- 15-37 A Span. Oak, 23 inches diameter.
- 17-72 A W. Oak, 14 inches diameter.
- 30-00 Wheeling Creek, 100 links, S. 70 E.

Township 8, Range 4-7 Ranges.

Chs. Lks.	
39.61	A Cherry, 14 inches diameter.
45.81	A Sugar tree, 9 inches diameter.
48.61	A W. Oak, 16 inches diameter.
65.50	A Brook, 4 links, N.
69.81	A Cherry, 13 inches diameter.
77.00	A W. Oak, 12 inches diameter.
80.00	Post, corner to Sections 1 & 7; from which a W. Oak, 13 ins. diam. bears N. 28 W. 25 1/2 links, and a W. Oak, 30 ins. diam. bears S. E. 19 1/2 links distant. Trees marked by plan. Over broken land, soil of a middle quality; Timber, Oak, and Hickory; Creek Bottom muddling good.
West	Continued, on South Boundary of Section 7.
7.40	A W. Oak, 31 inches diameter.
23.41	A W. Oak, 11 inches diameter.
26.41	A W. Oak, 11 inches diameter.
46.22	A W. Oak, 16 inches diameter.
55.00	A Spring, N.
58.50	A Brook, 25 links, N. 45 E.
64.87	A W. Oak, 17 inches diameter.
75.05	A W. Oak, 15 inches diameter.
80.00	Post, corner to Sections 7 & 13; from which a W. Oak, 9 ins. diam. bears N. 30 1/2 W. 30 links, and a Lym, 9 ins. diam. bears S. 42 1/2 E. 51 links distant. Trees marked by plan. Over tolerable good Oak land.
North	Between Sections 7 & 13.
3.36	A W. Oak, 13 inches diameter.
23.25	Whisking creek, 80 links, E.
32.92	A W. Oak, 16 inches diameter.
37.34	A W. Oak, 14 inches diameter.

Township 8, Range 4-7 Ranges.

Chs. Lks.	
42.00	A Spring, E.
52.25	A Brook, 15 links, S. 30 E.
80.00	A Post, corner to Sections 7, 8, 13, 14; from which a B. Oak, 13 ins. diam. bears N. 45 E. 9 links, and a Beech, 7 ins. diam. bears S. 45 W. 8 links distant. Trees marked by plan. Over hilly land, soil of a middle quality; Timber, Oak, Hickory, Dogwood, some Sugar tree; bottom 900 links wide, and good.
North	Continued, between Sections 8 & 14.
15.48	A W. Oak, 14 inches diameter.
48.00	A Brook, 3 links, E.
51.27	A dead W. Oak, 36 inches diameter.
55.10	A Mulberry, 12 inches diameter.
70.69	A W. Oak, 34 inches diameter.
80.00	A Post, corner to Sections 8, 9, 14, 15; from which a B. Oak, 11 ins. diam. bears N. 24 E. 31 links, and a W. Oak, 24 ins. diam. bears S. 18 W. 33 links distant. Trees marked by plan. Over uneven land, soil good; Timber, Oak and Hickory.
East	On Rainbow Line
80.00	Rainbow Post.
79.86	Corner 14 links; true course 17.
West	Between Sections 2 & 3.
7.60	An Elm, 15 inches diameter.
9.00	A Brook, 5 links, S. 70 E.
12.31	A W. Walnut, 12 inches diameter.
22.95	An Elm, 15 inches diameter.
34.63	A Sugar tree, 11 inches diameter.
54.50	A Brook, 4 links, S.

Township 8, Range 4-7 Ranges.

6hs. 1/2
 60.86 A W. Oak, 9 inches diameter.
 69.80 A W. Oak, 12 inches diameter.
 80.00 Post, corner to Sections 2, 3, 8, 9; from which a
 W. Oak, 10 ins. diam. bears S. 87 E. 9 1/2 links,
 and a Hickory, 11 ins. diam. bears S. 60 W. 30
 links distant. Trees marked by plan.
 Over uneven land, soil of a middle quality; Tim-
 ber, Oak, Hickory, and some Sugar tree, &c.

West continued, between Sections 8 & 9.

3.00 Cox's Run, 15 links, S.
 8.92 A W. Oak, 13 inches diameter.
 29.50 A Brook, 7 links, S. 7 E.
 39.45 A W. Oak, 16 inches diameter.
 49.63 A W. Oak, 15 inches diameter.
 58.00 A Brook, 3 links, N.
 64.81 A B. Oak, 16 inches diameter.
 69.14 A W. Oak, 16 inches diameter.
 75.41 A B. Oak, 12 inches diameter.
 80.00 Post, corner to Sections 8, 9, 14, 15.
 Over uneven land, good soil; Timber, Oak and
 Hickory.

North Between Sections 9 & 15.

2.36 A B. Oak, 36 inches diameter.
 9.04 A W. Oak, 16 inches diameter.
 12.50 A Brook, 4 links, E.
 24.55 A W. Oak, 14 inches diameter.
 25.04 A Brook, 4 links, E.
 35.71 A B. Oak, 12 inches diameter.
 59.00 A Brook, 8 links, E.
 71.59 A W. Oak, 15 inches diameter.
 76.50 A Brook, 12 links, S. 45 E.
 80.00 A Post, corner to Sections 9, 10, 15, 16; from

Township 8, Range 4-7 Ranges.

6hs. 1/2
 from which a Spanish Oak, 17 ins. diam. bears
 N. 44 W. 22 links, and a W. Oak, 15 ins. diam.
 bears N. 84 E. 40 links distant. Trees marked
 by plan.
 Over uneven land, soil of a middling quality;
 Timber, Oak and Hickory.

West On South Boundary of Section 13.

15.36 A W. Oak, 10 inches diameter.
 17.04 A W. Oak, 15 inches diameter.
 38.43 A W. Oak, 15 inches diameter.
 42.00 A B. Oak, 20 inches diameter.
 55.50 Wheeling creek, 80 links, N.; bank steep; a good stone quarry
 66.00 Creek, 80 links, S.
 71.48 A dead W. Oak, 30 inches diameter.
 80.00 Post, corner to Sections 13 & 19; from which a
 W. Oak, 13 ins. diam. bears S. 25 W. 25 links,
 and a W. Oak, 13 ins. diam. bears N. 15 1/2 W.
 24 links distant. Trees marked by plan.
 Over poor and hilly W. Oak land; Creek bottom
 worth but little.

Continued, on South Boundary of Section 19.

27.50 Wheeling creek, 80 links, N.
 37.37 A W. Oak, 14 inches diameter.
 53.00 Creek, 80 links, S.
 59.09 A Cherry, 12 inches diameter.
 73.23 A W. Oak, 11 inches diameter.
 80.00 Post, corner of Secs. 19 & 25; from which a W.
 Oak, 13 ins. diam. bears N. 81 W. 23 links, and
 an Oak, 10 ins. diam. bears S. 46 E. 37 links
 distant. Trees marked by plan.
 Over first rate W. Oak land; creek hills short &
 steep; Bottoms narrow.

Township 8, Range 4-7 Ranges.

6th. Sta.
 North Between Sections 19 & 25.
 640 A W. Oak, 16 inches diameter.
 25.00 A Brook, 3 links, E.
 26.00 A Brook, 80 links, E., and up some 10.50 lbs. ^{from No. 3} _{the same}
 41.08 A W. Oak, 13 inches diameter.
 55.77 A W. Oak, 15 inches diameter.
 75.71 A W. Oak, 16 inches diameter.
 79.00 A Brook, 3 links, W.
 80.00 Post, corner to Sections 19, 20, 25, 26; from
 which a W. Oak, 10 ins. diam. bears S. 50° E.
 26 links, and a W. Oak, 9 ins. diam. bears
 N. 47° W. 23 links distant. Trees marked
 by plan.
 Over first rate W. Oak land to the creek; then
 poor and hilly W. Oak land.

North continued between Sections 20 & 26.
 10.64 A W. Oak, 12 inches diameter.
 28.19 A W. Oak, 46 inches diameter.
 43.98 A W. Oak, 10 inches diameter.
 47.09 A W. Oak, 12 inches diameter.
 53.60 A B. Oak, 13 inches diameter.
 57.41 A B. Oak, 33 inches diameter.
 78.97 A B. Oak, 9 inches diameter.
 80.00 Post, corner to Sections 20, 21, 26, 27; from
 which a W. Oak, 10 ins. diam. bears S. 19°
 E. 15 links, and a W. Oak, 11 ins. diam. bears
 N. 13° W. 25 links distant. Trees marked
 by plan.
 Over tolerable good Oak land.

East On Random Line.
 80.00 Random Post.
 80.23 Corner, S. 70 links; true course 30'.

Township 8, Range 4-7 Ranges.

6th. Sta.
 West Between Sections 14 & 15.
 3.93 A W. Oak, 8 inches diameter.
 20.00 A Brook, 3 links, S.
 35.42 A W. Oak, 10 inches diameter.
 80.00 Post, corner to Sections 14, 15, 20, 21; from
 which a W. Oak, - ins. diam. bears N. 76° E. 30
 links, and a W. Oak, 8 ins. diam. bears S. 29°
 W. 22 links distant. Trees marked by plan.
 Over first rate Oak land.

West continued, between Sections 20 & 21.
 1.70 A B. Oak, 28 inches diameter.
 11.37 A W. Oak, 14 inches diameter.
 15.00 A Brook, 10 links, S.
 17.25 A W. Oak, 14 inches diameter.
 35.41 A W. Oak, 14 inches diameter.
 39.74 A W. Oak, 13 inches diameter.
 56.00 A Brook, 12 links, S.
 70.17 A W. Oak, 26 inches diameter.
 80.00 Post, corner to Sections 20, 21, 26, 27.
 Over very good Oak land.

North Between Sections 21 & 27.
 9.50 A B. Oak, 16 inches diameter.
 24.15 A W. Oak, 16 inches diameter.
 35.25 A W. Oak, 12 inches diameter.
 39.25 A B. Oak, 14 inches diameter.
 60.00 A Spring, E.
 60.95 A W. Oak, 8 inches diameter.
 65.42 A W. Oak, 10 inches diameter.
 80.00 Post, corner to Sections 21, 22, 27, 28; from
 which a W. Oak, 11 ins. diam. bears N.
 20° E. 18 links, and a W. Oak, 10 ins. diam.
 bears S. 25° W. 25 links distant. Trees marked by plan.
 Over very good Oak land.

Township 8, Range 4-7 Ranges

Chs. Lks.

x x x x x x x x

West On South Boundary of Section 25.
 6.02 A B. Oak, 11 inches diameter.
 11.21 A W. Oak, 12 inches diameter.
 17.51 A W. Oak, 13 inches diameter.
 38.36 A W. Oak, 10 inches diameter.
 41.63 A W. Oak, 12 inches diameter.
 60.29 A Hickory, 8 inches diameter.
 63.74 A W. Oak, 14 inches diameter.
 80.00 Post, corner to Secs. 25 & 31; from which a
 W. Oak, 9 ins. diam. bears N. 63 W. 17 links,
 and a W. Oak, 15 ins. diam. bears S. 25 E.
 17 links distant. Trees marked by plan.
 Over uneven & rate W. Oak land. Water courses
 on this side all dry.

West continued, South Boundary of Section 31.
 8.13 A W. Oak, 10 inches diameter.
 19.70 A W. Oak, 11 inches diameter.
 40.62 A W. Oak, 16 inches diameter.
 54.45 A B. Oak, 12 inches diameter.
 56.05 A W. Oak, 12 inches diameter.
 56.85 A B. Oak, 20 inches diameter.
 69.50 A Brook, 3 links, S.
 70.62 A W. Oak, 10 inches diameter.
 81.50 Post, S. W. corner of Section 31; from which
 a W. Oak, 12 ins. diam. bears N. 73 40 Ws,
 and a W. Oak, 8 ins. diam. bears S. 40 1/2 W.
 24 links distant. Trees marked by plan.
 Over uneven thw W. Oak land; water courses
 chiefly dry.

North On West Boundary of Section 31.
 8.00 A Spring, W.

Township 8, Range 4-7 Ranges

Chs. Lks.

9.17 A W. Oak, 14 inches diameter.
 37.00 Wagon Road.
 51.24 A W. Oak, 13 inches diameter.
 51.88 A W. Oak, 10 inches diameter.
 79.52 A W. Oak, 12 inches diameter.
 80.00 Post, corner to Sections 31 & 32; from which a
 W. Oak, 9 ins. diam. bears S. 25 E. 14 links,
 and a W. Oak, 8 ins. diam. bears N. 9 1/2
 E. 25 links distant. Trees marked by plan.
 Over good Oak land.

North continued, on West Boundary of Section 32.
 21.89 A Hickory, 12 inches diameter.
 25.00 Wheeling Creek, 40 links, S.
 42.70 A W. Oak, 15 inches diameter.
 45.04 A Hickory, 9 inches diameter.
 45.92 A W. Oak, 11 inches diameter.
 54.00 A W. Oak, 20 inches diameter.
 64.62 A W. Oak, 20 inches diameter.
 70.93 A W. Oak, 14 inches diameter.
 80.00 Post, corner to Sections 32 & 33; from which
 a W. Oak, 10 ins. diam. bears N. 17 1/2 E. 33 links,
 and a W. Oak, 5 ins. diam. bears S. 17 1/2 W.
 22 links distant. Trees marked by plan.
 Over level & rate ^{W. Oak} land; creek hills very low.

East On Random Line.
 81.00 Random Post.
 80.17 corner, N. 62 links. True course 12'.

West Between Sections 26 & 27.
 6.27 A W. Oak, 8 inches diameter.
 32.50 A Brook, 25 links, S.
 32.89 A cherry, 12 inches diameter.

Township 8, Range 4-7 Ranges.

66.34 A Cherry, 15 inches diameter.
 66.34 A B. Oak, 15 inches diameter.
 80.00 Post, corner to Sections 26, 27, 32, 33; from which a B. Oak, 32 ins. diam. bears N. 83 E. 20 1/2 links, and a B. Oak, 14 ins. diam. bears N. 85 W. 40 links distant. Trees marked by plan.
 Over good Oak land.

West Continued, between Sections 32 & 33.

50. Wagon Road.
 3.47 A W. Oak, 8 inches diameter.
 19.00 A Brook, 3 links, S.
 24.97 A W. Oak, 13 inches diameter.
 46.00 A Brook, 3 links, S. Sept. 19th, 1800.
 51.22 A W. Oak, 13 inches diameter.
 52.32 A W. Oak, 32 inches diameter.
 81.00 Post, corner to Sections 32 & 33.
 Over tolerable good Oak land.

North On West Boundary of Section 33.

18.42 A W. Oak, 40 inches diameter.
 21.50 A Brook, 4 links, E.
 25.38 A W. Oak, 35 inches diameter.
 35.00 A Brook, 6 links, E.
 42.74 A B. Oak, 14 inches diameter.
 62.19 A Hickory, 14 inches diameter.
 80.00 Post, corner to Sections 33 & 34; from which a W. Oak, 9 ins. diam. bears N. 77 E. 47 links, and a W. Oak, 10 ins. diam. bears S. 80 W. 34 links distant. Trees marked by plan.

Over good Oak land; some Hickory timber.

x x x x x x x x
 Surveyed by Taccheus Biggs, September, 1800.

Township 8, Range 4-7 Ranges.

Subdivisions of "2 Mile Blocks." July 26, 1805.

From Post on Township Line, corner to Secs. 147-148.
 North On Random Line between Sections 147.
 12.00 A Brook, 2 links wide, runs N. 50 E. a Spring, 30 links west of line.
 27.40 A Brook, 5 links wide, runs N. 40 E.
 40.00 Set temporary Quarter Section Post.
 56.80 Wharling Creek, 100 links wide, runs S. 45 E.
 80.00 Set temporary center Post.
 Land hilly, soil good; Timber, W. Oak, Sugar, Dogwood, &c.

North Continued Random Line between Sections 2 & 8.

21.25 A Brook, 4 links wide, runs N. 80 E.
 33.45 A Brook, 2 links wide, runs S. 80 E.
 40.00 Set temporary Quarter Section Post.
 52.20 A Brook, 4 links wide, runs N. 80 E.
 66.00 A Brook, 3 links wide, runs East.
 66.65 A Brook, 40 links wide, runs S. 40 E. - over the lower end of a large Island.
 80.75 Fell 14 links West of Post, corner of Sections 2, 3, 8, 9.
 Land uneven, soil thin; Timber, W. Oak, Hickory, Dogwood, &c.

August 2, 1805.

From Post, corner of Sections 2, 3, 8, 9 -
 South corrected the line between Secs. 2 & 8. 1 in. 0.03'.
 40.00 Moved temporary Tr. Sec. Post, and set it on true line.
 80.37 Moved temporary center Post to true line, at the average measure.

Township 8, Range 4-7 Ranges.

- Chs. Lks.
- South Continued true line, between Sections 147.
- 2.35 A W. Oak, 20 inches diameter.
- 3.70 A W. Oak, 20 inches diameter.
- 7.35 A W. Oak, 24 inches diameter.
- 40.37 Moved temporary Quarter Section Post, and set it on true line.
- 80.37 To Post on Township Line, corner of Secs. 147.

August 6, 1805.

- From Post, corner of Sections 7, 8, 13, 14, ran-
- East On Random Line between Sections 7 & 8.
- 9.30 A Brook, 2 links wide, runs S. 30 E.
- 22.15 A Brook, 8 links wide, runs S. 10 W.
- 40.00 Set temporary Quarter Section Post.
- 56.74 A Brook, 6 links wide, runs S. 30 E.
- 67.30 A Brook, 2 links wide, runs S. 40 W.
- 80.00 Cross North and South Line.
- Land hilly, soil thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

- East Continued Random Line, between Secs. 142.
- 15.04 Cross over head of a Spring, running N. 20 E.
- 23.60 A Brook, 3 links wide, runs East with the line.
- 25.80 Left the same Brook, running S. 80 E.
- 37.00 A Brook, 45 links wide, runs S. 30 E.
- 40.00 Set temporary Quarter Section Post.
- 46.00 A Brook, 3 links wide, runs South.
- 58.75 A Brook, 3 links wide, runs South.
- 80.00 Fell 118 links South of Post on Range Line, corner of Sections 142.
- Land hilly, soil thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

Township 8, Range 4-7 Ranges.

- Chs. Lks.
- August 14, 1805.
- From Post on Range Line, corner of Secs. 142-
- West Corrected the line between Sections 142.
- 40.00 Moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 7 ins. diam. bears S. 30 E. 12 1/2 links, and a Mulberry, 6 ins. diam. bears N. 22 W. 9 1/2 links distant.
- 80.00 Fell 6 links North of temporary Quarter Post. Moved it to intersection of the lines, for corner to Sections 1, 2, 7, 8; from which a W. Oak, 20 ins. diam. bears S. 83 E. 17 lks, and a W. Oak, 16 ins. diam. bears N. 75 1/2 W. 46 links distant.

Then traveled North between Sections 2 & 8, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 16 ins. diam. bears S. 35 1/2 E. 5 1/2 lks, and a W. Oak, 18 ins. diam. bears N. 23 E. 12 links distant.

Then traveled South, between Sections 147, and moved temporary Dr. Sec. Post, to average distance on true line; from which a W. Oak, 12 ins. diam. bears S. 40 W. 50 links, and a Walnut, 12 ins. diam. bears N. 53 E. 22 links distant.

- West Continued true line between Secs. 7 & 8.
- 40.00 Moved temporary Dr. Sec. Post to true line, at average measure; from which a W. Oak, 18 ins. diam. bears S. 4 E. 14 1/2 links, and a Hickory, 10 ins. diam. bears N. 50 E. 69 links distant.

Township 8, Range 4-7 Ranges.

6hs. Sh. 80.00 To Post, corner of Sections 7, 8, 13, 14, T. 8, R. 4.

July 26, 1805.

From Post, corner of Sections 2, 3, 8, 9, ran- North On Random Line between Sections 3 & 9.

16.05 A Brook, 3 links wide, runs S. 30 W.

28.08 A Brook, 8 links wide, runs West.

40.00 Set temporary Quarter Section Post.

42.15 A Brook, 2 links wide, runs West.

57.00 A Brook, 8 links wide, runs S. 60 W.

69.23 A Brook, 2 links wide, runs S. 80 W.

80.00 Set temporary Center Post.

Land uneven, soil thin; Timber, W. Oak, Hicko- ny, Dogwood, &c.

x x x x x x x x x

South Corrected the line between Sections 3 & 9.

40.00 Moved temporary Dr. Sec. Post to true line.

80.10 To Post, corner of Sections 2, 3, 8, 9.

August 6, 1805.

From Post on Range Line, corner of Secs. 3 & 4, ran- West On Random Line between Sections 3 & 4.

14.30 A Brook, 6 links wide, runs South.

40.00 Set temporary Quarter Section Post.

60.80 A Brook, 3 links wide, runs S. 80 E.

69.20 A Brook, 3 links wide, runs S. 10 E.

79.30 Cross North and South Line.

Land uneven, soil thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, and underbrush.

West Continued Random Line between Secs. 9 & 10.

5.50 A Brook, 2 links wide, runs S. 15 W.

20.60 A Brook, 6 links wide, runs S. 20 W.

27.08 A Brook, 2 links wide, runs South.

Township 8, Range 4-7 Ranges.

6hs. Sh. 35.90 A Brook, 20 links wide, runs South.

40.00 Set temporary Quarter Section Post.

79.50 Fell 36 links North of Post, corner of Sections 9, 10, 15, 16, T. 8, R. 4.

Land uneven, soil thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, and a thick growth of underbrush, &c.

August 16, 1805.

From Post, corner of Secs. 9, 10, 15, 16. Var. 0° 08', nearly.

East Corrected the line between Sections 9 & 10.

39.87 Moved temporary Quarter Section Post to average measure, on true line; from which a W. Oak, 12 ins. diam. bears S. 2 W. 14 1/2 links, and a W. Oak, 12 ins. diam. bears N. 59 W. 34 1/2 links distant.

79.50 Fell 21 links South of temporary Center Post. Moved it and set it in intersection of the lines, corner to Sections 3, 4, 9, 10; from which a B. Oak, 9 ins. diam. bears S. 59 1/2 W. 18 1/2 links, and a B. Oak, 15 ins. diam. bears N. 48 E. 32 1/2 links distant.

x x x x x x x x x

Then traveled South, between Secs. 3 & 9, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 9 ins. diam. bears S. 26 1/2 W. 6 links, and an Ironwood, 8 ins. diam. bears N. 26 1/2 E. 29 links distant.

East Corrected the line between Sections 3 & 4.

39.65 Moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 14 ins. diam. bears N. 48 E. 4 1/2

Township 8, Range 4-7 Ranges

links, and a W. Oak, 20 ins. diam. bears
 S. 9 1/2 E. 2 1/4 links distant.
 79.30 To Post, on Range Line, corner to Sections
 344, 2, 8, R. 4.
 x x x x x x x x x
 South continued Random Line between Sects 15 & 21.
 19.05 A Brook, 3 links wide, runs S. 60 E.
 40.00 Set temporary Quarter Section Post.
 46.10 A Brook, 2 links wide, runs S. 60 E., which empty
 ties into another, 4 links East of line.
 46.75 A Brook, 4 links wide, runs S. 58 W.
 47.57 Touched a bend of said Brook, West of line.
 53.30 A Brook, 2 links wide, runs S. 40 W.
 80.40 Fell 149 links West of Post, corner of Sec-
 tions 14, 15, 20, 21.
 Land uneven, soil 2^d rate; Timber, W. Oak,
 B. Oak, Hickory, Dogwood, &c.

August 3, 1805.

From Post, corner of Sects. 14, 15, 20, 21. Var. 0° 32'.
 North corrected the line between Sections 15 & 21.
 10.80 A W. Oak, 18 inches diameter.
 40.00 Moved temporary Quarter Section Post.
 42.00 A W. Oak, 24 inches diameter.
 80.20 Moved temporary center Post, and set it at
 average measure on true line.
 x x x x x x x x x

August 6, 1805.

From Post, corner of Sections 9, 10, 15, 16 -
 West On Random Line between Sections 15 & 16.
 2.10 A Brook, 5 links wide, runs S. 15 E.
 40.00 Set temporary Quarter Section Post.
 48.35 A Brook, 2 links wide, runs North.
 50.00 A Brook, 2 links wide, runs N. 50 E.

Township 8, Range 4-7 Ranges

64.05 A Brook, 2 links wide, runs South.
 72.10 A Brook, 2 links wide, runs South.
 79.55 A Brook, 2 links wide, runs S. 70 E.
 80.00 Cross North and South Line.
 Land uneven, soil good; Timber, W. Oak, B. Oak,
 Hickory, Ash, Dogwood, Spice, &c.
 West Corrected the line between Sections 21 & 22.
 11.60 State Road from Shot Buck to Duncan Morrisons.
 30.20 A Brook, 4 links wide, runs S. 75 E.
 37.30 A Brook, 2 links wide, runs S. 15 E.
 40.00 Set temporary Quarter Section Post.
 66.60 A Brook, 3 links wide, runs S. 20 E.
 68.25 Fell on a Brook, 2 links wide, running N. 10 E.;
 Up same Brook 2 chs. 95 lbs.
 80.00 Fell 64 lbs. North of Post, corner of Sections
 21, 22, 27, 28.
 Land uneven, soil thin; Timber, W. Oak, B.
 Oak, Hickory, Dogwood, &c.

Var. 18' nearly.

August 15, 1805.

From Post, corner of Sections 21, 22, 27, 28 -
 East corrected the line between Sections 21 & 22.
 23.30 A W. Oak, 24 inches diameter.
 40.00 Moved temporary Dr. Sec. Post to average mea-
 sure on true line; from which a Faded W.
 Oak, 42 ins. diam. bears S. 50 1/2 E. 59 1/2 W.,
 and a W. Oak, 16 ins. diam. bears S. 86 1/2 W.
 46 1/2 links distant.
 80.00 Fell 15 lbs. South of temporary center Post. Moved it
 to the intersection of the lines, for corner to Sections
 15, 16, 21, 22; from which a Hickory, 13 ins. diam.
 bears S. 41 E. 18 links, and an Ash, 6 ins. diam.
 bears N. 9 1/2 W. 28 links distant.

Township 8, Range 4-7 Ranges.

Chs. Pts.
 Then traveled South, between Sections 15 & 21, and moved temporary Dr. Sec. Post to average measure, on true line; from which a W. Oak, 14 ins. diam. bears N. 51 E. 30 1/2 links, and a W. Oak, 14 ins. diam. bears S. 56 W. 25 1/2 links distant.

West Corrected the line between Sections 15 & 16.
 40.00 Moved temporary Dr. Sec. Post to true line at average measure; from which an Elm, 6 ins. diam. bears N. 75 E. 23 1/2 links, and a Beech, 8 ins. diam. bears N. 6 W. 24 links distant.

80.00 To Post, corner to Sections 9, 10, 15, 16, T. 8, R. 4.

July 28, 1805.

From Post, corner of Secs. 14, 15, 20, 21, ran—
 South On Random Line between Sections 14 & 20.
 40.00 Set temporary Quarter Section Post.
 57.68 Cross over the head of a Spring, S. 15 E.
 75.00 A Brook, 6 links wide, runs S. 35 W.
 76.75 A Spring, running S. 60 W.
 77.25 A Brook, 2 links wide, runs West.
 80.00 Set temporary Center Post.
 Land uneven, soil thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, Haws, &c.

South Continued Random Line between Secs. 13 & 19.
 5.30 A Brook, 25 links wide, runs S. 40 E.
 37.90 A Brook, 3 links wide, runs S. 70 E.
 40.00 Set temporary Quarter Section Post.
 51.55 A Brook, 2 links wide, runs East.
 61.40 Wheeling Creek, 70 links wide, runs East.

Township 8, Range 4-7 Ranges.

Chs. Pts.
 76.80 A Brook, 2 links wide, runs N. 70 E.
 80.50 Fell 77 links West of Post on Township Line, corner of Sections 13 & 19, T. 8, R. 4.
 Land uneven, soil good; Timber, W. Oak, B. Oak, Hickory, Dogwood, Thorn, Haws, &c.

August 2, 1805.

From Post on Township line, corner of Secs. 13 & 19—
 North corrected the line between Secs. 13 & 19, Ran. 0:16.
 40.00 Moved temporary Dr. Sec. Post to true line.
 80.25 Moved temporary Center Post to average measure on true line.

North Continued True Line, between Sections 14 & 20.
 40.25 Moved temporary Dr. Sec. Post to true line.
 80.25 To Post, corner of Sections 14, 15, 20, 21.

August 5, 1805.

From Post, corner of Sections 19, 20, 25, 26—
 East On Random Line between Sections 19 & 20.
 19.00 A Brook, 3 links wide, runs S. 80 E.
 40.00 Set temporary Quarter Section Post.
 48.00 A Brook, 2 links wide, runs South.
 69.00 A Brook, 2 links wide, runs N. 60 E.
 73.40 A Brook, 2 links wide, runs S. 40 E.
 64.05 A Brook, 20 links wide, runs South.
 76.50 A Pond
 78.40 A Brook, 4 links wide, runs S. 10 W.
 80.23 Cross North and South Line.
 Land uneven, soil thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, Haws, Thorns and brush.

East Continued Random Line, between Sections 13 & 14.
 13.55 A Brook, 2 links wide, runs South.
 40.00 Set temporary Quarter Section Post.

Township 8, Range 4-7 Ranges.

Ch. No.	Description
42.04	A Brook, 2 links wide, runs S.
56.60	A Brook, 2 links wide, runs S. 50 E.
68.25	A Brook, 15 links wide, runs S. 40 W.
80.00	Fell 124 links South of Post, corner of Sections 7, 8, 13, 14. Land uneven, soil thin; Timber, W. & B. Oak, Dogwood, &c.
August 15, 1805.	
West 26.50	From Post, corner of Sections 7, 8, 13, 14. Corrected the line between Secs. 13 & 14 - Var. 20. A W. Oak, 13 inches diameter.
40.00	Moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 22 ins. diam. bears S 83 E. 16 1/2 links, and a W. Oak, 10 ins. diam. bears N. 78 W. 35 1/2 links distant.
80.00	Fell 1 link S. of temporary center Post, moved and set it in intersection of the line, corner to Secs. 13, 14, 19, 20; from which a W. Oak, 6 ins. diam. bears N. 39 W. 9 links, and a W. Oak, 9 ins. diam. bears S. 55 E. 21 links distant.
North	Then traveled N. between Secs. 14 & 20, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 11 ins. diam. bears S. 20 W. 44 1/2 links, and a W. Oak, 22 ins. diam. bears N. 21 E. 42 1/2 links distant.
South	Then traveled S. between Secs. 19 & 14, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 15 ins. diam. bears S. 3 1/2 E. 37 links, and a W. Oak, 12 ins. diam. bears S. 48 1/2 E. 26 links distant.
West	Corrected the line between Sections 19 & 20.
17.94	A W. Oak, 20 inches diameter.
40.00	Moved temporary Dr. Sec. Post to average measure on true line; from which a Hickory, 6 ins. diam. bears N. 38 E. 32 1/2 links, and a W. Oak, 22 ins. diam. bears S. 37 W. 30 1/2 links distant.
80.00	To Post, corner of Sections 19, 20, 25, 26, 7, 8, 14.

Township 8, Range 4-7 Ranges.

Ch. No.	Description
July 28, 1805.	
North	From Post on Township Line, corner of Secs. 25 & 31 - On Random Line between Sections 25 & 31.
13.70	A Brook, 2 links wide, runs N. 60 E.
15.14	A Brook, 5 links wide, runs S. 80 E.
40.00	Set temporary Quarter Section Post.
61.85	A Stream, 30 links wide, runs North [?]
80.00	Set temporary center Post. Land uneven, soil good; Timber, W. & B. Oak, Hickory, Dogwood, Hawthorn, &c.
North	Continued Random Line between Sections 26 & 32.
40.00	Set temporary Quarter Section Post.
80.50	Fell 132 links East of Post, corner of Sections 26, 27, 32, 33. Land level, soil good; Timber, W. & B. Oak, Hickory, Dogwood, Hawthorn, Spice, &c.
August 5, 1805.	
South	From the Corner of Secs. 26, 27, 32, 33. Var. 0.28. Corrected the line between Sections 26 & 32.
10.45	A W. Oak, 42 inches diameter
26.47	A W. Oak, 20 inches diameter.
35.48	A W. Oak, 20 inches diameter.
40.00	Moved temporary Dr. Sec. Post, and set it on true line.
80.25	Moved temporary center Post, and set it at average measure on true line.
South	Continued true line between Secs. 25 & 31.
27.64	A W. Oak, 15 inches diameter.
39.80	A W. Oak, 15 inches diameter.
40.50	Moved temporary Dr. Sec. Post, and set it on true line.
45.18	A Hickory, 18 inches diameter.
47.54	A W. Oak, 20 inches diameter.
80.25	To Post on Township Line, corner of Secs. 25 & 31.
From Post on Range line, corner of Sections 31 & 32.	
East	On Random Line between Sections 31 & 32.
37.00	Cross over the head of a Spring, runs S. 80 E.
37.55	A Brook, 2 links wide, runs N. 50 E.

Township 8, Range 4-7 Ranges.

Chs. Lk.
 40:00 Set temporary Quarter Section Post.
 49:06 A Brook, 2 links wide, minus South.
 52:30 A Branch, 30 links wide, minus S. 55 E.
 62:90 A Brook, 6 links wide, minus S. 30 W.
 74:30 A Brook, 2 links wide, minus S. 80 E.
 81:40 Cross North and South Line. Land uneven, soil good; Timber, B. & W. Oak, Dogwood, Hawthorn, etc.

East Continued Random Line between Sections 25 & 26.
 11:35 A Brook, 8 links wide, minus South.
 22:65 A Brook, 2 links wide, minus S. 45 W.
 39:10 A Brook, 2 links wide, minus South.
 40:00 Set temporary Quarter Section Post.
 73:70 A Brook, 20 links wide, minus South.
 80:25 Hit the Post, corner of Secs. 19, 20, 25, 26. Land uneven, soil D rate; Timber, W. & B. Oak, Hickory, Dogwood, Hawthorn, brush, etc.

August 15, 1805.
 From Post, corner of Sections 19, 20, 25, 26 -

West Marked the line between Sections 25 & 26.
 40:12 Moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 16 ins. diam. bears S. 67 E. 25 lks, and a W. Oak, 16 ins. diam. bears N. 56 W. 26 links distant.
 80:25 Fell 12 lks. N. of temporary Quarter Post, corner to Secs. 25, 26, 31, 32; from which a W. Oak, 14 ins. diam. bears S. 45 E. 23 lks, and a W. Oak, 14 ins. diam. bears N. 1/2 E. 54 1/2 lks. distant.

North Then traveled N. between Secs. 26 & 32, & moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 48 ins. diam. bears N. 44 W. 27 links, and a W. Oak, 12 ins. diam. bears S. 8 1/2 E. 22 links distant.

South Then traveled S. between Secs. 25 & 31, and moved temporary Dr. Sec. Post to average measure on true line; from which a W. Oak, 11 ins. diam. bears N. 63 1/2 W. 13 lks, and a W. Oak, 11 ins. diam. bears S. 53 1/2 E. 37 1/2 links distant.

Township 8, Range 4-7 Ranges.

Chs. Lk.
 West Continued making line, between Sections 31 & 32.
 40:70 Moved temporary Dr. Sec. Post to average measure on true line; from which a Hickory, 9 ins. diam. bears S. 16 W. 12 1/2 links, and a Hickory, 11 ins. diam. bears N. 20 E. 34 lks. distant.
 51:40 To Post on Range Line, corner of Secs. 31 & 32.

From Post, corner of Secs. 26, 27, 32, 33, ran - July 29, 1805.
 North On Random Line between Sections 27 & 33.
 13:80 A Brook, 2 links wide, minus East.
 21:90 State Road from Short Creek to Duncan Morrisons.
 36:00 A Brook, 3 links wide, minus S. 60 E.
 40:00 Set temporary Quarter Section Post.
 42:65 A Brook, 4 links wide, minus S. 60 E.
 60:10 A Brook, 25 lks. wide, minus S. 30 E. Stone coal in this Brook.
 73:33 A Brook, 2 links wide, minus S. 80 W.
 80:00 Set temporary Quarter Post. Land uneven, soil tolerably good; Timber, W. & B. Oak, Hickory, Dogwood, Hawthorn, etc.
 x x x x x x x x x x x

South Corrected the line between Sections 27 & 33.
 40:20 Moved temporary Dr. Sec. Post, and set it on true line.
 80:20 To Post, corner of Sections 26, 27, 32, 33.

From Post, corner of Secs. 21, 22, 27, 28, ran - Aug. 7, 1805.
 West On Random Line between Sections 27 & 28.
 24:50 A Brook, 2 links wide, minus North.
 31:80 A Brook, 3 links wide, minus S. 55 W.
 33:60 A Brook, 2 links wide, minus S. 40 W.
 40:00 Set temporary Quarter Section Post.
 51:75 A Brook, 12 links wide, minus S. 5 E.
 80:00 Cross North and South Line. Land uneven, soil tolerably good; Timber, W. & B. Oak, Hickory, Dogwood, Hawthorn, and under brush, etc.

West Continued Random Line, between Secs. 33 & 34.
 15:14 A Brook, 22 links wide, minus S. 20 E.
 39:50 A Brook, 3 links wide, minus S. 65 E.
 40:00 Set temporary Quarter Section Post.

Township 8, Range 4-7 Ranges.

- 62.90 A Brook, 2 links wide, runs S. 10 E.
 - 81.50 Fell 49 lbs. N. of Post on Range Line, corner of Secs. 33 & 34. Land uneven, soil D. rate; Timber, W. B. Oak, Hickory, Dogwood, &c.
- From Post on Range Line, corner of Secs. 33 & 34 - Aug. 15, 1805.
Corrected the line between Secs. 33 & 34. *Rev. 0° 10'.*
- 40.75 Moved temporary Tr. Sec. Post to average measure on true line; from which a W. Oak, 24 ins. diam. bears N. 69° E. 16 links, and a W. Oak, 11 ins. diam. bears N. 60 1/2 W. 10 links distant.
 - 81.50 Fell 28 lbs. N. of temporary Center Post. Moved & set it at the intersection of the lines, corner of Secs. 27, 28, 33 & 34, from which a W. Oak, 16 ins. diam. bears S. 37 1/2 W. 18 1/2 links, and a Hickory, 8 ins. diam. bears N. 44 E. 8 links distant.
- x x x x x x x x x x
- Then traveled South between Secs. 27 & 28, and moved Tr. Sec. Post to the average measure on true line; from which a W. Oak, 13 ins. diam. bears S. 37 1/2 W. 34 links, and a W. Oak, 8 ins. diam. bears N. 28 1/2 E. 21 1/2 links distant.
- East Corrected the Line between Sections 27 & 28.
 - 40.00 Moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 51 E. 27 links, and a W. Oak, 14 ins. diam. bears S. 17 1/2 W. 30 1/2 links distant.
 - 59.50 A W. Oak, 42 inches diameter.
 - 80.00 To Post, corner of Sections 21, 22, 27, 28.
- x x x x x x x x x x

Surveyed in July & August, 1805, by Benjamin Hough, Deputy Surveyor.

Township 6, Range 5 - Seven Ranges.

- North Boundary.
- East 1st Mile [North side of Section 36.]
 - 37.00 A Forked W. Oak, each fork 14 ins. diam.
 - 64.00 A W. Oak, 12 inches diameter.
 - 80.00 Set Post, corner of Sections 30 & 36, from which a W. Oak, 12 ins. diam. bears N. 84 W. 41 links, and a W. Oak, 15 ins. diam. bears S. 87 1/2 E. 11 links distant.
- This side the land hilly, and in some places rocky; the soil is, in general, thin, but would produce good crops of wheat and rye for a few years without manure. The timber is White Oak and Hickory.
- East 2^d Mile - [North side of Section 30.]
 - 3.20 A B. Oak, 30 inches diameter.
 - 36.85 A W. Oak, 24 inches diameter.
 - 80.00 Set Post, corner of Sections 24 & 30, from which a forked Oak, the fork nearest the corner 10 ins. diam. bears S. 66 E. 36 links, and a W. Oak, 11 ins. diam. bears S. 5 1/2 W. 17 links distant. A W. Oak, 9 ins. diam. is the corner.
- The land on the line for this mile is poor and hilly, covered mostly with W. Oak, some Hickory and Dogwood.
- East 3^d Mile - [North side of Section 24.]
 - 23.76 A W. Oak, 20 inches diameter.
 - 56.14 A W. Oak, 12 inches diameter.
 - 80.00 A W. Oak, 18 ins. diam. [is corner of Secs. 18 & 24] from which a W. Oak, 14 ins. diam. bears S. 41 1/2 E. 25 links, and a W. Oak, 11