

Township 8, Range 5-7 Ranges.

Chs. Lks.

West Boundary

From Post at

Thence

* Distances in chains not given.

- South 1st Mile - [West side of Section 36.]
-:52 A W. Oak, 12 inches diameter.
-:89 A Spanish Oak, 16 inches diameter.
- 52.86 A W. Oak, 10 inches diameter.
- 69.12 A B. Oak, 20 inches diameter.
- 80.00 Set Post, [corner to Sections 35 & 36.] from which a Beech, 13 ins. diam. bears S. 54° E. 18 links, and a Chestnut, --- ins. diam. bears S. 53° W. 63 links distant.

The first mile is about 1/3 fine wheat land, and all the rest extremely rich. The little bottom is timbered with B. Walnut and Sugar, which are also growing on the upland, with the addition of large Oaks and Hickory.

- South 2^d Mile [West side of Section 35.]
- 18.10 A W. Oak, 10 inches diameter.
- 24.66 A W. Oak, 16 inches diameter.
- 49.79 A W. Oak, 29 inches diameter.
- 72.47 An Elm, 12 inches diameter.
- 80.00 Set Post, [corner of Sections 34 & 35.] from which a W. Oak, 18 ins. diam. bears N. 77° W. 32 links, and a W. Oak, --- ins. diam. bears N. 47° W. 25 links distant.

Very fine wheat land, timbered with mid-ling sized Oak and Hickory. In the little bottoms are Elm, Ash, Sycamore, Walnut, Sugar.

- South 3^d Mile - West side of Section 34.
- 5.70 A W. Oak, 18 inches diameter.
- 19.34 A W. Oak, 20 inches diameter.

Township 8, Range 5-7 Ranges.

Chs. Lks.
 41.39 A Sugar, 7 inches diameter.
 71.06 A W. Oak, 36 inches diameter.
 80.00 Set Post, [corner to Sections 33 & 34,] from which a W. Ash, 20 ins. diam. bears 89 1/2 E. 32 links, and an Elm, 24 ins. diam. bears S. 26 1/2 E. 45 links distant.
 Half of this distance is very fine wheat land, the land immensely rich and timbered with large W. Oak, B. Oak, Hickory, Walnut and Sugar.

South 4th Mile [West side of Section 33.]
 15.47 An Elm, 24 inches diameter.
 21.06 An Elm, 24 inches diameter.
 55.81 A B. Walnut, 36 inches diameter.
 70.80 A B. Oak, 20 inches diameter.
 80.00 Set Post, [corner of Sections 32 & 33,] from which a W. Oak, 24 ins. diam. bears N. 75 1/2 E. 38 Lks., and a W. Oak, 17 ins. diam. bears N. 16.46 1/2 links distant.
 This mile has an excellent bottom of very rich land, timbered as usual. The soil is as rich as possible; the timber is B. & W. Oak, Hickory, B. Walnut and Sugar.

South 5th Mile. - [West side of Section 32.]
 5.61 A Sugar, 13 inches diameter.
 11.26 A W. Oak, 24 inches diameter.
 39.92 A W. Oak, 19 inches diameter.
 75.27 A Swamp Oak, 18 inches diameter.
 80.00 Set Post, [corner to Sections 31 & 32,] from which a Sugar, 30 ins. diam. bears N. 69 1/2 W. 23 1/2 links, and an Elm, 15 ins. diam. bears S. 18 1/2 W. 15 1/2 links distant.

Township 8, Range 5-7 Ranges.

Chs. Lks.
 A very rich bottom, of Bk. Walnut, Sugar, Elm, Ash, Linn, Buckeye and Hickory. Half the upland is extremely rich; the other half good wheat land, all well timbered.

South 6th Mile - [West side of Section 31,]
 26.45 A W. Oak, 17 inches diameter.
 43.70 A Chestnut, 24 inches diameter.
 73.92 A Hickory, 12 inches diameter.
 80.00 Set Post from which a Maple, 14 ins. diam. bears N. 22 1/2 E. 28 1/2 Lks., and a Hickory, 15 ins. diam. bears S. 50 1/4 E. 30 links distant.
 Half of this mile is very fine wheat land, timbered with Hickory, B. & W. Oak; the other half is extremely rich, and in addition to the Oak and Hickory, are Bk. Walnut & Sugar.

South Boundary

From Post Thence
 [East] 1st Mile - [South side of Section 31.]
 6.07 A W. Oak, 24 inches diameter.
 13.64 A W. Oak, 14 inches diameter.
 43.74 A Red Oak, 17 inches diameter.
 79.42 A W. Oak, 16 inches diameter.
 80.00 Set Post, [corner to Sections 25 & 31,] from which a W. Oak, 18 ins. diam. bears S. 67 E. 36 links, and a W. Oak, 18 ins. diam. bears S. 3 W. 35 links distant.
 This mile has two narrow strips of bottom, of Crab Apple, Cherry, &c. The upland is almost all rich, timbered with large Oak, W. Sp. and B. Oak, Hickory, Dogwood, B. Walnut and Sugar tree.

Township 8, Range 5-7 Ranges.

Chs. Lks.
 East 2^d Mile [South side of Section 25.]
 9.56 A W. Oak, 16 inches diameter.
 19.26 A W. Oak, 15 inches diameter.
 30.10 A Blk. Jack, 15 inches diameter.
 36.65 A Swamp Oak, 18 inches diameter.
 80.00 Set Post, [comes to Sections 19 & 25.] from which
 a B. Oak, 18 ins. diam. bears N. 16° 50' W. 39 lks.,
 and a B. Oak, 12 ins. diam. bears S. 69° W. 54
 links distant.

This mile possesses a very fine bottom, of Blk. Walnut, Elm and Sugar. The upland is timbered with B. & W. Oaks & Hickory; is fine wheat land.

East 3^d Mile [South side of Section 19.]
 11.08 A W. Oak, 9 inches diameter.
 21.81 A B. Oak, 7 inches diameter.
 33.71 A W. Oak, 14 inches diameter.
 59.21 A Hickory, 11 inches diameter.
 80.00 Set Post, [comes to Sections 13 & 19.] from which
 a W. Oak, 30 ins. diam. bears S. 33° W. 47 lks.,
 and a W. Oak, 17 ins. diam. bears N. 71° W. 17
 links distant.

This mile is almost all upland, suitable for wheat, timbered principally with White Oak; is very brushy; some Hickory and B. Oak.

East 4th Mile [South side of Section 13.]
 5.97 A W. Oak, 17 inches diameter.
 10.50 A W. Oak, 18 inches diameter.
 40.27 A Cherry, 15 inches diameter.
 65.12 A Cherry, 9 inches diameter.
 77.99 A W. Oak, 20 inches diameter.
 80.00 Set Post, [comes to Sections 7 & 13.] from which

Township 8, Range 5-7 Ranges.

Chs. Lks.
 a W. Oak, 17 ins. diam. bears N. 12° W. 48 1/2
 links, and a Hickory, 12 ins. diam. bears S.
 48 W. 12 links distant.

This mile is principally an upland, which is well adapted to wheat, and timbered with good sized W. Oaks. In the bottom, which continues north of the line almost all the way, are Hickory, Maple, Cherry, Crab Apple, Plum. The soil rich.

East 5th Mile [South side of Section 7.]
 5.28 A W. Oak, 16 inches diameter.
 19.90 A W. Oak, 16 inches diameter.
 29.78 A W. Oak, 14 inches diameter.
 35.84 A W. Oak, 13 inches diameter.
 78.01 A W. Oak, 14 inches diameter.
 80.00 Set Post, [comes to Sections 17 & 7.] from which a
 W. Oak, 15 ins. diam. bears N. 5° 35' W. 22 1/2
 links, and a W. Oak, 16 ins. diam. bears S. 62
 W. 64 1/2 links distant.

Fine wheat land; the little bottom timbered with Crab Apple and Plum; the upland with W. Oak, principally, some B. Oak and Hickory; the ascents and descents gentle and arable.

East 6th Mile [South side of Section 1.]
 16.57 A W. Oak, 13 inches diameter.
 21.68 A W. Oak, 12 inches diameter.
 35.19 A Hickory, 11 inches diameter.
 66.13 A W. Oak, 8 inches diameter.
 78.48 A W. Oak, 14 inches diameter.
 It is 26 chs. & 90 lks. more than my mile to the
 Western Boundary of the 4th Range. [The
 South side of Section 1, must then be

Township 8, Range 5-7 Ranges.

Chs. Lks.
 106.90] And the [S.W.] corner of the 7th Township in that Range, is 15 chs. 29 lks. South of this [Intersection.] From the mile Post, which is the South East corner of this Township, a W. Oak, 18 ins. diam. bears S. 54 1/2 W. 25 links, and a W. Oak, 15 ins. diam. bears N. 30 W. 32 links distant.

The bottom, as the last; upland, well adapted to wheat; Timber, B. Oak, W. Oak, and Hickory.

North Boundary.

From Post at Thence
 West 1st Mile - [North side of Section 6.]
 50.46 A W. Oak, 18 inches diameter,
 80.00 Set Post, [corner to Sections 6 & 12,] from which a B. Oak, 24 ins. diam. bears S. 80 W. 12 lks., and a Hickory, 5 ins. diam. bears N. 87 E. 49 links distant.

The soil on the line of this mile is generally of a middling good quality for wheat, rye, indian corn, &c.

West 2^d Mile - [North side of Section 12.]
 36.51 A W. Oak, 12 inches diameter,
 80.00 Set Post, [corner to Sections 12 & 18,] from which a W. Oak, 36 ins. diam. bears S. 84 1/2 E. 42 links and a W. Oak, 36 ins. diam. bears S. 37 W. 9 links distant.

The soil of this mile is generally of a good quality for the cultivation of hemp, tobacco, indian corn, wheat and rye; covered with Oak, Hickory, White Walnut, Cherry, Plum & Thorn.

Township 8, Range 5-7 Ranges.

Chs. Lks.
 West 3^d Mile - [North side of Section 18.]
 55.42 A W. Oak, 12 inches diameter,
 80.00 Set Post, [corner to Sections 18 & 24,] from which a W. Oak, 20 ins. diam. bears S. 81 1/2 E. 29 lks., and a W. Oak, 20 ins. diam. bears N. 30 W. 20 links distant.

Eleven-sixteenths of this mile is upland, somewhat hilly, but the soil is a good quality, proper for the cultivation of wheat, rye, indian corn, &c. The remainder of the mile is rich bottom land, suitable for the cultivation of tobacco, hemp, indian corn, &c.

West 4th Mile - [North side of Section 24.]
 42.93 A W. Oak, 11 inches diameter,
 69.20 A W. Oak, 10 inches diameter,
 80.00 Set Post, [corner to Sections 24 & 30,] from which a W. Oak, 10 ins. diam. bears N. 51 1/2 W. 16 links, and a W. Oak, 10 ins. diam. bears S. 54 E. 17 links distant.

The soil along this mile, is generally of a good quality, proper for raising indian corn, hemp, tobacco, wheat, rye; covered with Oak, Hickory, Ash and Chestnut.

West 5th Mile - [North side of Section 30.]
 39.50 A Deer Lick in the line.
 80.00 A Beech, 3 ins. diam. near-hed 5 notches and a blaze, [is the corner to Sections 30 & 36,] from which a Beech, 20 ins. diam. bears N. 26 E. 14 links, and a Gum, — ins. diam. bears S. 49 W. 50 links distant.

The soil on the line for this mile, is generally thin, but would produce good crops.

Township 8, Range 5-7 Ranges.

of wheat, rye, &c. for a few years, without manure.

West 6th Mile [North side of Section 36.]
 41.09 A B. Walnut, 14 inches diameter.
 80.00 A Hickory, 12 ins. diam. 6 notches, from which
 a W. Oak, 24 ins. diam. bears N. 85° E. 45 lbs,
 and a W. Oak, 14 ins. diam. bears S. 79° W.
 22 links distant. Thence 5 chains, intersected
 the S. line, [West Boundary?] of Range 5-
 13 chs. 68 ths. South of the corner. [What corner?]
 The land along this rule is generally of a
 good quality, but is hilly & stony. The soil is
 proper for the cultivation of hemp, tobacco, in-
 dian corn, wheat and rye.

East Boundary.

From Post at Thence -

South 1st Mile [East side of Section 6.]
 8.63 A Cherry, 18 inches diameter
 19.80 A W. Oak, 15 inches diameter.
 22.00 A B. Oak, 36 inches diameter.
 50.91 A W. Oak, 8 inches diameter.
 80.00 Set Post, [corner to Sections 5 & 6,] from which
 a Cherry, 20 ins. diam. bears S. 8° E. 49 lbs,
 and a W. Oak, 18 ins. diam. bears S. 33° W.
 36 links distant.

The land on this rule is well adapted to til-
 lage, proper for the cultivation of indian
 corn, wheat, and for pasturage; is well
 watered with good streams; Timber,
 B. & W. and Spanish Oak, Hickory and
 Dogwood.

Township 8, Range 5-7 Ranges.

6th. 2^d Mile [East side of Section 5.]
 16.63 A W. Oak, 12 inches diameter.
 34.80 A W. Oak, 24 inches diameter.
 40.96 A Spanish Oak, 36 inches diameter.
 53.12 A W. Oak, 18 inches diameter.
 80.00 Set Post, [corner to Sections 4 & 5,] from which
 a Red Oak, 20 ins. diam. bears N. 33° E. 14
 links, and a Red Oak, 24 ins. diam. bears
 S. 40° E. 20 links distant.
 This rule is similar to the last described, ex-
 cepting large quantities of meadow land,
 covered with Barb-Apple, Plum and Cherry.
 The upland is timbered with Oak, Hickory
 and Dogwood; would produce wheat, rye and
 indian corn.

South 3^d Mile [East side of Section 4.]
 24.88 A W. Oak, 20 inches diameter.
 80.00 Set Post, [corner to Sections 3 & 4,] from which
 a W. Oak, - ins. diam. bears S. 76° E. 50 lbs,
 and a W. Oak, - ins. diam. bears N. 76° W. 37
 links distant.
 The ascents and descents along this rule are
 gentle, interspersed with small streams of
 water, timbered the same as described in the
 last rule. The soil would produce wheat,
 indian corn, grass, &c.

South 4th Mile [East side of Section 3.]
 12.75 A W. Oak, 12 inches diameter.
 41.50 A B. Oak, 15 inches diameter.
 55.95 A W. Oak, 9 inches diameter.
 80.00 Set Post, [corner to Sections 2 & 3,] from which
 a W. Oak, 18 ins. diam. bears N. 38° E. 28

Township 8, Range 5-7 Ranges.

Chs. Lks.

links, and a W. Oak - ins. diam. bears N. 48 1/2 E. 71 links distant.
The soil on this side would produce wheat, rye, indian corn; timbered with W. Oak, B. Oak, Hickory, Dogwood.

South 5th Mile - East side of Section 2.

- 1.96 A Hickory, 36 inches diameter.
- 57.53 A W. Oak, 9 inches diameter.
- 66.25 A Beech, 9 inches diameter.
- 80.00 Set Post, [corner to Sections 1 & 2.] from which a W. Oak, 15 ins. diam. bears N. 20 E. 6 links, and a W. Oak, 8 ins. diam. bears S. 74 W. 5 1/2 links distant. The soil, in some places, rich; would produce indian corn, &c. The ascents and descents are gentle; Timber, W. B. & Span. Oak, Ash, Beech and Hickory.

South 6th Mile - [East side of Section 1.]

- 25.08 A forked W. Oak.
- 35.00 A W. Oak, 36 inches diameter.
- 73.40 A W. Oak, 18 inches diameter.
- 80.00 Set Post, from which a forked W. Oak, the fork about 5 feet from the root, bears N. 35 1/2 W. 27 1/2 links, and a W. Oak, 12 ins. diam. bears N. 84 E. 27 1/2 links distant. The timber and soil of this side the same as that last described, well adapted to the cultivation of wheat, rye and indian corn.

Surveyed in 1786, by
Absalom Maitin,
Deputy Surveyor,
from New Jersey.

Township 8, Range 5-7 Ranges.

Chs. Lks.

East Boundary.

Beginning at the South East Corner of Section 1, Township 8, Range 5; where a W. Oak, 13 inches diameter, bears N. 60 E. 15 links, and a W. Oak, 17 ins. diam. bears S. 38 W. 27 1/2 links distant. Trees marked by plan. Then

North On East Boundary of Section 1.

- 9.61 A W. Oak, 9 inches diameter.
- 20.00 A W. Oak, 10 inches diameter.
- 20.24 A W. Oak, 12 inches diameter.
- 27.26 A W. Oak, 13 inches diameter.
- 34.52 A W. Oak, 10 inches diameter.
- 36.04 A W. Oak, 32 inches diameter.
- 37.06 A W. Oak, 14 inches diameter.
- 38.85 A W. Oak, 17 inches diameter.
- 49.32 A Gum, 10 inches diameter.
- 51.00 A Spring, East.
- 58.50 A Spring, East.
- 60.62 A Maple, 12 inches diameter.
- 77.65 A Beech, 11 inches diameter.
- 80.00 1 Mile Post, corner to [Sections 1 & 2.] from which a W. Oak, 11 ins. diam. bears N. 67 E. 25 links, and a W. Oak, 11 ins. diam. bears N. 67 W. 50 1/2 links distant. Trees marked by plan. Over level land, soil of a middling quality. Timber, W. Oak.

North On East Boundary of Section 2.

- 6.01 A W. Oak, 12 inches diameter.
- 23.13 A B. Oak, 14 inches diameter.
- 55.90 A Hickory, 33 inches diameter.
- 61.50 A Brook, 12 links, S 30 E.

Township 8, Range 5-7 Ranges.

- | Chs. Lks. | |
|---|---|
| 76.72 | A dead W. Oak, 10 inches diameter. |
| 80.00 | 2 Mile Post, corner to Sections 2 & 3; from which a W. Oak, 15 ins. diam. bears N. 59 W. 28 links, and a W. Oak, 14 ins. diam. bears S. 64 1/2 E. 14 1/2 links distant. Trees marked by plan. Three-fourths of this mile tolerable good Oak land; the last quarter the same, and stony. |
| North continued on East Boundary of Section 3. | |
| 41 | A W. Oak, 14 inches diameter. |
| 6.36 | A W. Oak, 10 inches diameter. |
| 16.11 | A W. Oak, 13 inches diameter. |
| 20.59 | A B. Oak, 14 inches diameter. |
| 29.00 | Post Road. |
| 34.75 | A Hickory, 9 inches diameter. |
| 48.88 | A W. Oak, 11 inches diameter. |
| 52.50 | A Brook, 12 links, E. 1st October, 1801. |
| 60.00 | A Brook, 8 links, S. 30 E. |
| 80.00 | 3 Mile Post, corner to Sections 3 & 4; from which a W. Oak, 16 ins. diam. bears N. 46 E. 3 1/2 links, and a Sugar tree, 11 ins. diam. bears S. 6 W. 37 links distant. Trees marked by plan. Over uneven land, soil tolerable good; Timber, W. Oak. |
| North continued, on East Boundary of Section 4. | |
| 7.50 | A Brook, 5 lks, near E. |
| 18.00 | A W. Oak, 15 inches diameter. |
| 20.58 | A W. Oak, 24 inches diameter. |
| 21.08 | A Hickory, 11 inches diameter. |
| 25.94 | A W. Oak, 13 inches diameter. |
| 27.00 | A Brook, 7 links, E. |
| 36.04 | A W. Oak, 15 inches diameter. |
| 60.64 | A W. Oak, 15 inches diameter. |

Township 8, Range 5-7 Ranges.

- | Chs. Lks. | |
|---|--|
| 61.00 | A W. Oak, 15 inches diameter. |
| 63.20 | A W. Oak, 17 inches diameter. |
| 67.50 | A Spring, East. |
| 80.00 | 4 Mile Post, corner to Sections 4 & 5; from which a W. Oak, 15 ins. diam. bears N. 14 W. 35 1/2 lks., and a W. Oak, 12 ins. diam. bears N. 86 E. 18 links distant. Trees marked by plan. Over uneven land, soil good; Timber, Oak & Hickory. |
| North continued on East Boundary of Section 5. | |
| 7.10 | A W. Oak, 18 inches diameter. |
| 16.91 | A B. Oak, 16 inches diameter. |
| 19.15 | A B. Oak, 36 inches diameter. |
| 25.16 | A W. Oak, 17 inches diameter. |
| 40.00 | A small Farm. |
| 43.16 | A W. Oak, 10 inches diameter. |
| 48.00 | A Brook, 15 links, N. 30 E. |
| 54.50 | A Brook, 15 links, N. 30 W. |
| 57.50 | Same Brook, N. 30 E. |
| 62.00 | Cross bend, N. 30 E. |
| 64.50 | Wheeling 40 E. |
| 71.95 | A Hickory, 11 inches diameter. |
| 80.00 | 5 mile Post, corner to Sections 5 & 6; from which a W. Oak, 18 ins. diam. bears S. 7 W. 6 1/2 links, & a W. Oak, 13 ins. diam. bears N. 12 1/2 E. 27 lks. distant. Trees marked by plan. Over uneven land, soil good; Timber, Oak and Hickory. |
| North continued, on East Boundary of Section 6. | |
| 8.72 | A W. Oak, 9 inches diameter. |
| 23.35 | A W. Oak, 10 inches diameter. |
| 32.39 | A B. Oak, 36 inches diameter. |
| 39.50 | A W. Oak, 13 inches diameter. |

Township 8, Range 5-7 Ranges.

Chs. Lks.
 47-00 A Brook, 12 links, E.
 50-54 A cherry tree, 15 inches diameter.
 51-09 A cherry tree, 13 inches diameter.
 59-00 N.E. corner of No. 6. ^{4th} This is also a corner to the 7th Town in the Range. Bearing trees for this corner - a W. Oak, 12 ins. diam. bears N. 70° 40 links, and a W. Oak, 8 ins. diam. bears S. 40° W. 24 links distant. Trees marked by plan. Over uneven land, soil tolerable; Timber, Oak and Hickory.

West Repraised to the South Boundary line. Then on the South Boundary of Section 1.

4-22 A W. Oak, 12 inches diameter.
 16-43 A W. Oak, 9 inches diameter.
 22-00 A Brook, 20 links, S.
 43-48 A W. Oak, 12 inches diameter.
 47-04 A Hickory, 13 inches diameter.
 60-39 A W. Oak, 12 inches diameter.
 63-20 A W. Oak, 10 inches diameter.
 65-47 A W. Oak, 13 inches diameter.
 80-00 1 Mile Post, corner to Sections 1 & 7, from which a W. Oak, 15 ins. diam. bears N. 44° W. 53 1/2 links, and a W. Oak, 18 ins. diam. bears S. 44° E. 7 1/2 links distant. Trees marked by plan. Over uneven thin W. Oak land.

West continued, on South Boundary of Section 7.

3-44 A W. Oak, 12 inches diameter.
 26-74 A B. Oak, 22 inches diameter.
 28-74 A dead W. Oak, 9 inches diameter.
 44-50 A Brook, 15 links, S.
 45-18 A W. Oak, 12 inches diameter.
 45-77 A W. Oak, 12 inches diameter.

Township 8, Range 5-7 Ranges.

Chs. Lks.
 53-07 A W. Oak, 12 inches diameter.
 53-45 A W. Oak, 13 inches diameter.
 55-86 A W. Oak, 12 inches diameter.
 56-57 A W. Oak, 13 inches diameter.
 60-90 A W. Oak, 13 inches diameter.
 76-33 A W. Oak, 13 inches diameter.
 79-00 A Brook, 6 links, S.
 80-00 2 Mile Post, corner to Sections 7 & 13, from which a Hickory, 11 ins. diam. bears S. 58 1/2° W. 13 1/2 links, and a W. Oak, 13 ins. diam. bears N. 16° W. 48 1/2 links distant. Trees marked by plan. 2^d Oct. 1861.
 Over uneven thin W. Oak land.

North Between Sections 7 & 13.

40-03 A W. Oak, 10 inches diameter.
 45-00 A Brook, 10 links, S. 30° E.
 55-76 A W. Oak, 11 inches diameter.
 64-00 A Brook, 6 links, S. 30° W.
 65-96 A B. Oak, 11 inches diameter.
 80-00 1 Mile Post, corner to Sections 7, 8, 13, 14, from which a W. Oak, 14 ins. diam. bears N. 48° W. 61 links, and a W. Oak, 15 ins. diam. bears S. 70° E. 53 links distant. Trees marked by plan. Over uneven land, soil thin; Timber, W. Oak.

North Between Sections 8 & 14.

28-50 A W. Oak, 13 inches diameter.
 29-24 A W. Oak, 12 inches diameter.
 31-50 A Brook, 5 links, E.
 42-00 A Brook, 12 links, S. 40° E.
 53-67 A W. Oak, 18 inches diameter.
 80-00 2 Mile Post, corner to Sections 8, 9, 14, 15, from which a W. Oak, 13 ins. diam. bears N. 61° E.

Township 8, Range 5-7 Ranges.

6th Ln
5 1/2 links, and a W. Oak, 11 ins. diam. bears
N. 78 1/2 W. 2 1/2 links distant. Trees marked, &c.
Over uneven land, soil thin; Timber, W. Oak.

East
80.00 On Rainbow line, between Secs. 8 & 9.
Rainbow Post.

East
80.20 continued, between Sections 2 & 3, on Rainbow
North and South line, South 55 links.

West
21.50 Between Sections 2 & 3.
A Brook, 5 links, S.
25.35 A W. Oak, 12 inches diameter.
32.77 A W. Oak, 14 inches diameter.
41.84 A W. Oak, 34 inches diameter.
67.74 A W. Oak, 10 inches diameter.
72.00 A Brook, 9 links, S.
80.00 1 Mile Post, corner of Sections 2, 3, 8, 9; from
which a W. Oak, 13 ins. diam. bears S. 34 W.
9 links, and a W. Oak, 13 ins. diam. bears N.
26 E. 23 1/2 links distant. Trees marked by plan.
Over level good kind of Oak land.

West
22.00 continued between Sections 8 & 9.
22.00 A Brook, 9 links, S.
24.00 A Brook, 6 links, S. 80 E.; up the same.
26.37 A W. Oak, 34 inches diameter.
33.50 Said Brook forks to the N. & S.
58.50 A Brook, 7 links, S.
66.34 A B. Oak, 26 inches diameter.
67.08 A W. Oak, 12 inches diameter.
73.80 A W. Oak, 14 inches diameter.
77.96 A W. Oak, 12 inches diameter.
80.00 2 Mile Post, already set. Over same kind of land.

Township 8, Range 5-7 Ranges.

6th Ln
North
14.44 Between Sections 9 & 15.
16.04 A B. Oak, 14 ins. diam. by a Brook, 4 links, W.
A W. Oak, 16 inches diameter.
38.00 Post Road.
42.65 A Chestnut, 38 inches diameter.
42.80 A Brook, 6 links, W.
49.07 A W. Oak, 9 inches diameter.
59.50 A W. Oak, 13 inches diameter.
65.00 A Brook, 6 links, W.
73.70 A W. Oak, 30 inches diameter.
80.00 3 Mile Post, corner to Sections 9, 10, 15, 16; from
which a W. Oak, 12 ins. diam. bears N. 10 1/2 E.
33 1/2 links, and a W. Oak, 14 ins. diam. bears
S. 12 W. 53 1/2 links distant. Trees marked by plan.
Over uneven land, thin soil; Timber, Oak and
Hickory.

North
5.50 continued between Sections 10 & 16.
A Brook, 12 links, N. 30 E.
20.00 A small Farm.
22.80 A W. Oak, 36 inches diameter.
27.50 A Brook, 9 links, E.
36.11 A W. Oak, 9 inches diameter.
49.00 Short Creek Road.
50.40 A W. Oak, 12 inches diameter.
55.00 A Brook, 8 links, E.
77.42 A W. Oak, 10 inches diameter.
78.95 A W. Oak, 20 inches diameter.
80.00 4 Mile Post, corner to Sections 10, 11, 16, 17; from
which a W. Oak, 12 ins. diam. bears N. 68 E.
50 links, and a W. Oak, 16 ins. diam. bears S.
56 W. 9 links distant. Trees marked by plan.
Over uneven thin W. Oak land.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
East	On Raudow Line, between Sections 10 & 11.
15.00	A Brook, 12 links, S. 4th October, 1801.
80.00	Raudow Post.
East	Continued Raudow, between Secs. 4 & 5.
81.00	N. & S. Line, South 10 links.
West	Between Sections 4 & 5.
16.02	A B. Oak, 14 inches diameter.
29.50	A Brook, 15 links, N.
31.00	A W. Oak, 14 inches diameter.
44.88	A W. Oak, 12 inches diameter.
71.15	A W. Oak, 13 inches diameter.
80.00	1 Mile Post, corner to Sections 4, 5, 10, 11, from which a W. Oak, 14 ins. diam. bears N. 32 1/2 W. 37 links, and a W. Oak, 15 ins. diam. bears S. 62 E. 33 1/2 links distant. Trees marked by plan. Over uneven land, soil of middling quality; Timber, Oak and Hickory.
West	Continued, between Sections 10 & 11.
4.00	A Hickory, 18 inches diameter.
15.00	A Brook, 6 links, S.
18.03	A B. Oak, 13 inches diameter.
27.70	A B. Oak, 26 inches diameter.
48.00	Short Creek Road.
48.34	A Hickory, 11 inches diameter.
48.64	A W. Oak, 14 inches diameter.
65.00	A Brook, 12 links, N.
66.50	A Brook 4 links, N. 80 E.
77.00	A Brook, 4 links, S. 80 E.
80.00	2 Mile Post, already set. Land the same as the last mile.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
North	Between Sections 11 & 17.
11.00	Forks of a Brook, 5 links, E.
22.00	A W. Oak, 13 inches diameter.
32.00	A Brook, 15 links, E.
43.31	A W. Oak, 10 inches diameter.
48.15	A W. Oak, 12 inches diameter.
49.19	A W. Oak, 13 inches diameter.
62.91	A Gum, 13 inches diameter.
64.83	A Hickory, 10 inches diameter.
80.00	5 mile Post, corner to Sections 11, 12, 17, 18, from which a Cherry tree, 11 ins. diam. bears S. 88 1/2 E. 29 links, and a W. Oak, 13 ins. diam. bears S. 84 1/2 W. 38 1/2 links distant. Trees marked by plan. First half mile poor and hilly W. Oak land; last half mile tolerable good Oak land.
North	Continued, between Sections 12 & 18.
4.00	A Brook, 4 links, E.
7.73	A W. Oak, 10 inches diameter.
26.96	A W. Oak, 12 inches diameter.
55.40	A B. Oak, 25 inches diameter.
59.00	6 Mile Post, corner to Sections 12 & 18, from which a W. Oak, 40 ins. diam. bears N. 20 W. 25 links, and a Hickory, 7 ins. diam. bears S. 37 E. 5 links distant. Trees marked by plan. Over uneven land, soil good; Timber, Oak and Hickory.
West	Then repaired to the South Boundary line. On the South Boundary of Section 13.
2.00	A W. Oak, 17 inches diameter.
12.77	A Hickory, 10 inches diameter.
16.50	A Brook, 15 links, S. 70 E.

Township 8, Range 5-7 Ranges.

Ch. Lk.	
28.73	A W. Oak, 12 inches diameter.
39.47	A Cherry tree, 14 inches diameter.
51.50	A Brook, 3 links, N.
64.00	A Brook, 12 links, N. 70° E.
69.13	A W. Oak, 15 inches diameter.
73.22	A W. Oak, 12 inches diameter.
73.68	A W. Oak, 15 inches diameter.
76.50	A Brook, 8 links, S. 70° E.
80.00	3 Mile Post, corner to Sections 13 & 19, from which a W. Oak, 16 ins. diam. bears N. 44 W. 33 links, & a W. Oak, 12 ins diam. bears N. 83 E. 42 links distant. Trees marked by plan. Over uneven thin Oak land. 5th October, 1801.
West Continued, South Boundary of Section 19.	
20.70	A Hickory, 10 inches diameter.
45.42	A W. Oak, 14 inches diameter.
57.21	A W. Oak, 16 inches diameter.
60.00	A Brook, 3 links, S.
67.91	A W. Oak, 10 inches diameter.
80.00	4 Mile Post, corner to Sections 19 & 25, from which a W. Oak, 11 ins. diam. bears N. 60 E. 16 1/2 links, & a W. Oak, 15 ins. diam. bears S. 35 E. 12 links distant. Trees marked by plan. Over uneven thin Oak land.
North Between Sections 19 & 25.	
6.61	A W. Oak, 12 inches diameter.
15.57	A W. Oak, 13 inches diameter.
17.22	A B. Oak, 38 inches diameter.
22.00	A Brook, 12 links, W.
60.36	A W. Oak, 44 inches diameter.
66.00	A Brook, 12 links, W.
75.50	A B. Oak, 16 inches diameter.
80.00	1 Mile Post, corner to Sections 19, 20, 25, 26, from

Township 8, Range 5-7 Ranges.

Ch. Lk.	
	which a W. Oak, 16 ins. diam. bears N. 29 W. 26 links, and a Hickory, 10 ins. diam. bears N. 68 E. 33 links distant. Trees marked by plan. Over hilly land, soil generally thin and stony; Timber, Oak and Hickory.
North Continued, between Sections 20 & 26.	
.50	A W. Oak, 12 inches diameter.
4.50	A Brook, 6 links, S. 70° E.
37.80	A B. Oak, 16 inches diameter.
41.50	Post Road.
41.77	A Beech, 10 inches diameter.
48.00	A Lick, N.
50.00	A Brook, 6 links, W.
69.22	A B. Oak, 33 inches diameter.
80.00	2 Mile Post, corner to Sections 20, 21, 26, 27, from which a Beech, 10 ins. diam. bears S. 6 1/2 W. 11 links, and a Beech, 10 ins. diam. bears N. 60 E. 27 links distant. Trees marked by plan. Land same as the last mile.
East On Random Line, between Sections 20 & 21	
80.00	Random Post.
East Continued Random, between Secs. 14 & 15	
80.26	N & S. Line, South 30 links.
West Between Sections 14 & 15.	
1.86	A W. Oak, 12 inches diameter.
5.00	A Brook, course S.
5.86	A W. Oak, 12 inches diameter.
11.44	A W. Oak, 12 inches diameter.
22.23	A W. Oak, 12 inches diameter.
31.50	A Brook, 9 links, S.

Township 8, Range 5-7 Ranges.

6 hrs. 2 hrs.
 49.00 A Brook, 3 links, N.
 80.00 3 Mile Post, corner of Sections 14, 15, 20, 21,
 from which a W. Oak, 20 ins. diam. bears N.
 82 W. 52 links, and a W. Oak, 10 ins. diam.
 bears S. 59 W. 41 1/2 links distant. Trees marked
 by plan.
 Over uneven thin W. Oak land.

West continued, between Sections 20 & 21.

25.00 Post Road.
 28.50 A Brook, 9 links, N.
 35.00 A B. Oak, 16 inches diameter.
 44.14 A Poplar, 16 inches diameter.
 54.00 A Brook, 6 links, N.
 68.13 A B. Oak, 14 inches diameter.
 72.30 A Brook, 9 links, N.
 80.00 4 Mile Post, already set.
 Land the same.

6th October, 1801.

West continued between Sections 26 & 27.

21.15 A B. Oak, 19 inches diameter.
 32.45 A W. Oak, 15 inches diameter.
 36.00 A Brook, 15 links, S.
 48.47 A B. Oak, 16 inches diameter.
 61.81 A W. Oak, 46 inches diameter.
 74.00 A Spring, S.
 80.00 5 Mile Post, corner to Sections 26, 27, 32, 33; from
 which a W. Oak, 13 ins. diam. bears N. 78 E. 10
 links, and a W. Oak, 11 ins. diam. bears S.
 80 W. 18 links distant. Trees marked by plan.
 Over hilly land, soil tolerable; Timber
 Oak, Hickory, and some Sugar tree.

Township 8, Range 5-7 Ranges.

6 hrs. 2 hrs.
 West continued between Sections 32 & 33.
 4.50 A Brook, 8 links, S.
 8.34 A W. Oak, 13 inches diameter.
 9.02 A B. Oak, 20 inches diameter.
 12.21 A W. Oak, 18 inches diameter.
 14.17 A W. Oak, 12 inches diameter.
 30.00 A Brook, 20 links, N. 60 W.
 34.00 A Spring, N.
 68.38 A B. Oak, 18 inches diameter.
 75.00 6 Mile Post, corner to Sections 32 & 33; from which
 a Poplar, 9 ins. diam. bears N. 45 1/2 W. 30
 links, and a W. Oak, 13 ins. diam. bears
 S. 34 E. 25 links distant. Trees marked by
 plan.
 Over hilly land, soil rich; Timber, Oak, Hicko-
 ry, some Sugar tree and Walnut.

Then traveled two miles East. Thence
 North between Sections 31 & 37.

7.00 Forks of a Brook, 4 links, N. 20 E.
 13.50 A Brook, 12 links, W.
 30.07 A W. Oak, 17 inches diameter.
 42.58 A W. Oak, 17 inches diameter.
 49.19 A B. Oak, 23 inches diameter.
 65.63 A B. Oak, 18 inches diameter.
 78.50 A Brook, 4 links, W.
 80.00 3 Mile Post, corner to Sections 21, 22, 27, 28;
 from which a W. Oak, 13 ins. diam. bears N.
 73 1/2 W. 31 links, and a Beech, 9 ins. diam.
 bears S. 67 E. 34 links distant. Trees marked
 by plan.
 Over hilly land, soil 2^d rate; Timber, Oak,
 Hickory, some Sugar tree.

Township 8, Range 5-7 Ranges.

6 hrs. 2 hrs.	
North	Continued, between Sections 22 & 28.
1.06	A Beech, 10 inches diameter.
15.00	A B. Oak, 14 inches diameter.
19.75	A W. Oak, 24 inches diameter.
20.50	A Spring, E.
28.50	A Brook, 9 links, W.
32.00	Cross Broadheads trail.
40.00	Forks of a Brook, 20 links, W., and up the N. fork.
46.40	A Hickory, 15 inches diameter.
55.00	Leave said Brook on the left hand.
67.15	A W. Oak, 23 inches diameter.
77.35	A Poplar, 20 inches diameter.
80.00	4 Mile Post, corner to Sections 22, 23, 28, 29; from which a W. Oak, 12 ins. diam. bears N. 30 E. 43 links, and a W. Oak, 12 ins. diam. bears N. 60 W. 48 links distant. Trees marked by plan. Three-fourths of the mile, land the same as the last mile; then over poor and hilly W. Oak land.
East	On Random Line, between Sections 22 & 23.
80.00	Random Post.
East	Continued, between Sections 16 & 17, Random.
80.68	North and South Line.
West	Between Sections 16 & 17.
1.50	A Hickory, 10 inches diameter.
32.11	A W. Oak, 12 inches diameter.
44.18	A W. Oak, 11 inches diameter.
48.50	A Brook, 8 links, N.
53.30	A W. Oak, 50 inches diameter.
80.00	3 Mile Post, corner to Sections 16, 17, 22, 23, from which a Poplar, 8 ins. diam. bears S. 85 1/2 W.

Township 8, Range 5-7 Ranges.

6 hrs. 2 hrs.	
	8 links, and a W. Oak, 14 ins. diam. bears N. 47 E. 10 1/2 links distant. Trees marked by plan. Over uneven thin W. Oak land.
West	Between Sections 22 & 23.
27.33	A W. Oak, 10 inches diameter.
29.32	A B. Oak, 10 inches diameter.
32.50	A Brook, 5 links, S.
40.00	Broadheads trail.
47.50	A Brook, 5 links, S.
50.00	A B. Oak, 14 inches diameter.
52.14	A B. Oak, 16 inches diameter.
80.00	4 Mile Post, already set. Over uneven poor W. Oak land. 7 th October, 1801.
West	Continued between Sections 28 & 29.
.76	A W. Oak, 16 inches diameter.
4.00	A Brook, 10 links, S.
41.77	A W. Oak, 13 inches diameter.
51.00	A Brook, 12 links, S.
56.12	An Elm, 8 inches diameter.
64.36	A Chestnut, 36 inches diameter.
80.00	5 Mile Post, corner to Sections 28, 29, 34, 35; from which a W. Oak, 12 ins. diam. bears S. 77 E. 26 links, and a B. Oak, 13 ins. diam. bears N. 67 W. 20 links distant. Trees marked by plan. First half mile poor and hilly W. Oak land, and brushy. Second half mile over hilly land, soil 2 ^d rate; Timber, Oak & Hickory.
West	Continued between Sections 34 & 35.
39.44	A Hickory, 34 inches diameter.
43.00	A B. Oak, 16 inches diameter.
44.00	A B. Oak, 14 inches diameter.

Township 8, Range 5-7 Ranges.

6h. Lk.
 50.90 A Maple, 12 inches diameter.
 52.88 A W. Oak, 40 inches diameter.
 57.00 A Brook, 6 links, N. 60 W.
 61.56 A W. Oak, 13 inches diameter.
 67.77 A W. Oak, 14 inches diameter.
 75.00 6 Mile Post, corner to Sections 34 & 35; from which a B. Walnut, 17 ins. diam. bears N. 30 E. 25 links, and a B. Oak, 21 ins. diam. bears South 10 links distant. Trees marked by plan.
 Over hilly land, soil 2d rate; Timber, Oak and Hickory, some Sugar maple and Beech.

Traveled East 2 Miles. Then
 North Between Sections 23 & 29.
 8.85 A W. Oak, 13 inches diameter.
 13.00 A Brook, 4 links, W.
 27.19 A W. Oak, 13 inches diameter.
 27.50 A Brook, 3 links, W.
 38.00 A Brook, 6 links, W.
 43.20 A W. Oak, 17 inches diameter.
 62.43 A B. Oak, 14 inches diameter.
 69.65 A B. Oak, 13 inches diameter.
 75.00 A Brook, 4 links, E.
 80.00 5 Mile Post, corner to Sections 23, 24, 29, 30; from which a B. Oak, 7 ins. diam. bears S. 77 1/2 E. 58 links, and a B. Oak, 15 ins. diam. bears S. 55 W. 61 links distant. Trees marked by plan.
 Over poor and hilly W. Oak land.

North Between Sections 24 & 30.
 6.50 A Brook, 3 links, E.
 31.97 A W. Oak, 12 inches diameter.
 44.55 A W. Oak, 12 inches diameter.

Township 8, Range 5-7 Ranges.

6h. Lk.
 59.50 6 Mile Post, corner to Sections 24 & 30; from which a W. Oak, 10 ins. diam. bears N. 23 E. 2 1/2 links, and a W. Oak, 7 ins. diam. bears S. 28 W. 15 1/2 links distant. Trees marked by plan.
 Over poor and hilly W. Oak land. 8th Oct. 1801.

Repaired to the South Boundary.

West on South Boundary of Section 25.
 31.50 A Spring, S.
 39.00 A Brook, 5 links, S.
 40.25 A W. Oak, 16 inches diameter.
 42.50 A Brook, 15 links, N. 70 W.
 49.00 A Brook, 4 links, S.
 57.38 A W. Oak, 12 inches diameter.
 59.16 A W. Oak, 12 inches diameter.
 66.90 A W. Oak, 13 inches diameter.
 75.98 A W. Oak, 14 inches diameter.
 79.55 A W. Oak, 15 inches diameter.
 80.00 5 Mile Post, corner to Sections 25 & 31; from which a W. Oak, 13 ins. diam. bears N. 20 W. 20 1/2 links, and a W. Oak, 13 ins. diam. bears S. 32 E. 38 1/2 links distant. Trees marked by plan.
 Over hilly land, soil 2d rate; Timber, Oak and Hickory.

West Continued, on South Boundary of Section 31.
 9.00 A Brook, 12 links, N.
 20.98 A Poplar, 26 inches diameter.
 21.96 A Hickory, 12 inches diameter.
 29.06 A B. Oak, 17 inches diameter.
 30.93 A dead B. Oak, 14 inches diameter.
 45.00 A Brook, 30 links, N.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
51.98	A W. Walnut, 15 inches diameter.
60.56	A W. Oak, 12 inches diameter.
66.00	A Brook, 8 links, S. 70 G.
67.50	A W. Oak, 14 inches diameter.
69.00	A W. Oak, 26 inches diameter.
73.00	6 Mile Post, S. W. corner of Section 31; corner already made. Bearing true at this corner: a W. Oak, 17 ins. diam. bears N. 9 G. 41 links, and a W. Oak, 17 ins. diam. bears S. 39 W. 9 1/2 links distant. Trees marked by plan. Laid the same. Then
North	On the West Boundary of Section 31.
5.00	A Brook, 8 links, G.
5.76	A Hickory, 10 inches diameter.
36.63	A Chestnut, 30 inches diameter.
45.50	A Brook, 8 links, G.
52.58	A W. Oak, 15 inches diameter.
55.00	A Spring, G.
68.22	A Spring, G.
80.00	1 Mile Post, in a small farm, and corner to Sections 31 & 32; from which a Sugar tree, 20 ins. diam. bears S. 87 G. 55 1/2 links, and a Sugar tree, 22 ins. diam. bears N. 63 W. 77 1/2 links distant. Trees marked by plan. Over very hilly land, soil poor and stony; Timber, W. Oak.
North	Continued, on West Boundary of Section 32.
3.40	A W. Oak, 16 inches diameter.
8.50	A Brook, 40 links, W.
28.00	Post Road,
39.08	A Hickory, 9 inches diameter.
46.01	A Hickory, 11 inches diameter.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
55.70	A Hickory, 8 inches diameter.
66.12	A W. Oak, 19 inches diameter.
68.22	A Spring, W.
72.23	A Sugar tree, 10 inches diameter.
74.78	A Hickory, 15 inches diameter.
79.70	2 Mile Post, already set. Laid the same.
North	Continued, on West Boundary of Section 33.
7.22	A B. Oak, 16 inches diameter.
16.50	A Spring, N. 10 G.
23.24	A B. Walnut, 36 inches diameter.
26.50	A Brook, 8 links, G.
42.09	A Hickory, 12 inches diameter.
46.50	A Brook, 8 links, G.
50.00	A small Farm.
54.53	A Lym, 26 inches diameter.
56.50	A Brook, 15 links, N. 30 W.
73.50	Cross a Brook 3 times, 10 links, W.
80.00	3 Mile Post, in a small farm on Broadhead's trail, and corner to Sections 33 & 34; from which a Sugar tree, 10 ins. diam. bears N. 28 W. 45 1/2 links, and a Sugar tree, 27 ins. diam. bears --- links distant. Trees marked by plan. Over hilly land, soil 2 ^d rate; Timber, Oak, Hickory and Sugar tree.
North	Continued, on West Boundary of Section 34.
1.50	A Spring, W.
31.00	A Brook, 4 links, S. 30 G.
35.17	A Sugar tree, 8 inches diameter.
70.29	A W. Oak, 14 inches diameter.
71.50	A Brook, 3 links, W.
72.94	A W. Oak, 10 inches diameter.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
75.74	A W. Oak, 12 inches diameter.
80.00	4 Mile Post Set. Over hilly land, soil rich; Timber, Oak, Hickory, Sugar tree, &c.
North continued, on West Boundary of Section 35.	
.50	A Brook, 10 links, W.
1.50	A Spruce, 14 inches diameter.
3.67	A Hickory, 10 inches diameter.
4.00	A Brook, 3 links, W.
25.76	A W. Oak, 19 inches diameter.
50.66	A W. Oak, 10 inches diameter.
56.39	A W. Oak, 10 inches diameter.
71.60	A Beech, 9 inches diameter.
80.00	5 Mile Post, corner to Sections 35 & 36; from which a Poplar, 13 ins. diam. bears N. 31 E. 44 links, and a Sugar tree, 16 ins. diam. bears S. 44 W. 30 1/2 links distant. Trees marked by Man. Over hilly land, soil thin; Timber, W. Oak, Hickory and Beech. 9th October, 1801.

See two pages ahead.

North Boundary.

West On North Boundary of Section 6.	
9.00	A Brook, 15 links, S.; nearly dry.
34.00	Short Creek Road.
63.00	A Brook, 6 links, S.
71.00	A Brook, 15 links, S.
80.00	1 Mile Post, corner to Sections 6 & 12; from which a W. Oak, 15 ins. diam. bears N. 3 E. 42 links, and a W. Oak, 36 ins. diam. bears S. 6 E. 44 1/2 links distant. Trees marked by Man. Over uneven thin W. Oak land.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
West continued, on N. Boundary of Section 12.	
43.00	A Brook, 6 links, S.
66.50	A Brook, 30 links, S.
82.50	2 Mile Post, corner to Sections 12 & 18, Land the same.
West continued, on N. Boundary of Section 18.	
27.50	A Brook, 4 links, S.
60.50	A Brook, 4 links, S.
68.00	A Brook, 12 links, S. 60 E.
80.00	3 Mile Post, corner to Sections 18 & 24; from which a W. Oak, 8 ins. diam. bears N. 60 W. 48 links, and a B. Oak, 13 ins. diam. bears S. 26 E. 10 links distant. Trees marked by Man. Over tolerably good Oak land.
West continued, on N. Boundary of Section 24.	
36.43	A W. Oak, 11 inches diameter.
57.50	A Brook, 6 links, S.
62.14	A W. Oak, 12 inches diameter.
79.90	4 Mile Post. Corner mate. Over good Oak land.
West continued, on N. Boundary of Section 30.	
3.60	A Brook, 4 links, S.
8.60	A Brook, 3 links, S. 80 E.
69.60	A Brook, 6 links, S.
80.00	5 Mile Post, corner to Sections 30 & 36; from which a W. Oak, 12 ins. diam. bears N. 23 E. 36 links, and a B. Oak, 18 ins. diam. bears S. 34 E. 47 links distant. Trees marked by Man. Over hilly land, soil good; Timber, Oak and Hickory.

Township 8, Range 5-7 Ranges.

chs. Lks.
 West Continued on N. Boundary of Section 36.
 25.60 A Brook, 9 links, S.
 29.40 A Walnut, 13 inches diameter.
 32.60 A Brook, 3 links, S. 80 E.
 48.86 A W. Oak, 12 inches diameter.
 53.60 A Brook, 4 links, S.
 67.21 Town corner not intersected
 72.00 6 Mile Post, corner made.
 Land the same.

Surveyed by Laccheus Biggs, Deputy Surveyor - 1801.

(Quitted two pages back.)

North On West Boundary of Section 36.
 18.00 Forks of a Brook, 6 links, W.
 21.60 A W. Oak, 9 inches diameter.
 24.84 A B. Oak, 17 inches diameter.
 27.50 A B. Oak, 17 inches diameter.
 34.70 A W. Oak, 20 inches diameter.
 39.00 A Brook, 30 links, W.
 48.70 A W. Oak, 10 inches diameter.
 55.56 A W. Oak, 32 inches diameter.
 57.00 A W. Oak, 12 inches diameter.
 60.50 6 Mile Post, N.W. corner of Section 36; from which a W. Oak, 10 ins. diam. bears N. 19 E. 21 links, and a W. Oak, 9 ins. diam. bears S. 65 1/2 W. 24 links distant. Trees marked by plan.
 First 1/2 mile over hilly land, soil rich, timber Oak, Hickory, Sugar-tree, Walnut, &c.; then over poor and hilly W. Oak land.

Township 8, Range 5-7 Ranges.

chs. Lks.
 Subdivision of "Two Mile Blocks."
 May 23, 1805.
 From Post on Township Line, corner to Secs. 6 & 12.
 South Random Line between Sections 6 & 12.
 40.00 Set temporary Quarter Section Post.
 44.00 A Brook, 3 links wide, runs S. 80 E.
 54.00 Crossed State Road from mouth of Short creek to Morrisons.
 56.00 Wharfing creek, 40 links wide, runs S. 30 E.; moderate current.
 61.50 A Brook, 4 links wide, running East.
 64.30 A Brook, 3 links wide, runs N. 50 W. A Spring, 30 links above, discharges itself 30 links below, into the before-mentioned Brook. Then crossed said Brook 4 times within 5 chains.
 80.00 Set temporary Center Post.
 Land on this mile tolerable level, soil good; Timber, W. Oak, B. Oak, Plum, Thorn, Dogwood, &c.

South continued Random Line between Secs. 5 & 11.
 28.80 A Brook, 2 links wide, runs S. 60 E. The Spring 2 chains above.
 40.00 Set temporary Quarter Section Post.
 59.75 Fell 84 links East of Post, corner of Sections 4, 5, 10, 11, T. 8, R. 5.
 Land uneven and thin; Timber, W. Oak, B. Oak, Dogwood, &c.

Var. 0.21'. May 24, 1805
 From Post, corner of Sections 4, 5, 10, 11 -
 North connected the line between Sections 5 & 11.
 4.00 A Beech, 10 inches diameter.
 20.60 A B. Oak, 12 inches diameter.
 40.00 Set temporary Dr. Sec. Post, on true line.

Township 8, Range 5-7 Ranges.

Chs. Lhs.
 80.00 Moved temporary Center Post to true line.
 North
 30.00 Corrected the line between Sections 6 & 12.
 Moved temporary Dr. Sec. Post to true line.
 55.60 A W. Oak, 18 inches diameter.
 59.50 To Post on Township Line, corner of Secs. 6 & 12.

June 6, 1805.

From Post, corner of Sections 11, 12, 17, 18, ran
 East Random Line between Sections 11 & 12.
 4.25 A Brook, 2 links wide, runs S. 40 W.
 12.80 A Brook, 4 links wide, runs S. 40 W.
 25.50 A Swampy Brook, 15 links wide, runs S. 20 E.
 A large Lick about 3 Chs. North of line.
 31.30 A Brook, 3 links wide, runs S. 10 E.
 40.00 Set temporary Quarter Section Post.
 54.00 A Brook, 20 links wide, runs S. 25 E.
 56.00 Crossed State Road leading from the mouth of Flat
 Creek to Duncan Morrisons.
 63.50 Cross Wheeling Creek, 40 links wide, runs N. 70 W.
 67.00 Same Creek, 35 links wide, runs S. 70 E.
 69.75 Same Creek, 40 links wide, runs North.
 83.50 Crossed North and South Line.

The above line runs nearly all the way on a rich bottom; Timber, Sugar, Buckeye, Chn, Thorn, Crab Apple, Haw, &c.

East Continued Random Line between Sections 5 & 6.
 1.00 Wheeling Creek, 40 links wide, runs S. 70 E.
 5.50 Same Creek, 35 links wide, runs N. 40 E.
 33.50 To a large Spring head, runs N. 25 E.
 38.40 Another Spring, running North.
 40.00 Set temporary Quarter Section Post.
 42.50 A Brook, 2 links wide, runs North.

Township 8, Range 5-7 Ranges.

Chs. Lhs.
 69.25 Wheeling Creek, 45 links wide, runs South.
 81.30 Fell 103 links South of Post on Range Line, corner to Sections 5 & 6, T. 8, R. 5.
 This mile through first and second Bottom, soil good; Timber, W. Oak, B. Oak, Sugar, Thorn, Crab Apple, Haw, &c.

From Post on Range Line, corner of Section 5 & 6.
 West corrected the line between Secs. 5 & 6. Run. C. 2 1/4.
 6.00 A B. Oak, 24 inches diameter.
 40.65 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a Hickory, 12 ins. diam. bears N. 20 E. 22 1/2 links, and a Hickory, 7 ins. diam. bears S. 4 E. 5 1/2 links distant.
 41.30 A W. Oak, 12 inches diameter.
 49.00 A W. Oak, 24 inches diameter.
 65.60 A B. Oak, 18 inches diameter.
 81.30 Fell 21 links North of temporary Center Post. Moved it to the center, at intersection of lines, corner to Sections 5, 6, 11, 12; from which an Chn, 42 ins. diam. bears N. 70 W. 15 1/2 links, and a Buckeye, 10 ins. diam. bears S. 28 1/2 E. 5 1/2 links distant.

x Traveled North between Sections 6 & 12, & moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 16 ins. diam. bears S. 54 1/2 E. 28 links, and a W. Oak, 20 ins. diam. bears N. 21 1/2 W. 6 1/2 links distant.

Traveled South between Sections 5 & 11, and moved temporary Dr. Sec. Post, and set it at the average measure, on true line; from which a Hickory, 12 ins. diam. bears S. 71 W. 24 1/2 links

Township 8, Range 5-7 Ranges.

Chr. Lks. and a W. Oak, 12 ins. diam. bears N. 19 W. 49 links distant.

West corrected ^{the line} between Sections 11 & 12.

4.55 A Swamp W. Oak, 24 inches diameter.

11.06 A Cherry, 26 inches diameter.

31.03 A Swamp W. Oak, 30 inches diameter.

41.75 Moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 24 ins. diam. bears N. 60 1/2 E. 16 Ws, and a W. Oak, 13 ins. diam. bears S. 66 1/2 W. 8 links distant.

83.50 To Post, corner to Sections 11, 12, 17, 18 - T. 8, R. 5.

May 23, 1805.

From Post, corner of Sections 4, 5, 10, 11, ran South Random Line between Sections 4 & 10.

3.12 A Brook, 3 links wide, runs S. 10 E.

5.15 A Brook, 8 links wide, running E. at the fork.

40.00 Set temporary Quarter Section Post.

41.00 A Brook, 3 links wide, runs S. 50 E.

70.80 A Brook, 3 links wide, runs S. 70 E.

80.00 Set temporary center Post.

Land uneven and thin; Timber, W. Oak, B. Oak, Dogwood, &c.

South Continued Random Line between Secs. 3 & 4.

11.00 A Brook, 5 links wide, runs S. 80 E.

19.00 A Brook, 3 links wide, runs S. 70 E. Spring 3 chs. above.

30.50 A Brook, 5 links wide, runs N. 30 W, and another 3 links wide, puts in 20 links below, from S. E.

40.00 Set temporary Quarter Section Post.

50.50 Crossed State Road, from Wheeling to Chillicothe.

57.40 A Brook, 2 links wide, runs S. 60 E. Spring 2 chs. above.

Township 8, Range 5-7 Ranges.

Chr. Lks. Fell 148 links West of Post, corner of Sections 2, 3, 8, 9, T. 8, R. 5. Land hilly and thin; Timber, W. Oak, B. Oak, Dogwood, &c.

From Post, corner of Sections 2, 3, 8, 9, T. 8, R. 5 - North corrected the line between Secs. 3 & 4. Run. 0:31'.

10.45 A W. Oak, 12 inches diameter.

41.00 Moved temporary Tr. Sec. Post to true line.

80.50 Moved temporary center Post to true line.

North corrected the line between Secs. 4 & 10.

30.70 A W. Oak, 18 inches diameter.

40.00 Moved temporary Tr. Sec. Post to true line.

80.50 To Post, corner of Sections 4, 5, 10, 11.

June 8, 1805.

From Post, corner of Secs. 9, 10, 15, 16, ran East Random Line between Sections 9 & 10.

40.00 Set temporary Quarter Section Post.

44.00 A Brook, 3 links wide, runs S. 85 E.

56.00 A Brook, 2 links wide, runs S. 40 E.

81.65 Crossed North and South Line. Land level, soil good; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

East Continued Random Line between Sections 3 & 4.

11.30 A Brook, 10 links wide, runs North.

11.50 Stopped at right, near North side of a little brook, [a brook, or creek, or bank - can't tell which.]

25.00 A Brook, 3 links wide, runs N. 30 W.

40.00 Set temporary Quarter Section Post.

48.00 Crossed a Spring head, running S. 70 E.

71.20 A Brook, 3 links wide, runs South.

Township 8, Range 5-7 Ranges.

6th. Lk. 81.80 Fell 129 links South of Post, corner of Sections 3 & 4, on Range Line. Land uneven, but not very hilly; Timber, W. Oak, B. Oak, Dogwood, &c.

Par. 0.27. June 17, 1805.

From Post on Range Line, corner of Secs. 3 & 4.

West Corrected the line between Sections 3 & 4.

40.90 Moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 24 ins. diam. bears N. 7 E. 10 links, and a Hickory, 10 ins. diam. bears S. 57 1/2 E. 27 1/2 lks. distant.

50.47 A W. Oak, 12 inches diameter.

50.80 A W. Oak, 12 inches diameter.

60.48 A W. Oak, 12 inches diameter.

81.80 Fell 1 link North of temporary Center Post. Set it in the center, at intersection of the lines, corner to Sections 3, 4, 9, 10; from which a W. Oak, 12 ins. diam. bears N. 34 E. 18 links, and a B. Oak, 24 ins. diam. bears S. 28 W. 46 lks. distant.

Then traveled North between Sections 4 & 10, and moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a Hickory, 8 ins. diam. bears S. 52 W. 16 links, and a Beech, 8 ins. diam. bears S. 9 W. 25 lks. distant.

Then traveled South between Sections 3 & 9, & moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 15 ins. diam. bears N. 24 1/2 W. 25 1/2 links, and a W. Oak, 19 ins. diam. bears N. 52 1/2 E. 50 links distant.

Township 8, Range 5-7 Ranges.

6th. Lk. West Corrected the line between Sections 9 & 10. 33.00 A Maple, 18 inches diameter.

40.82 1/2 Moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 18 ins. diam. bears N. 29 1/2 W. 45 links, and a W. Oak, 18 ins. diam. bears S. 25 E. 20 lks. distant.

73.80 A B. Oak, 26 inches diameter.

81.65 To Post, corner of Section 9, 10, 15, 16, T. 8, R. 5.

May 23, 1805.

From Post, corner of Sections 2, 3, 8, 9, ran South Range Line between Sections 2 & 8.

26.90 A Brook, 6 links wide, runs S. 15 W.

34.50 A Brook, 3 links wide, runs West one chain from the former brook.

40.00 Set temporary Quarter Section Post.

45.00 Crossed the first-mentioned Brook, 12 lks. wide, runs S. 5 E.

48.50 Touch on a bend of same Brook.

54.00 Cross same Brook, 12 lks. wide, runs S. 5 W.

55.20 Same Brook, 12 lks. wide, runs S. 70 E.

56.00 Same Brook, 12 lks. wide, runs S. 20 W.

80.00 Set temporary Center Post, 150 links East of first-mentioned Brook.

This ride principally near a Brook, land poor last 20 chains stony; Timber, W. Oak, Water Beech, W. Oak bushes, &c.

South Continued Range line between Sect. 1 & 7.

8.50 A Brook, 50 links wide, runs West - 2 ch. 50 lks. from last-mentioned Brook.

18.50 A Brook, 20 links wide, runs S. 40 E.; same Brook first mentioned in last ride.

21.25 A Brook, 3 links wide, runs N. 70 E.; Spring 1 chain above.

Township 8, Range 5-7 Ranges.

Ch. Lk.
 34.00 A Brook, 2 links wide, runs S. 70 E.
 40.00 Set temporary Quarter Section Post.
 81.00 Fell 84 links West of Post, on Township line, corner of Sections 1 & 7.
 Land hilly and thin; Timber, W. Oak, B. Oak, Hickory, &c.; very thick undergrowth of Hickory, Dogwood, Sassafras, &c.
 From Post on Township line, corner of Sect 1 & 7 North corrected the line between Sects 1 & 7. Run. 0° 15' nearly.
 9.50 A Double W. Oak - main fork 12 ins. diameter.
 33.60 A B. Oak, 24 inches diameter.
 40.00 Moved temporary In. Sec. Post to true line.
 45.50 A W. Oak, 48 inches diameter.
 80.50 Moved temporary Center Post, and set it at average measure on true line.
 North Continued true line, between Sections 2 & 8.
 2.20 A W. Oak, 14 inches diameter.
 2.85 A B. Oak, 11 inches diameter.
 40.00 Moved temporary In. Sec. Post to true line.
 70.30 A W. Oak, 18 inches diameter.
 80.50 To Post, corner of Sections 2, 3, 8, 9, 14, 15, R. 5.
 June 19, 1805.
 From Post, corner of Sections 7, 8, 13, 14, 18, R. 5 East Random Line between Sections 7 & 8.
 4.40 A Brook, 2 links wide, runs South.
 31.10 A Brook, 2 links wide, runs North; Spring & chains above.
 40.00 Set temporary Quarter Section Post.
 48.50 A Brook, 20 links wide, runs S. 30 E.
 79.10 A Brook, 15 links wide, runs South.
 81.30 Crossed North and South Line.

Township 8, Range 5-7 Ranges.

Ch. Lk.
 Land uneven, soil thin; Timber, W. Oak, Dogwood, Thorn, and in places a thick growth of other bushes.
 East Continued Random Line between Sects 1 & 2.
 9.50 A Brook, 3 links wide, runs S. 35 W.
 40.00 Set temporary Quarter Section Post.
 49.40 A Brook, 10 links wide, runs S. 15 W.
 80.25 A Brook, 2 links wide, runs S. 70 E.
 81.30 Fell 162 links South of Post on Range Line, corner of Sections 1 & 2.
 Land uneven, 2^d rate, in places stony; Timber, W. Oak, Dogwood, &c. and a thick undergrowth of brush.
 From Post, corner of Sections 1 & 2, on Range line West corrected the line between Sects 1 & 2. Run. 0° 33' nearly.
 20.60 A W. Oak, 16 inches diameter.
 30.50 A W. Oak, 12 inches diameter.
 39.60 A B. Oak, 32 inches diameter.
 40.75 Moved the temporary In. Sec. Post, and set it at average measure on true line; from which a B. Oak, 18 ins. diam. bears S. 3 W. 33 links, and a W. Oak, 12 ins. diam. bears N. 42 W. 33 links distant.
 42.22 A B. Oak, 12 inches diameter.
 49.60 A W. Oak, 12 inches diameter.
 62.62 A W. Oak, 20 inches diameter.
 81.30 Fell 2 links South of temporary Center Post. Moved it to the center, at intersection of lines, corner to Sections 1, 2, 7, 8; from which a W. Oak, 20 ins. diam. bears S. 42 W. 14 1/2 links, and a W. Oak, 14 ins. diam. bears N. 23 E. 36 1/2 links distant.

Township 8, Range 5-7 Ranges.

Ch. Lk. Then traveled North between Sections 2 & 8, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 11 ins. diam. bears N. 54 1/2 E. 9 1/2 links, and a W. Oak, 9 ins. diam. bears S. 44 1/2 E. 11 1/2 links distant.

Then traveled South between Secs. 1 & 7, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 30 W. 33 links, and a W. Oak, 19 ins. diam. bears S. 82 W. 31 links distant.

West Corrected the line between Sections 7 & 8. 40-15 Moved temporary Dr. Sec. Post, and set it at average distance on true line; from which a W. Oak, 12 ins. diam. bears N. 23 W. 1/2 links, and a W. Oak, 14 ins. diam. bears S. 26 W. 2 1/2 links distant.

81-30 To Post, corner of Secs. 7, 8, 13, 14, T. 8, R. 5.

May 24th, 1805.

South From Post, corner of Sections 18 & 24, on Town line - Random Line between Sections 18 & 24.

27-10 A Brook, 5 links wide, runs S. 60 E.

30-00 Set temporary Quarter Section Post.

60-00 Set temporary Center Post.

Land hilly and good; Timber, W. Oak, B. Oak, Dogwood, Gum saplings, &c.

South Continued Random Line between Secs. 17 & 23.

7-50 A Brook, 3 links wide, runs S. 20 W.

20-00 A Brook, 12 links wide, runs N. 80 E. at which

Township 8, Range 5-7 Ranges.

Ch. Lk. Place another Brook, 5 links wide, runs into the last mentioned brook from the South, or rather East of South.

25-00 Cross the last-mentioned Brook, 5 links wide, running S. 40 E., and immediately turns to the North.

40-00 Set temporary Quarter Section Post.

53-40 A Brook, 2 links wide, runs S. 60 E.; Spring 1 chain above.

63-00 A Brook, 4 links wide, runs N. 70 E.

79-75 Fell 27 links West of Post, corner of Sections 16, 17, 22, 23, T. 8, R. 5.

Land uneven and good; Timber, W. Oak, B. Oak, Dogwood, Hickory, &c.

May 25, 1805.

From Post, corner of Sections 16, 17, 22, 23 -

North Corrected the line between Secs. 17 & 23. Var. 07' nearly, 5-40 A W. Oak, 12 inches diameter.

40-00 Moved temporary Dr. Sec. Post to true line.

43-50 A B. Oak, 22 inches diameter.

79-30 A W. Oak, 10 inches diameter.

80-00 Moved temporary Center Post, and set it on true line.

North Corrected the line between Sections 18 & 24.

30-00 Moved temporary Dr. Sec. Post to true line.

47-60 A B. Oak, 22 inches diameter.

59-75 To Post on Township Line, corner of Sections 18 & 24, T. 8, R. 5.

June 6, 1805.

From Post, corner of Sections 23, 24, 29, 30, ran -

East Random Line between Sections 23 & 24.

Township 8, Range 5-7 Ranges.

- Chs. Lks. 2.80 A Brook, 2 links wide, runs S. 20 W.
- 25.10 A Brook, 4 links wide, runs S. 20 E.
- 40.00 Set temporary Quarter Section Post.
- 62.50 A Brook, 8 links wide, runs South.
- 64.75 Cross a Spring head, running S. 60 W.
- 76.20 A Brook, 3 links wide, runs S. 20 E.; Spring 1 chain above.
- 82.20 Crossed North and South Line.
Land hilly, soil 2^d rate; Timber, W. Oak, B. Oak, Dogwood, &c.
- East Continued Random Line between Secs. 17 & 18.
- 1.50 A Brook, 2 links wide, runs S. 10 E.
- 16.50 A Brook, 3 links wide, runs S. 30 E.; a good Spring 2 chains above.
- 28.75 A Brook, 5 links wide, runs S. 30 E.
- 40.00 Set temporary Quarter Section Post.
- 44.75 Wheeling Creek, 25 links wide, runs N. 70 E.; a Stream, 10 links wide, puts in just below, from North.
- 50.00 Cross same creek, running S. 40 E.
- 64.00 A Brook, 2 links wide, runs South.
- 81.50 Fell 110 links South of Post, corner of Sections 11, 12, 17, 18, T. 8, R. 5.
First quarter thin W. Oak land; last 1/4 rich bottom; Timber, Sugar, Swamp Oak, Thorn, Hawth, Plum, &c.

June 7, 1805.

- From Post, corner of Secs. 11, 12, 17, 18 - Run. 23'
- West Corrected the line between Sections 17 & 18.
- 6.20 An Ash, 20 inches diameter.
- 40.75 Moved temporary Quarter Section Post, and set it at average measure on true line; from

Township 8, Range 5-7 Ranges.

- Chs. Lks. which a Maple, 14 ins. diam. bears S. 48 1/2 E. 48 links, and a Hickory, 12 ins. diam. bears N. 63 W. 39 links distant.
- 81.50 Fell 68 links North of temporary Quarter Post. Moved it to the center, at intersection of line, corner to Sections 17, 18, 23, 24; from which a W. Oak, 22 ins. diam. bears N. 58 1/2 W. 4 lks, and a W. Oak, 16 ins. diam. bears N. 77 E. 41 links distant.
- Then traveled North between Sections 18 & 24, and moved temporary In. Sec. Post, and set it at average distance on true line; from which a W. Oak, 24 ins. diam. bears N. 54 1/2 E. 10 1/2 links, and a Gum, 11 ins. diam. bears S. 74 W. 21 links distant.
- Then traveled South between Secs. 17 & 23, & moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 15 ins. diam. bears S. 42 1/2 W. 34 links, and a W. Oak, 8 ins. diam. bears N. 68 1/2 E. 30 links distant.

- West Corrected ^{the line} between Sections 23 & 24.
- 41.10 Moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears S. 39 E. 22 1/2 links, and a W. Oak, 26 ins. diam. bears N. 60 1/2 W. 62 links distant.

- 82.20 To Post, corner of Sections 23, 24, 29, 30, T. 8, R. 5.

May 24, 1805.

From Post, corner of Sections 16, 17, 22, 23, ran-

Township 8, Range 5-7 Ranges.

6h. 2h.
 South Random Line between Sections 16 & 22.
 8.00 A Brook, 4 links wide, runs East.
 15.00 A large and excellent Spring 30 links East of the line, running N. 20 E.
 28.10 A Brook, 2 links wide, runs N. 50 E.
 40.00 Set temporary Quarter Section Post.
 51.00 A Brook, 2 links wide, runs S. 70 W.
 61.70 A Brook, 2 links wide, runs S. 75 W.
 70.60 A Brook, 2 links wide, runs West; Spring 300 links above.
 74.50 A Brook, 2 links wide, runs N. 40 W; Spring 50 links above.
 80.00 Set temporary Center Post.
 Land hilly and poor; Timber, W. Oak, B. Oak, Hickory, Beech, Dogwood, Whortleberry, &c.
 South Continued Random Line between Secs. 15 & 21.
 10.60 A Brook, 3 links wide, runs S. 80 W.
 29.00 Crossed the State Road leading from Wheeling to Chillicothe, 3 chains West of the intersection of the Shot Creek State Road, (at D. Morrison's Lane.)
 40.00 Set temporary Quarter Section Post.
 42.00 A Brook, 2 links wide, runs East.
 63.00 A Brook, 5 links wide, runs S. 70 E.
 70.80 A Brook, 2 links wide, runs N. 60 E.
 80.50 Fell 104 links West of Post, corner of Sections 14, 15, 20, 21, T. 8, R. 5.
 First half mile over poor Beech and Whortleberry points; last half mile over good B. Oak land.

May 25, 1805.

From Post, corner of Secs. 14, 15, 20, 21. Ran. 22.
 North Corrected the line between Sections 15 & 21.

6h. 2h.
 19.00 A W. Oak, 4 1/2 inches diameter.
 40.00 Moved temporary Tr. Sec. Post to true line.
 80.25 Moved temporary Center Post to average measure on true line.
 North Corrected the line between Sections 16 & 22.
 29.30 A B. Oak, 16 inches diameter.
 40.25 Moved temporary Tr. Sec. Post to true line.
 80.25 To Post, corner to Sections 16, 17, 22, 23.

June 8, 1805.

From Post, corner of Sections 21, 22, 27, 28, ran
 East Random Line between Sections 21 & 22.
 3.00 A Brook, 2 links wide, runs S. 25 W.
 4.80 A Brook, 2 links wide, runs S. 70 W.
 28.75 A Brook, 3 links wide, runs N. 60 E.
 40.00 Set temporary Quarter Section Post.
 52.50 A Brook, 6 links wide, runs N. 40 W.
 82.25 Crossed North and South Line.
 Land thin and hilly; Timber, W. Oak, B. Oak, Poplar, Beech, Dogwood, &c.
 East Continued Random line between Secs. 15 & 16.
 13.00 Crossed State Road leading from the mouth of Shot Creek to Duncan Morrisons, bearing South.
 40.00 Set temporary Quarter Section Post.
 41.20 A Brook, 2 links wide, runs N. 20 E.
 50.90 Same Brook, running S. 70 E.
 79.25 A Brook, 10 links wide, runs N. 10 W.
 81.25 Fell 133 links South of Post, corner of Sections 9, 10, 15, 16, T. 8, R. 5.
 Land uneven, poor soil, poorly timbered with W. Oak, and very brushy with a thick growth of underbrush.

Township 8, Range 5-7 Ranges.

6th. M.

June 17, 1805.

West From Post, corner of Sections 9, 10, 15, 16, -
corrected the line between Sections 15 & 16.

5-90 A W. Oak, 36 inches diameter.

40-62 1/2 Moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a
Willow Poplar, 48 ins. diam. bears S. 70 1/2 E. 8 links, and a Hickory, 7 ins. diam. bears S. 76 W. 30 1/2 links distant.

81-25 Fell 8 links North of temporary Center Post. Moved it to the Center, at intersection of lines, corner to Sections 15, 16, 21, 22; from which a
B. Oak, 22 ins. diam. bears West 33 1/2 links, & a W. Oak, 10 ins. diam. bears N. 29 1/2 E. 15 links distant.

Traveled North between Sections 16 & 22, & moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 2 1/2 W. 25 1/2 links, and a W. Oak, 13 ins. diam. bears N. 88 1/2 W. 7 links distant.

Traveled South between Secs. 15 & 21, & moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 15 ins. diam. bears N. 37 E. 25 1/2 links, and a Beech, 12 ins. diam. bears N. 69 1/2 W. 19 links distant.

West Corrected the line between Sections 21 & 22.

33 A B. Oak, 22 inches diameter.

14-85 A Chestnut, 24 inches diameter.

39-70 A Hickory, 11 inches diameter.

Township 8, Range 5-7 Ranges

6th. M.

41-12 1/2 Moved temporary Tr. Sec. Post, and set it at average measure on true line; from which a
W. Oak, 24 ins. diam. bears N. 84 E. 15 links, and a B. Oak, 20 ins. diam. bears West 58 links distant.

58-00 A B. Oak, 20 inches diameter.

66-90 A W. Oak, 22 inches diameter.

82-25 To Post, corner of Sections 21, 22, 27, 28.

May 24, 1805.

South From Post, corner of Sections 14, 15, 20, 21, ran
Random line between Sections 14 & 20.

5-60 A Brook, 2 links wide, runs S. 50 E.

140-00 Set temporary Quarter Section Post.

59-20 A Brook, 10 links wide, runs S. 80 E.

80-00 Set temporary Center Post.

Land hilly and brushy; Timber, W. Oak, B. Oak, Dogwood, Aspen.

South Continued Random line between Secs. 13 & 19.

27-00 A Brook, 5 links wide, runs S. 30 E.

35-60 A Brook, 3 links wide, runs East.

40-00 Set temporary Quarter Section Post.

74-00 A Branch, 4 links wide, runs S. 40 E.

80-60 Fell 16 1/2 links West of Post on Township Line, corner of Sections 13 & 19. Land tolerably level, soil good; Timber, W. Oak, B. Oak, Hickory, &c.

From Post on Township Line, corner of Secs. 13 & 19.

North Corrected the line between Secs. 13 & 19.

9-25 A W. Oak, 14 inches diameter.

30-60 A Hickory, 9 inches diameter.

40-00 Moved temporary Tr. Sec. Post on true line.

Township 8, Range 5-7 Ranges.

6th. 7th.
 76.90 A W. Oak, 12 inches diameter.
 80.30 Moved temporary Center Post, and set it at average measure on true line.
 North Corrected the line between Sections 14 & 20.
 23.00 A W. Oak, 24 inches diameter.
 32.80 A B. Oak, 22 inches diameter.
 40.30 Moved temporary Dr. Sec. Post, and set it on true line.
 50.12 A W. Oak, 12 inches diameter.
 80.30 To Post, corner of Sections 14, 15, 20, 21, T. 8, R. 5.

June 18, 1805.

From Post, corner of Sections 19, 20, 25, 26 -
 East Random Line between Sections 19 & 20.
 2.85 A Brook, 2 links wide, runs S. 20 E.
 18.30 A Brook, 5 links wide, runs S. 65 W.
 40.00 Set temporary Quarter Section Post.
 65.00 A Brook, 2 links wide, runs S. 50 E.
 81.30 Crossed North and South Line.
 First half mile hilly, poor and stony; last half mile good and tolerably level land; Timber, W. Oak, B. Oak, Hickory, Beech, Chestnut, Dogwood.

East Continued Random Line between Secs. 13 & 14.
 17.40 A Brook, 2 links wide, runs S. 50 E.
 34.10 A Brook, 6 links wide, runs S. 50 E.
 39.40 A Brook, 5 links wide, runs S. 25 W.
 40.00 Set temporary Quarter Section Post.
 63.70 A Brook, 2 links wide, runs South - 50 links of swampy ground on the West.
 81.25 Fell 81 links South of Post, corner of Sections 7, 8, 13, 14, T. 8, R. 5.

Township 8, Range 5-7 Ranges

6th. 7th.
 Land level; Timber, W. Oak, B. Oak, Hickory, Dogwood, Thorn, &c.
 From corner of Sections 7, 8, 13, 14. - Var. 0° 17'.
 West Corrected the line between Sections 13 & 14.
 6.54 A W. Oak, 14 inches diameter.
 7.40 A W. Oak, 12 inches diameter.
 40.62 1/2 To a W. Oak, 11 ins. diam. at average measure on true line, for Dr. Sec. Corner; from which a W. Oak, 12 ins. diam. bears S. 55 1/2 W. 41 1/2 links, and a W. Oak, 12 ins. diam. bears N. 50 1/2 E. 36 links distant.

44.86 A Cherry, 16 inches diameter.
 61.40 A W. Oak, 9 inches diameter.
 61.95 A W. Oak, 12 inches diameter.
 64.07 A W. Oak, 14 inches diameter.
 71.75 A Gum, 10 inches diameter.
 78.00 A W. Oak, 18 inches diameter.
 80.20 A B. Oak, 27 inches diameter.
 81.25 Fell 41 links North of temporary Center Post. Moved it to center, at intersection of lines, corner to Sections 13, 14, 19, 20; from which a W. Oak, 15 ins. diam. bears S. 27 1/2 W. 20 1/2 links, and a B. Oak, 20 ins. diam. bears N. 9 1/2 E. 12 1/2 links distant.

Traveled North between Sections 14 & 20, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, - ins. diam. bears S. 35 W. 16 1/2 links, and a Hickory, 26 ins. diam. bears N. 7 1/2 W. 39 1/2 links distant.

Township 8, Range 5-7 Ranges.

64. 24. Traveled South between Sections 13 & 19, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 21 W. 17 1/4 lks., and a B. Oak, 18 ins. diam. bears N. 52 1/4 E. 22 links distant.

West Corrected the line between Sections 19 & 20. 30.50 A B. Oak, 36 inches diameter. 40.75 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a Hickory, 11 ins. diam. bears S. 31 W. 27 links, and a Hickory, 11 ins. diam. bears N. 8 1/2 W. 40 links distant.

81.30 To Post, corner of Sections 19, 20, 25, 26.

June 5, 1805.

From Post on Township Line, corner of Secs. 30 & 36- South Random Line between Sections 30 & 36. 30.00 Set temporary Quarter Section Post. 31.00 A Brook, 10 links wide, runs S. 40 W. 35.00 A Brook, 3 links wide, runs N. 55 W. 60.00 Set temporary Center Post. Land hilly, soil good; Timber, W. Oak, B. Oak, Ash, Hickory, Dogwood, &c.

South Continued Random Line between Secs. 29 & 35. 17.75 A Brook, 3 links wide, runs N. 80 W. 40.00 Set temporary Quarter Section Post. 42.00 A Brook, 2 links wide, runs S. 80 W. 60.75 A Brook, 2 links wide, runs S. 80 W. 81.60 Fell 338 links West of Post, corner of Sections 28, 29, 34, 35. Land hilly and poor; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

Township 8, Range 5-7 Ranges.

64. 24. From Post, corner of Sections 28, 29, 34, 35- North corrected the line between Sections 29 & 35. 40.00 Moved temporary Dr. Sec. Post to true line. 81.50 Moved temporary Center Post to true line.

North Continued True Line between Sections 30 & 36. 18.00 Head of a good Spring, running North with the line. 30.00 Moved temporary Dr. Sec. Post on true line. 35.60 A W. Oak, 14 inches diameter. 52.38 A B. Oak, 24 inches diameter. 59.00 A B. Oak, 22 inches diameter. 60.00 To Post on Township line, corner of Sections 30 & 36.

June 6, 1805.

From Post on Range Line, corner of Secs. 35 & 36. East Random Line between Sections 35 & 36. 2.50 A Brook, 3 links wide, runs S. 70 W. 8.00 Same Brook, 2 links wide, runs N. 70 W. 33.75 A Brook, 2 links wide, runs S. 30 W. 36.50 Set temporary Quarter Section Post. 69.65 A Brook, 2 links wide, runs S. 10 W. 74.60 Crossed North and South Line. Land hilly, thin and brushy; Timber, W. Oak, B. Oak, Chestnut, Dogwood, &c.

East Continued Random Line between Sections 29 & 30. 25.70 A Brook, 2 links wide, runs N. 10 E. 28.65 A Brook, 2 links wide, runs N. 10 E. 40.00 Set temporary Quarter Section Post. 46.10 A Brook, 3 links wide, runs N. 40 W., and then bore more Westwardly. 82.00 Fell 127 links South of Post, corner of Sections 23, 24, 29, 30, T. 8, R. 5.

Township 8, Range 5-7 Ranges.

Chs. Sh. Land hilly, thin and brisky; Timber, W. Oak, B. Oak, Beech, Dogwood, &c.

June 7, 1805.

West From Post, corner of Sections 23, 24, 29, 30 - Corrected the line between Sections 29 & 30. Pa. 25.

41.00 Moved temporary In. Sec. Post, and set it at average measure on true line; from which a Gum, 22 ins. diam. bears S. 72 W. 3 1/2 W. and a Beech, 10 ins. diam. bears N. 33 1/2 E. 46 links distant.

82.00 Fell 48 links South of temporary Center Post. Moved it to the Center, at intersection of lines, corner of Sections 29, 30, 35, 36; from which a W. Oak, 11 ins. diam. bears N. 10 1/2 E. 11 links, and a Chestnut, 11 ins. diam. bears N. 12 E. 48 links distant.

Traveled North between Sections 30 & 36, and moved temporary In. Sec. Post, and set it at average measure on true line; from which a Beech, 13 ins. diam. bears S. 44 W. 25 links, and a Sugar, 10 ins. diam. bears S. 46 E. 34 links distant.

Traveled South between Sections 29 & 35, and moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 14 ins. diam. bears N. 89 W. 47 links, and a W. Oak, 10 ins. diam. bears S. 14 E. 60 links distant.

West Corrected ^{the line} between Sections 35 & 36. 29.20 A Hickory, 14 inches diameter.

Township 8, Range 5-7 Ranges.

Chs. Sh. 37.30 Moved temporary In. Sec. Post, and set it at average distance on true line; from which a Chestnut, 32 ins. diam. bears N. 80 1/2 W. 39 links, and a Sugar, 12 ins. diam. bears S. 47 E. 31 links distant. 49.00 A B. Oak, 24 inches diameter. 74.60 To Post on Range Line, corner of Secs 35 & 36.

June 5, 1805.

South From Post, corner of Secs. 28, 29, 34, 35, ran Random Line between Sections 28 & 34.

40.00 Set temporary Quarter Section Post.

72.50 Crossed Broadhead's trail, running westwardly.

78.50 A Brook, 2 links wide, runs S. 25 E.

80.00 Set temporary Center Post. Land poor and stony; Timber, W. Oak, B. Oak, Beech, Dogwood, Whortleberry, &c.

South continued Random line between Secs. 27 & 33.

.04 Crossed the above mentioned Brook, 3 link wide.

1.00 A Brook, 20 links wide, runs S. 60 W. - (Sugar fork of Stillwater creek.)

40.00 Set temporary Quarter Section Post.

55.80 A Brook, 3 links wide, runs S. 30 W.

68.60 A Brook, 3 links wide, runs S. 50 W.; Spiny 3 chains above.

81.30 Fell 154 links West of Post, corner of Sections 26, 27, 32, 33, T. 8, R. 5.

Land hilly, soil thin; Timber, W. Oak, B. Oak, Hickory, Dogwood, &c.

North From Post, corner of Secs. 26, 27, 32, 33 - Corrected the line between Sections 27 & 33. Pa. 34. 39.83 A B. Oak, 26 inches diameter.

Township 8, Range 5-7 Ranges.

6 W. 1/4
 40.00 Moved temporary Dr. Sec. Post to true line.
 68.20 A W. Oak, 16 inches diameter.
 70.05 A W. Oak, 20 inches diameter.
 80.65 Moved temporary Center Post to average measure on true line.
 North Connected the line between Sections 28 & 34.
 .83 A Buckeye, 12 ins. diam. by a Brook.
 12.50 A W. Oak, 20 inches diameter.
 41.00 Moved temporary Dr. Sec. Post to true line.
 79.20 A B. Oak, 24 inches diameter.
 81.00 At Post, corner of Sections 28, 29, 34, 35.

June 8, 1805.

From Post on Range Line, corner of Secs 33 & 34.
 East Random Line between Sections 33 & 34.
 8.00 A Brook, 25 links wide, runs S. 50 W. - Sugar Fork of Stillwater Creek.
 8.60 Crossed same Brook, runs N. 40 W.
 11.75 Crossed same Brook, running South.
 15.35 A Brook, 3 links wide, runs N. 20 E.; Spring just above.
 19.00 A Brook, 2 links wide, runs N. 50 E.; Spring just above.
 25.00 A Brook, 2 links wide, runs N.; a Spring 50 links above, and Creek 30 links below.
 28.00 A Swamp, 1.25 links wide, bears N. W. & S. E.
 31.70 A Brook, 3 links wide, runs North.
 37.00 Sugar Fork of Stillwater again, 25 links wide, runs N. 50 W.
 38.00 Set temporary Quarter Section Post.
 40.00 Crossed same Creek, 25 links wide, runs S. 45 W.
 43.30 A Brook, 2 links wide, runs North; Creek 40 links below.

Township 8, Range 5-7 Ranges.

6 W. 1/4
 47.50 Touched on a bend of the Creek, N. of the line.
 60.00 Cross same Creek, 25 links wide, runs N. 50 W.
 75.00 Cross same, in a bend, twice, 20 links wide.
 76.00 Crossed North and South line.
 This whole line is through a rich bottom; Timber, Sugar, Elm, W. Walnut, Hickory, Spice, &c.
 East Continued Random Line between Secs. 27 & 28.
 .75 Same Creek, (above noted) runs S. 40 W.
 8.50 A Brook, 4 links wide, runs North.
 40.00 Set temporary Quarter Section Post.
 43.20 A Brook, 4 links wide, runs North.
 62.50 Touched on the bend of a Brook, 5 links wide, on the N. side of the line, bearing N. 80 W.
 68.40 A Brook, 2 links wide, runs N. 85 W., and falls into a large one, 1 chain below.
 78.00 A Brook, 5 links wide, running N. 70 W., which has been near the line for the last half mile.
 80.00 Fell 90 links South of Post, corner of Sections 21, 22, 27, 28, T. 8, R. 5.
 First half mile over a rich hill; last half mile in a narrow bottom; Timber, B. Oak, Walnut, Lyne, Sugar, Spice, &c.

June 17, 1805.

From Post, corner of Sections 21, 22, 27, 28 -
 West Connected the line between Secs. 27 & 28. Run. 0. 13'.
 3.50 Cross a large bed of Coal, in a Brook, 5 links wide, running S. 70 W. (Coal excellent).
 31.63 An Elm, 9 inches diameter.
 40.00 Moved temporary Quarter Section Post, and set it at average measure on true line; from which a Black Walnut, 14 ins. diam.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
80.00	bears S. 14 1/2 E. 5 links; and a Blk. Walnut, 11 ins. diam. bears N. 7 E. 32 lks. distant. Fell 17 links North of temporary Center Post. Moved it to the center, at intersection of lines, corner of Sections 27, 28, 33, 34; from which a Blk. Walnut, 36 ins. diam. bears S. 27 E. 18 1/2 links, and a Sugar, 12 ins. diam. bears S. 8 W. 19 links distant.
	Traveled North between Secs. 28 & 34, & moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 14 ins. diam. bears S. 51 E. 12 links, and a W. Oak, 15 ins. diam. bears N. 26 1/2 E. 14 links distant.
	Traveled South between Sections 27 & 33, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a Hickory, 8 ins. diam. bears S. 20 1/2 E. 20 links, and a Hickory, 7 ins. diam. bears S. 69 W. 34 1/2 links distant.
West 28.10	Continued True line between Sections 33 & 34. A Swamp W. Oak, 18 inches diameter.
38.60	Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Walnut, 10 ins. diam. bears S. 8 1/2 E. 9 1/2 links, and a Double Elm, 48 ins. diam. bears West. 44 links distant.
39.44	A Double Elm, 48 inches diameter.
76.00	To Post on Range Line, corner of Sections 33 & 34.

Township 8, Range 5-7 Ranges.

Chs. Lks.	
	June 5, 1805. From Post, corner of Secs. 26, 27, 32, 33, ran-
South 11.00	Random Line between Sections 26 & 32. A Brook, 10 links wide, runs N. 60 W.
28.50	Cross State Road leading from Wheeling to Gallipolis.
40.00	Set temporary Quarter Section Post.
42.00	A Brook, 4 links wide, runs S. 80 W.
80.00	Set temporary Center Post. Land pretty, soil good; Timber, W. Oak, B. Oak, Hickory, Sugar, Dogwood, &c.
South 22.00	Continued Random Line between Sections 25 & 31. A Brook, 10 links wide, runs S. 80 W.
40.00	Set temporary Quarter Section Post.
60.00	A Swamp, 70 links wide.
62.00	A Brook, 20 links wide, runs S. 80 W.
81.25	Fell 93 links East of Post on Township Line, corner of Sections 25 & 31, T. 8, R. 5. Over very hilly land; Timber, W. Oak, B. Oak, Sugar, Hickory, Dogwood, &c.
	From Post on Township Line, corner of Secs. 25 & 31-
North 40.00	Corrected the line between Secs. 25 & 31. Var. 0° 19'. Set the temporary Dr. Sec. Post on true line.
80.25 1/2	Moved temporary Center Post to true line.
North 16.50	Corrected the line between Sections 26 & 32. A B. Oak, 20 inches diameter.
27.38	A W. Oak, 36 inches diameter.
41.00	Moved temporary Quarter Section Post to true line.
81.00	To Post, corner of Sections 26, 27, 32, 33.

Township 8, Range 5-7 Ranges.

June 18, 1805.

From Post on Range Line, corner of Secs. 31 & 32
 [East Rainbow Line between Secs. 31 & 32.]

1.50 Middle Fork of Still Water, 45 links wide, runs N. 30 W.

29.12 A Brook, 5 links wide, runs S. 30 W.

36.00 Set temporary Quarter Section Post.

43.90 A Brook, 2 links wide, runs S. 50 W.

65.25 A Brook, 3 links wide, runs S. 70 E.; Spring 2 chains above.

65.90 A Brook, 4 links wide, runs S. 20 E.

75.00 Crossed North and South Line.
 Land hilly, soil good; Timber, W. Oak, B. Oak, Sugar, Dogwood.

East Continued Rainbow Line between Secs. 25 & 26.

17.00 A Brook, 4 links wide, runs South.

31.80 A Brook, 4 links wide, runs S. 50 W.

40.00 Set temporary Quarter Section Post.

64.10 A Brook, 2 links wide, runs S. 30 E.

81.50 Fell 62 links South of Post, corner of Sections 19, 20, 25, 26, T. 8, R. 5.
 Land very hilly, and in places stony; Timber, W. Oak, B. Oak, Chestnut, Poplar, Dogwood, &c.

From Post, corner of Sections 19, 20, 25, 26.

West Corrected the line between Secs. 25 & 26. Var. 0° 13'.

1.16 A B. Oak, 24 inches diameter.

40.45 A Beech, 14 inches diameter.

40.75 Moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 16 ins. diam. bears N. 60 1/2 E. 50 links, and a Hickory, 11 ins. diam. bears N. 73 1/2 W. 39 links distant.

Township 8, Range 5-7 Ranges.

81.50 Fell 72 links North of temporary Quarter Post. Moved it to the center, at intersection of lines, corner to Sections 25, 26, 31, 32; from which a Hickory, 10 ins. diam. bears N. 77 1/2 W. 14 links, and a W. Oak, 10 ins. diam. bears S. 73 1/2 E. 53 1/2 links distant.

Traveled North between Secs. 26 & 32, & moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 53 1/2 W. 20 links, and a Hickory, 10 ins. diam. bears S. 18 1/2 E. 36 1/2 links distant.

Traveled South between Sections 25 & 31, and moved temporary In. Sec. Post, and set it at average measure on true line; from which a Hickory, 11 ins. diam. bears N. 66° 42' W., and a Hickory, 15 ins. diam. bears S. 35 1/2 E. 45 links distant.

West Corrected the line between Sections 31 & 32.

37.50 Moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 16 ins. diam. bears N. 9 1/2 E. 22 1/2 links, and a W. Oak, 20 ins. diam. bears S. 4 W. 37 1/2 links distant.

75.00 To Post on Range Line, corner of Secs. 31 & 32.

Surveyed in 1805, by
 Benjamin Strong,
 Deputy Surveyor.