

Chs. Lks.

and a Maple, 8 ins. diam. bears S. 37 W. 23 links distant.

Corrected the line between Sections 29 & 35, and set the Dr. Sec. Post; from which a Hickory, 15 ins. diam. bears S. 17 E. 11 W. and a W. Oak, 9 ins. diam. bears N. 5 W. 27 links distant.

Corrected the line between Sections 30 & 36, and set the Dr. Sec. Post; from which a Hickory, 14 ins. diam. bears N. 24 W. 35 links, and a Hickory, 12 ins. diam. bears S. 8 E. 12 links distant.

Set Center Post, at intersection of the lines, corner to Sections 29, 30, 35, 36; from which a W. Oak, 14 ins. diam. bears N. 22 W. 27 links, and a W. Oak, 30 ins. diam. bears S. 33 E. 16 links distant.

Corrected the line between Sections 29 & 30, and set the Dr. Sec. Post; from which an Ironwood, 11 ins. diam. N. 77 W. 33 links, and a Beech, 10 ins. diam. bears S. 49 E. 40 links distant.

Surveyed in May, 1805, by  
Levi Barber,  
Deputy Surveyor.

Chs. Lks.

North Boundary.

From Post Then

East 1<sup>st</sup> Mile - [North side of Section 36.]

18.12 A Sugar, 10 inches diameter.

39.50 A Sugar, inches diameter.

66.67 A Red Oak, 24 inches diameter.

80.00 Set Post, [corner to Sections 30 & 36,] from which a Sugar, 10 ins. diam. bears S. 10 E. 24 W., and a Sugar, 18 ins. diam. bears N. 35 1/2 W. 40 links distant.

The soil along this mile is very rich, and would produce indian corn, tobacco, &c. Timber, Oak, Hickory, Beech, Walnut, Spice.

East 2<sup>d</sup> Mile - [North side of Section 30.]

6.29 A Buckeye, 24 inches diameter.

19.67 A Sugar, inches diameter.

56.33 A Red Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 24 & 30,] from which a Beech, 14 ins. diam. bears N. 27 W. 56 1/2 links, and a Beech, 20 ins. diam. bears S. 58 1/2 E. 44 links distant.

Land along this mile is hilly, soil rich; Timber, Oak, Hickory, Beech, Walnut, Spice.

East 3<sup>d</sup> Mile - [North side of Section 24.]

49.00 A W. Oak, 20 inches diameter.

69.87 A large Brook, running a N. E. course, which contains sufficient water to turn a mill.

80.00 Set Post, [corner to Sections 18 & 24,] from which an Elm, 20 ins. diam. bears S. 5 E. 27 W., and a Poplar, 12 ins. diam. bears N. 30 E. 31 links distant.

Face of the country, soil and timber, same as the first mile.



Chs. Lhs.  
 East 4<sup>th</sup> Mile [North side of Section 18.]  
 24.96 A Walnut, 12 inches diameter.  
 59.23 A Forked Walnut.  
 67.00 A Large Brook, 50 lbs. wide, with sufficient water to turn a mill.  
 80.00 Set Post, [corner to Sections 12 & 18,] from which an Elm, 16 ins. diam. bears N. 11 W. 57 lbs., and a Buckeye, 10 ins. diam. bears S. 24 1/2 E. 15 1/2 links distant.

Land, soil and timber, same as described in the first mile.

East 5<sup>th</sup> Mile [North side of Section 12.]  
 21.41 An Ash, 12 inches diameter.  
 71.86 A B. Oak, 15 inches diameter.  
 80.00 Set Post, [corner to Sections 6 & 12,] from which a Chestnut Oak, 24 ins. diam. bears S. 16 W. 20 links, and a Chestnut, 36 ins. diam. bears N. 24 1/2 W. 44 links distant.

Land along the first 40 chs. is rich, & equal to the production of indian corn and tobacco. The remainder of the mile, soil equal to the production of wheat, rye, &c.

East 6<sup>th</sup> Mile [North side of Section 6.]  
 51.94 A B. Oak, 36 inches diameter.  
 68.77 A Chestnut, inches diameter.  
 79.60 Intersected the West Boundary of the 5<sup>th</sup> Range. Set Post, from which a B. Oak, 34 ins. diam. bears S. 36 E. 43 links, and a W. Oak, 18 ins. diam. bears N. 25 E. 25 links distant.

Land along this mile is hilly, and in some places broken with stones, soil equal to the production of wheat, &c. Timber, Oak, Chestnut, Gum and Dogwood.

Chs. Lhs.  
 East Boundary.  
 From Post  
 South 1<sup>st</sup> Mile [East side of Section 6.]  
 21.16 A Chestnut, 48 inches diameter.  
 69.29 A W. Walnut, 12 inches diameter.  
 80.00 Set Post, [corner to Sections 5 & 6,] from which a Hickory, 10 ins. diam. bears S. 29 1/2 E. 22 links, and a W. Oak, 15 ins. diam. bears N. 58 W. 15 links distant.

The soil is generally of a good quality, suitable for raising wheat, rye, and indian corn, hemp, tobacco, &c; timbered with Oak, Hickory, Sugar, Ash, Walnut, Beech.

South 2<sup>nd</sup> Mile [East side of Section 5.]  
 37.43 A B. Oak, 12 inches diameter.  
 80.00 Set Post, [corner to Sections 4 & 5,] from which a W. Oak, 24 ins. diam. bears East 17 lbs., and a W. Oak, 14 ins. diam. bears S. 9 1/2 W. 47 links distant.

The land for this mile is hilly; the soil is generally of a good quality for tillage or grazing; covered with W. & B. Oak, Hickory, Sugar, Beech, Poplar.

South 3<sup>rd</sup> Mile [East side of Section 4.]  
 35.92 A W. Oak, 36 inches diameter.  
 68.27 A W. Oak, 24 inches diameter.  
 80.00 An Ash bush, 3 ins. diam. corner of Secs. 3 & 4; from which a W. Oak, 20 ins. diam. bears N. 49 W. 16 links, and a Beech, 7 ins. diam. bears S. 54 1/2 E. 30 links distant.

The soil of this mile is generally of a good quality, proper for raising wheat, rye, indian



Township 8, Range 6-7 Ranges.

corn, hemp and tobacco; timbered with Oak, Hickory, Ash, Poplar and Beech.

- South 4<sup>th</sup> Mile - [East side of Section 3.]  
 14.50 A W. Oak, 12 inches diameter.  
 34.19 A Forked W. Oak, each fork 20 inches diameter.  
 80.00 Set Post, corner to Sections 2 & 3, from which a W. Oak, 20 ins. diam. bears N. 56 W. 29 lbs, and a W. Oak, 20 ins. diam. bears S. 52 E. 20 links distant.

The soil of this mile is generally of a good quality, suitable for wheat, &c.; covered with Oak, Hickory, Ash, Beech, Chestnut.

- South 5<sup>th</sup> Mile - [East side of Section 2.]  
 28.78 A B. Oak, 30 ins. diameter.  
 31.60 A Chestnut, 18 inches diameter.  
 34.58 A Chestnut, 15 inches diameter.  
 80.00 Set Post, [corner to Sections 1 & 2] from which a B. Oak, 16 ins. diam. bears S. 9 1/2 E. 25 links, and a Span. Oak, 10 ins. diam. bears N. 4 1/2 E. 30 links distant.

The soil in general of this mile, is of a middling quality, suitable for the production of wheat, rye, indian corn, &c.; the timber is Oak, Hickory, Chestnut and Poplar.

- South 6<sup>th</sup> Mile - [East side of Section 1.]  
 33.23 A W. Oak, 30 inches diameter.  
 80.00 A W. Oak, 18 ins. diam., corner; from which a W. Oak, 14 ins. diam. bears N. 9 E. 42 lbs, & a W. Oak, 20 ins. diam. bears S. 40 W. 10 lbs. distant.

The soil of this mile is generally of a middling quality for raising wheat, rye, and indian corn; timbered with Oak, Hickory & Chestnut.

Township 8, Range 6-7 Ranges.

West Boundary.

- 6th. Sta. From Post Thence  
 South 1<sup>st</sup> Mile - [West side of Section 36.]  
 39.65 A White Walnut, inches diameter.  
 74.05 A Sugar, inches diameter.  
 80.00 Set Post, [corner to Sections 35 & 36] from which a Poplar, 30 ins. diam. bears N. 74 W. 25 links, and a Poplar, 20 ins. diam. bears N. 68 E. 27 links distant.

Land along this mile is hilly, and in many places broken with stones, soil rich, would produce corn, hemp or tobacco; Timber, Oak, Hickory, Poplar, Ash, Beech, Walnut, Wild cherry, and Sugar.

- South 2<sup>d</sup> Mile - [West side of Section 35.]  
 23.77 A Buckeye, 12 inches diameter.  
 38.51 A Sugar, 10 inches diameter.  
 54.20 A Buckeye, 12 inches diameter.  
 80.00 Set Post, [corner to Sections 34 & 35] from which a Poplar, 20 ins. diam. bears S. 34 1/2 W. 30 links, and a Hickory, 10 ins. diam. bears N. 53 1/2 E. 38 lbs. distant. Land, soil & timber, same as last described.

- South 3<sup>d</sup> Mile - [West side of Section 34.]  
 11.15 A Hickory, 12 inches diameter.  
 77.67 A Beech, 6 inches diameter.  
 80.00 Set Post, [corner to Sections 33 & 34] from which a Sugar, 10 ins. diam. bears S. 47 E. links, and a Sugar, 8 ins. diam. bears N. 89 1/2 W. 12 links distant.

Land along this mile is more hilly than the former two miles; soil and timber same.



## Township 8, Range 6-7 Ranges.

Chs. Ms.  
 South 4<sup>th</sup> Mile - [West side of Section 33.]  
 20.75 A Chestnut, 36 inches diameter.  
 46.33 A Beech, 20 inches diameter.  
 73.32 A Sugar, 20 inches diameter.  
 80.00 Set Post, [corner to Sections 32 & 33,] from  
 which a Hickory, 15 ins. diam. bears N.  
 85 $\frac{1}{2}$  E. 16 links, and a Sugar, 18 ins. diam.  
 bears S. 7 W. 38 links distant.  
 Land hilly, soil of a good quality, though  
 not so rich as the former miles, but would  
 produce wheat, rye, indian corn, &c.; Tim-  
 ber, Chestnut, Walnut, Oak, Hickory, Beech, Dog-  
 wood, Maple, Sugar, Sassafras and Buckeye.

South 5<sup>th</sup> Mile - [West side of Section 32.]  
 20.00 A R. Oak, 30 inches diameter.  
 35.62 A Hickory, 8 inches diameter.  
 75.56 A R. Oak, 30 inches diameter.  
 80.00 A Hickory, 14 ins. diam. [corner to Secs. 31 & 32]  
 from which a R. Oak, ins. diam. bears  
 S. 86 $\frac{1}{2}$  E. 60 links, and a W. Oak, 15 ins. diam.  
 bears S. 52 W. 26 links distant.  
 Land, timber and soil, similar to that last  
 described.

South 6<sup>th</sup> Mile - [West side of Section 31.]  
 37.75 A Hickory, 12 inches diameter.  
 47.18 A W. Oak, 12 inches diameter.  
 80.00 A B. Walnut, 20 ins. diam. bears N. 32 $\frac{1}{2}$  W. 50  
 links, and a B. Walnut, 14 ins. diam. bears  
 S. 32 $\frac{1}{2}$  W. 35 links distant. [Post for town-  
 ship corner, set here - as I suppose. - S. W.]  
 Land hilly, and much broken with stones, soil rich; Tim-  
 ber, Oak, Hickory, Beech, Ash, Sugar, Dogwood & Spruce.

## Township 8, Range 6-7 Ranges.

Chs. Ms.  
 South Boundary.  
 From Post There  
 East 1<sup>st</sup> Mile - [South side of Section 31.]  
 18.37 A large Brook, with sufficient water to  
 turn a mill.  
 34.00 A W. Oak, 12 inches diameter.  
 54.43 A B. Oak, 30 inches diameter.  
 80.00 Set Post, [corner to Sections 25 & 31,] from  
 which a Poplar, 24 ins. diam. bears  
 S. 15 $\frac{1}{2}$  E. 8 links, and a Hickory, 12 ins.  
 diam. bears N. 67 $\frac{1}{2}$  W. 34 links distant  
 The first 20 chs. is rich bottom land; the  
 remaining 60 chs. land hilly and broken  
 with stones, thin soil; Timber, Oak, Beech,  
 Poplar, &c.

East 2<sup>d</sup> Mile - [South side of Section 25.]  
 20.18 A Beech, 8 inches diameter.  
 48.09 A Chestnut, 36 inches diameter.  
 71.48 A Chestnut Oak, 12 inches diameter.  
 80.00 Set Post, [corner to Sections 19 & 25,] from which  
 a Hickory, 20 ins. diam. bears N. 62 W. 2 links,  
 and a W. Walnut, ins. diam. bears S. 65 E.  
 24 links distant.  
 Land, thin soil, hilly, and broken with stones;  
 Timber, Oak, Hickory, Chestnut, Beech, Walnut.

East 3<sup>d</sup> Mile - [South side of Section 19.]  
 23.84 A W. Oak, 10 inches diameter.  
 55.15 A W. Oak, 15 inches diameter.  
 80.00 Set Post, [corner to Sections 13 & 19,] from which  
 a Spanish Oak, 24 ins. diam. bears N. 64 $\frac{1}{2}$   
 E. 3 $\frac{1}{2}$  links, and a R. Oak, 24 ins. diam. bears  
 S. 10 $\frac{1}{2}$  W. 21 links distant.



## Township 8, Range 6-7 Ranges.

Chs. Lk.

The first 60 chs. along this route is very hilly land, the remainder soil of a good quality; covered with Oak, Hickory, Maple, Ash, Beech, Poplar and Walnut.

East 4<sup>th</sup> Mile - [South side of Section 13.]

20.36 An Ash, 24 inches diameter.

47.42 A W. Oak, 24 inches diameter.

80.00 Set Post, [corner to Sections 7 & 13,] from which a Sugar, 14 ins. diam. bears S. 36 $\frac{1}{2}$  E. links, and a W. Oak, 18 ins. diam. bears N. 24 E. 24 links distant.

Land hilly, soil of a middling quality for wheat, rye, &c.; Timber, Oak, Hickory, Beech, Ash, Maple, Poplar, Dogwood, Spice.

East 5<sup>th</sup> Mile - [South side of Section 7.]

25.79 A Beech, 6 inches diameter.

43.57 A W. Oak, 8 inches diameter.

55.08 A W. Oak, 20 inches diameter.

80.00 Set Post, [corner to Sections 1 & 7,] from which a W. Oak, 20 ins. diam. bears S. 32 $\frac{1}{4}$  E. 40 links, and a W. Oak, 18 ins. diam. bears N. 65 $\frac{3}{4}$  W. 45 links distant.

Land, soil and timber, the same as described in the last mile.

East 6<sup>th</sup> Mile - [South side of Section 1.]

8.35 An Oak, 18 inches diameter.

42.54 A W. Oak, 18 inches diameter.

65.66 A Brook, with sufficient water to turn a mill; course S. E.

79.20 Set Post

from which

## Township 8, Range 6-7 Ranges.

a W. Oak, 20 ins. diam. bears N. 64 $\frac{3}{4}$  E. 17 links, and a W. Oak, 20 ins. diam. bears S. 55 $\frac{1}{2}$  W. 74 links distant.

The upland hilly, with narrow intervals of Bottom; soil on the hills thin and poor, in many places stony; Timber, Oak, Hickory, Gum, Dogwood.

Surveyed in 1786, by  
James Simpson,  
Surveyor for the State of Maryland.



## Township 8, Range 6-7 Ranges.

Ch. No.

June 22<sup>d</sup>, 1801.

Beginning at the South East corner of Section 1, in the 8<sup>th</sup> Township, of the 6<sup>th</sup> Range; where a W. Oak, 15 ins. diam. bears N. 50 E. 19 links, and a W. Oak, 18 ins. diam. bears S. 59 W. 69 links distant. Then

North On the East Boundary of Section 1.

- 1-16 Town Post on the East.  
 40-58 A W. Oak, 42 inches diameter.  
 80-00 1 Mile Post, corner to Sections 1 & 2; where a W. Oak, 14 ins. diam. bears S. 12 W. 3 7/8 links, and a W. Oak, 14 ins. diam. bears N. 31 W. 29 links distant.  
 Over poor and hilly Oak land, and very brushy.

North continued, on East Boundary of Section 2.

- 1-08 A W. Oak, 23 inches diameter.  
 24-84 A Brook, 7 links, E.  
 27-75 A W. Oak, 13 inches diameter.  
 29-34 A Brook, 6 links, E.  
 46-68 A Chestnut, 21 inches diameter.  
 52-84 A Brook, 6 links, E.  
 54-37 A W. Oak, 20 inches diameter.  
 59-34 A Brook, 12 links, E.  
 68-84 A Brook, 4 links, W.  
 80-00 2 Mile Post, corner to Sections 2 & 3; where a W. Oak, 14 ins. diam. bears North 45 1/2 W. 30 links, and a W. Oak, 18 ins. diam. bears S. 13 E. 30 links distant.  
 Over hilly land, soil of middle quality; Timber, W. & B. Oak, Hickory, &c.; undergrowth the same.

North continued, on East Boundary of Section 3.]

- 16-84 A Brook, 15 links wide, course East.

## Township 8, Range 6-7 Ranges.

Ch. No.

- 26-87 A W. Oak, 11 inches diameter.  
 41-92 A W. Oak, 38 inches diameter.  
 61-64 A W. Oak, 11 inches diameter.  
 80-00 3 Mile Post, corner to Sections 3 & 4; where a B. Oak, 20 ins. diam. bears N. 3 E. 39 1/2 links, and a W. Oak, 18 ins. diam. bears S. 18 W. 33 1/2 links distant. Trees marked by plan.  
 Over first rate Oak land.

North continued, on East Boundary of Section 4.

- 34 A Brook, 4 links, E.  
 5-34 A Brook, 3 links, E.  
 7-10 A W. Oak, 22 inches diameter.  
 11-84 A Brook, 9 links, S. 10 E.  
 16-84 A Brook, 3 links, W.  
 39-34 A W. Oak, 34 inches diameter.  
 68-84 A Brook, 8 links, E.  
 80-00 4 Mile Post, corner to Sections 4 & 5; where a W. Oak, 18 ins. diam. bears N. 47 W. 46 links, and a W. Oak, 21 ins. diam. bears S. 82 E. 45 1/2 links distant. Trees marked by plan.  
 Over first rate Oak land.

North continued, on East Boundary of Section 5.

- 4-84 A Brook, 3 links, S. 10 E.  
 27-61 A W. Oak, 26 inches diameter.  
 42-84 A Brook, 20 links, E.  
 61-50 A B. Oak, 15 inches diameter.  
 68-34 A Spring, E.  
 71-84 A Brook, 10 links, W.  
 80-00 5 Mile Post, corner to Sections 5 & 6; where a Hickory, 10 ins. diam. bears N. 26 W. 14 links, and a W. Oak, 14 ins. diam. bears



## Township 8, Range 6-7 Ranges.

61.26 S. 23 E. 28 1/2 links distant. Trees marked by plan.  
 First 60 chs. over tolerable good Oak land, some stony; then steep rich land to the end of this mile.

North Continued on East Boundary of Section 6.

8.84 A W. Walnut, 13 inches diameter.  
 16.34 A Brook, 10 links, E.  
 29.34 A Brook, 7 links, S. 10 E.  
 37.84 A Spring, W.  
 56.17 A dead Chestnut, 50 inches diameter.  
 62.84 A Brook, 7 links, E.  
 65.00 1 Mile Post, N. E. Corner of Section 6; where a W. Oak, 22 ins. diam. bears N. 15 E. 22 links, and a W. Oak, 11 ins. diam. bears S. 12 W. 29 1/2 links distant. Trees marked by plan.  
 Over steep hills, soil rich; Timber, Oak, Hickory, Ash, Walnut, Sugar, Spice, &c.

Returned to the South Boundary.

West On South Boundary of Section 1.  
 19.00 A Brook, 25 links, S.  
 35.78 A W. Oak, 12 inches diameter.  
 64.18 A B. Oak, 18 inches diameter.  
 69.39 A W. Oak, 14 inches diameter.  
 76.00 A Brook, 3 links, S.  
 80.00 1 Mile Post, corner to Sections 1 & 7; where a W. Oak, 12 ins. diam. bears S. 85 E. - W., and a W. Oak, 18 ins. diam. bears N. 9 1/2 W. - links distant.  
 Over poor and hilly Oak land, and stony.

## Township 8, Range 6-7 Ranges.

61.26 West Continued, on South Boundary of Sec. 7.  
 17.50 A Brook, 6 links, S.

20.20 A W. Oak, 14 inches diameter.

21.55 A W. Oak, 14 inches diameter.

25.00 A Brook, 7 links, S.

32.44 A W. Oak, 12 inches diameter.

32.86 A W. Oak, 10 inches diameter.

41.18 A Maple, 11 inches diameter.

46.28 A Hickory, 8 inches diameter.

50.40 A Beech, 8 inches diameter.

51.00 A Spring, S.

53.50 A Brook, 6 links, S.

58.50 A Spring, S.

68.00 A Brook, 9 links, S.

80.00 2 Mile Post, corner to Sections 7 & 13; where a B. Oak, 15 ins. diam. bears N. 87 W. 30 links, and a Gum, 13 ins. diam. bears S. 75 E. 22 links distant. Trees marked by plan.  
 First 1/2 mile over poor and hilly Oak land; then over hilly land, soil rich; Timber, Oak, Hickory, Ash, Sugar, &c.

North Between Sections 7 & 13.

20.00 A Brook, 5 links, E.

27.54 A Chestnut, 38 inches diameter.

42.50 A Brook, 8 links, E.

45.29 A Hickory, 11 inches diameter.

47.59 A B. Oak, 34 inches diameter.

70.00 A Brook, 3 links, N. 10 W.

80.00 1 Mile Post, corner to Sections 7, 8, 13, 14; where a Hickory, 9 ins. diam. bears S. 2 E. 25 links, and a Sugar, 13 ins. diam. bears N. 20 E. 39 links distant. Trees marked by plan.



66. 2 1/2. Over uneven land, soil rich; Timber, Oak, Hickory, Ash, Chestnut, Sugar, Walnut, &c.

North Continued, between Sections 8 & 14.

- 17.91 A W. Oak, 48 inches diameter.
  - 27.80 A W. Oak, 44 inches diameter.
  - 33.81 A W. Oak, 19 inches diameter.
  - 37.50 A Spring, E.
  - 54.85 A W. Oak, 20 inches diameter.
  - 61.00 A Brook, 10 links, S.
  - 62.04 A W. Oak, 33 inches diameter.
  - 65.00 A Spring, W.
  - 73.49 A Beech, 8 inches diameter.
  - 76.67 A B. Oak, 8 inches diameter.
  - 77.00 A Brook, 6 links, S. 10 W.
  - 80.00 2 Mile Post, corner to Sections 8, 9, 14, 15, where a B. Ash, 10 ins. diam. bears S. 71 E. 15 1/2 links, and a B. Ash, 7 ins. diam. bears N. 29 1/2 W. 21 links distant. Trees marked by plan. June 23<sup>d</sup>, 1801.
- Over same kind of land as the last mile.

East On Random Line.  
 80.00 Random Post.  
 80.00 N. Line, corner, S. 155 Ws.

West Between Sections 2 & 3.

- 6.00 A Brook, 4 links, S.
- 8.50 A W. Oak, 20 inches diameter.
- 16.50 A Brook, 3 links, S.
- 25.00 A Brook, 9 links, S. 24<sup>th</sup> June, 1801.
- 32.11 A Poplar, 32 inches diameter.
- 50.50 A Spring, S.
- 62.35 A Chestnut, 36 inches diameter.

- 68.09 A Poplar, 18 inches diameter.
  - 70.00 A Lick, W.
  - 72.00 A Brook, 7 links, S.
  - 80.00 1 Mile - A Hickory, 16 ins. diam. comes to Sections 2, 3, 8, 9; where a Chestnut, 10 ins. diam. bears N. 84 E. 25 links, and a Sugar, 9 ins. diam. bears S. 75 W. 22 Ws. distant. Trees marked by plan.
- Over uneven land, soil rich; Timber, Oak, Hickory, Chestnut, some Sugar tree, &c.

West Between Sections 8 & 9.

- 78 A Sugar tree, 14 inches diameter.
  - 23.00 A Brook, 3 links, N. 70 W.
  - 28.27 A Poplar, 40 inches diameter
  - 30.00 A Spring, W.
  - 36.50 A Brook, 6 links, S.
  - 70.78 A W. Walnut, 14 inches diameter.
  - 80.00 2 Mile Post, set.
- Over uneven land, soil rich; Timber, Oak, Hickory, Poplar, Walnut, &c.

North Between Sections 9 & 15.

- 31.50 A Spring, E.
  - 43.90 A Sugar tree, 7 inches diameter.
  - 45.00 A Brook, 4 links, E.
  - 61.25 A Hickory, 13 inches diameter.
  - 62.86 A Sugar tree, 10 inches diameter.
  - 80.00 3 Mile Post, corner to Sections 9, 10, 15, 16; where a Beech, 15 ins. diam. bears N. 13 W. 32 1/2 links, and a Lym, 13 ins. diam. bears S. 19 E. 21 links distant. Trees marked by plan.
- Over rich hills; Timber, Oak, Ash, Walnut, &c.



6<sup>th</sup> Lk.  
 North Continued, between Sections 10 & 16.  
 .67 A Beech, 16 inches diameter.  
 3.00 A Brook, 12 links, E.  
 6.83 A Beech, 18 inches diameter.  
 14.50 A Brook, 5 links, E.  
 31.37 A Sugar tree, 10 inches diameter.  
 33.00 Fork Brook, 4 links, E.  
 40.69 A Poplar, 50 inches diameter.  
 61.00 A Spring, E.  
 66.00 A Brook, 8 links, E.  
 80.00 4 Mile Post, corner to Sections 10, 11, 16, 17;  
 where a Sugar tree, 22 ins. diam. bears N.  
 20 E. 15 links, and a Sugar tree, 15 ins. diam.  
 bears S. 41 W. 20 links distant. Trees marked  
 by plan.  
 Land same as the last mile.

East On Random Line.  
 80.00 Random Post.  
 79.85 N. Line, E. S. 111 links.

West Between Sections 4 & 5.  
 10.20 A W. Oak, 18 inches diameter.  
 28.50 A Brook, 3 links, N.  
 30.06 A Beech, 18 inches diameter.  
 38.00 A Brook, 3 links, N.  
 39.31 A Sugar tree, 9 inches diameter.  
 67.50 A Brook, 4 links, S.  
 80.00 1 Mile Post, corner to Sections 4, 5, 10, 11; where  
 a B. Oak, 14 ins. diam. bears N. 6 W. 9 links,  
 and a W. Oak, 10 ins. diam. bears S. 32 E.  
 52 links distant. Trees marked by plan.  
 Over good Oak land.

6<sup>th</sup> Lk.  
 West Continued, between Sections 10 & 11.  
 1.18 A Beech, 10 inches diameter.  
 4.00 A Brook, 7 links, S.  
 6.29 A W. Oak, 17 inches diameter.  
 17.50 A Brook, 10 links, W.  
 23.50 A Brook, 3 links, N.  
 23.66 A Beech, 17 inches diameter.  
 28.00 A Brook, 3 links, N.  
 29.96 An Ash, 21 inches diameter.  
 51.00 The Brook, 10 links, S. 60 W.  
 54.11 A Beech, 13 inches diameter.  
 62.09 A Beech, 16 inches diameter.  
 63.00 A Brook, 25 links, N.  
 80.00 2 Mile Post, corner made.  
 Over rich hills; Timber, Oak, Beech, Sugar tree,  
 Walnut, &c.

North Between Sections 11 & 17.  
 22.00 An Ironwood, 10 inches diameter.  
 34.09 A Poplar, 46 inches diameter.  
 35.00 A Brook, 25 links, N. 10 W.  
 36.29 A Beech, 17 inches diameter.  
 40.00 A Brook, 25 links, N. 10 E.  
 42.00 A Brook, 25 links, W.  
 43.50 A Brook, 25 links, N. 10 E.  
 52.50 A Spring, E.  
 57.50 A Brook, 3 links, E.  
 66.16 A Sugar tree, 16 inches diameter.  
 74.00 A Brook, 10 links, E.  
 80.00 5 Mile Post, corner to Sections 11, 12, 17, 18;  
 where a Sugar tree, 11 ins. diam. bears East 9 links,  
 & a Beech, 15 ins. diam. bears S. 35 W. 19 links distant.  
 Over rich hills; Timber, Oak, Ash, Beech, Sugar  
 tree, Poplar, &c. [Trees marked by plan.]



66s. Lks  
 North Between Sections 13 & 18.  
 7.00 A Brook, 6 links E.  
 13.52 A Sugar tree, 30 inches diameter.  
 14.50 A Spring, E.  
 25.31 A Sycamore, 18 inches diameter.  
 25.50 A Brook, 40 links, N. 30 W.  
 30.44 An Elm, 15 inches diameter.  
 35.57 A Sugar tree, 14 inches diameter.  
 44.00 A Brook, 3 links W.  
 54.00 A Brook, 3 links W.  
 67.00 6 Mile Post, on Town Line; where a W. Oak, 16 ins. diam. bears South 18 links, and a W. Walnut, 12 ins. diam. bears E. 54 lks. distant. Trees marked by plan. 12<sup>th</sup> June, 1801. Land the same.

East On Random Line.  
 80.00 Random Post.  
 70.00 North Line.

West On the North Boundary of Section 6.  
 7.50 A Brook, 4 links, S. 30 E.  
 11.21 A Chestnut, 18 inches diameter.  
 41.50 A Brook, 8 links, N.  
 47.50 A Brook, 8 links, N.  
 80.00 1 Mile Post, corner to Sections 6 & 12; where a Sugar tree, 14 ins. diam. bears N. 60 W. 14 1/2 links, and a Chestnut, 28 ins. diam. bears N. 21 E. 23 1/2 links distant. Trees marked by plan. Over hilly land, soil poor; Timber, Oak and Hickory; undergrowth the same.

West continued, on North Boundary of Sec. 12.

66s. Lks.  
 3.38 A B. Oak, 18 inches diameter.  
 24.50 A Brook, 3 links, S.  
 38.02 A Sugar tree, 10 inches diameter.  
 50.16 An Ash, 13 inches diameter.  
 56.00 A Spring.  
 57.00 A Brook, 3 links, N.  
 71.65 A W. Oak, 26 inches diameter.  
 74.00 A Brook, 3 links, N.  
 79.00 2 Mile Post, already set, and corner made. Over hilly land, soil rich; Timber, Sugar, Beech, Poplar and Walnut.

Remaind to the South Boundary.

West On South Boundary of Section 13.  
 5.50 A Brook, 3 links, S.  
 14.89 A W. Oak, 17 inches diameter.  
 23.00 A Brook, 7 links, S.  
 34.53 A W. Oak, 12 inches diameter.  
 38.50 A Brook, 4 links, S.  
 49.76 A W. Oak, 18 inches diameter.  
 52.00 A Brook, 8 links, S.  
 52.50 A Slick, E.  
 53.68 An Ash, 23 inches diameter.  
 80.00 3 Mile Post, corner to Sections 13 & 19; where a W. Oak, 12 ins. diam. bears N. 81 1/2 E. 24 lks., and a W. Oak, 8 ins. diam. bears N. 27 W. 5 links distant. Trees marked by plan. Over 2<sup>d</sup> rate W. Oak land.

West continued, on South Boundary of Section 19.  
 2.00 A Spring, N.  
 17.93 A W. Oak, 13 inches diameter.  
 30.00 A W. Oak, 18 inches diameter.  
 30.55 A Chestnut, 18 inches diameter.



Township 8, Range 6-7 Ranges

6th. Sh.  
 32.50 A W. Oak, 12 inches diameter.  
 48.44 A W. Oak, 11 inches diameter.  
 55.00 A Spring, N.  
 79.17 A B. Oak, 11 inches diameter.  
 79.48 A B. Oak, 10 inches diameter.  
 80.00 4 Mile Post, corner of Sections 19 & 25; where a Chestnut, 19 ins. diam. bears N. 12 1/2 E. 15 links, and a B. Oak, 11 ins. diam. bears S. 41 E. 8 1/2 links distant. Trees marked by plan.  
 Over hilly land, soil D rate; Timber, Oak, Hickory, Chestnut, Beech, &c.

North Between Sections 19 & 25.

27.60 A Poplar, 50 inches diameter.  
 28.50 A Brook, 12 links, W.  
 44.81 A Dogwood, 9 inches diameter.  
 47.86 A Sugar, 7 inches diameter.  
 51.00 A W. Oak, 50 inches diameter.  
 54.91 A Poplar, 18 inches diameter.  
 68.00 A Brook, 12 links, W.  
 68.50 A Spring, W.  
 70.26 A Poplar, 36 inches diameter.

80.00 1 Mile Post, corner to Sections 19, 20, 25, 26; where a Poplar, 36 ins. diam. bears N 67 E. 18 links, and a W. Oak, 28 ins. diam. bears S. 48 W. 21 links distant. Trees marked by plan.  
 Over steep hills, soil poor and stony; Timber, Oak, Beech, Poplar, &c.

North continued, between Sections 20 & 26.

1.50 A Spring, E.  
 18.64 A Sugar, 13 inches diameter.  
 32.16 A Sugar, 10 inches diameter.  
 38.50 A Spring, N 10 W.  
 40.20 A Spring, N. 70 W.

Township 8, Range 6-7 Ranges

6th. Sh.  
 44.00 A Brook, 15 links, W.  
 44.96 A Beech, 15 inches diameter.  
 54.76 A B. Oak, 15 inches diameter.  
 63.31 A Beech, 10 inches diameter.  
 80.00 2 Mile Post, corner to Sections 20, 21, 26, 27; where a Sugar, 11 ins. diam. bears North 29 links, and a Sugar, 9 ins. diam. bears East 9 1/2 links distant. Trees marked by plan.  
 Over steep hills, soil rich; Timber, Oak, Ash, Walnut, Sugar, Poplar, &c.; first 60 chs. stony.

East On Random Line.

80.00 Random Post.  
 80.19 N. Line, E. S. 31 links.

West Between Sections 14 & 15.

11.00 A Brook, 8 links, S.  
 20.35 A B. Walnut, 15 inches diameter.  
 26.50 A Brook, 5 links, S.  
 27.48 A Poplar, 60 inches diameter.  
 33.06 A W. Oak, 15 inches diameter.  
 41.50 A Brook, 6 links, S.  
 52.09 A Poplar, 16 inches diameter.  
 60.50 A Spring, S.  
 71.00 A Brook, 4 links, S.

80.00 3 Mile Post, corner to Secs. 14, 15, 20, 21; where a W. Walnut, 8 ins. diam. bears S. 55 E. 27 links, and a Sugar, 7 ins. diam. bears N. 72 W. 18 1/2 links distant. Trees marked by plan.  
 Over uneven land, soil rich; Timber, Oak, Hickory, Ash, Walnut, Sugar, &c.

West continued, between Sections 20 & 21.

6.44 A Hickory, 17 inches diameter.



## Township 8, Range 6-7 Ranges

| Chs. Lks.                                  |   |
|--|---|
| 14.50                                      | A Beech, 13 inches diameter.  |
| 25.30                                      | A Beech, 11 inches diameter.  |
| 28.00                                      | A Brook, 6 links, S.  |
| 28.50                                      | A Spring, E.  |
| 38.19                                      | A W. Walnut, 13 inches diameter.  |
| 42.19                                      | A Poplar, 44 inches diameter.   |
| 66.00                                      | A Brook, 6 links, S.  |
| 80.00                                      | 4 Mile Post, set.<br>Same kind of land as the last mile.  |
| North Between Sections 21 & 27.            |   |
| 16.50                                      | A Spring, W.  |
| 18.46                                      | A Poplar, 28 inches diameter.   |
| 28.50                                      | A Brook, 6 links, W.  |
| 43.98                                      | A Beech, 16 inches diameter.  |
| 48.50                                      | A Brook, 7 links, W.  |
| 70.50                                      | A Brook, 6 links, S. 10 W.  |
| 72.00                                      | Same Brook, S. 10 E.  |
| 77.50                                      | A Brook, 3 links, E.  |
| 80.00                                      | 3 Mile - A Forked Lynx, 15 ins. diam. [corner]<br>from which a Beech, 22 ins. diam. bears S.<br>58 W. 34 links, and a Sugar tree, 8 ins. diam.<br>bears N. 67 E. 30 links distant. Trees marked<br>by plan.<br>Over hilly land, soil rich; Timber, Oak, Hicko-<br>ry, Poplar, Sugar tree, Walnut, &c. |
| North Continued, between Sections 25 & 28. |   |
| 1.00                                       | Fork of Brook, 4 links, S.  |
| 20.39                                      | A W. Walnut, 10 inches diameter.  |
| 23.00                                      | A Brook, 4 links, E.  |
| 34.59                                      | A W. Walnut, 21 inches diameter.  |
| 42.00                                      | A Brook, 8 links, E.  |
| 43.22                                      | A Sugar tree, 13 inches diameter.   |

## Township 8, Range 6-7 Ranges

| Chs. Lks.                      |  |
|--------------------------------|--|
| 43.95                          | A Beech, 18 inches diameter.   |
| 61.50                          | A Brook, 4 links, S.   |
| 67.12                          | A Sugar tree, 12 inches diameter.  |
| 80.00                          | 4 Mile Post, corner to Sections 22, 23, 28, 29;<br>where an Ash, 13 ins. diam. bears S. 28 E. 28 1/2<br>links, and a W. Walnut, 8 ins. diam. bears<br>N. 62 W. 27 links distant. Trees marked by<br>plan.<br>Same kind of land as the last mile.   |
| East On Random Line.           |  |
| 80.00                          | Random Post.   |
| 81.00                          | N. Line, 6. N. 19 links.   |
| West Between Sections 16 & 17. |  |
| 4.50                           | A Beech, 21 inches diameter.   |
| 12.00                          | A Brook, 4 links, S.   |
| 39.43                          | A Beech, 13 inches diameter.   |
| 40.08                          | A Beech, 13 inches diameter.   |
| 43.00                          | A Brook, 6 links, N.   |
| 54.13                          | A Beech, 14 inches diameter.   |
| 55.12                          | A Beech, 16 inches diameter.   |
| 55.50                          | A Brook, 15 links, N. 27 <sup>th</sup> June, 1801.   |
| 68.97                          | A Beech, 18 inches diameter.   |
| 72.50                          | A Brook, 6 links, S.   |
| 79.13                          | An Elm, 10 inches diameter.  |
| 80.00                          | 3 Mile Post, corner to Sections 16, 17, 22, 23;<br>where a W. Walnut, 10 ins. diam. bears N. 51 E.<br>9 links, and an Elm, 14 ins. diam. bears S. 15 1/2<br>W. 13 links distant. Trees marked by plan.<br>Over steep hills, the East sides of which are<br>rich, the West sides poor and stony; Tim-<br>ber, Oak, Hickory, Beech, Sugar tree, Poplar,<br>&c. |



## Township 8, Range 6-7 Ranges.

- West Continued, between Sections 22 & 23.
- 19.36 A Sugar tree, 12 inches diameter.
- 21.19 A B. Walnut, 35 inches diameter.
- 22.35 A Beech, 16 inches diameter.
- 41.14 A Chestnut, 32 inches diameter.
- 51.63 A Poplar, 40 inches diameter.
- 54.00 A Brook, 4 links, S.
- 55.50 A Brook, 6 links, S. 60 C.
- 66.27 A Beech, 12 inches diameter.
- 80.00 4 Mile Post, set.  
Land the same.
- North Between Sections 23 & 29.
- 15.50 A Brook, 3 links, W.
- 20.42 A Beech, 16 inches diameter.
- 20.70 A Spring, W.
- 26.00 A Spring, N.
- 26.20 A Brook, 8 links, E.
- 29.50 A Brook, 6 links, E.
- 33.04 A Beech, 8 inches diameter.
- 54.94 An Ash, 19 inches diameter.
- 57.00 A Lym, 16 inches diameter.
- 64.00 A Brook, 15 links, E.
- 72.00 A Brook, 9 links, S. 15 C.
- 75.00 Same Brook, S. 15 W.
- 75.50 Same Brook, S. 15 C.
- 80.00 5 Mile Post, corner to Sections 23, 24, 29, 30;  
where a Beech, 12 ins. diam. bears S. 31 C. 11  
links, and a Poplar, 14 ins. diam. bears N.  
31 C. 12 1/2 links distant. Trees marked by  
plow.
- Over hilly land, soil rich; Timber, Beech,  
Sugar tree, Poplar, Chestnut, some Oak,  
Hickory, &c.

## Township 8, Range 6-7 Ranges.

- 64.50 North Continued, between Sections 24 & 30.
- 6.50 A Spring, W.
- 18.50 A Brook, 3 links, W.
- 25.50 A B. Oak, 34 inches diameter.
- 39.65 A Lym, 10 inches diameter.
- 40.00 A Brook, 3 links, E.
- 49.50 A Brook, 3 links, E. A good stone Quarry.
- 50.86 A Poplar, 16 inches diameter.
- 66.00 6 Mile Post, corner to Sections 24 & 30; where  
a Sugar tree, 14 ins. diam. bears N. 38 C. 34  
links, and a W. Walnut, 16 ins. diam. bears  
S. 24 1/2 W. 24 links distant. Trees marked  
by plow.
- Land nearly the same soil, not so rich  
and stony.
- East Random Line.
- 80.00 Random Post.
- 80.00 North Line. Then—
- West On the North Boundary of Section 18.
- 7.50 A creek, 50 links, N.
- 14.30 An Elm, 13 inches diameter.
- 15.00 A Walnut, 12 inches diameter.
- 38.36 A Beech, 14 inches diameter.
- 41.50 A Brook, 8 links, S.
- 45.00 A Hickory, 12 inches diameter.
- 45.70 A Cherry, 12 inches diameter.
- 46.16 A B. Oak, 15 inches diameter.
- 53.73 A W. Walnut, 10 inches diameter.
- 57.50 A Brook, 4 links, N.
- 67.34 A Poplar, 34 inches diameter.
- 80.00 3 Mile Post, corner to Sections 18 & 24; where  
a Beech, 13 ins. diam. bears S. 50 C. 12



Township 8, Range 6-7 Ranges.

6hs. 1/2  
links, and a Beech, 14 ins. diam. bears N. 46 1/2 W. 51 links distant. Trees marked by plan.  
Over hilly land, soil rich; Timber, Sugar maple, Beech, Poplar and Walnut.

West Continued, on North Boundary of Section 24.

- 2-50 A Brook, 40 links, N.
- 8-00 A Spring, N.
- 23-12 A W. Walnut, 18 inches diameter.
- 43-00 A Brook, 4 links, S. 45 E.
- 62-35 A Spring, N.
- 64-43 A Beech, 10 inches diameter.
- 64-49 A Hickory, 13 inches diameter.
- 67-17 A Buckeye, 8 inches diameter.
- 73-50 A Brook, 3 links, N. 40 E.
- 80-00 4 Mile Post, already set, and corner made. Land the same.

Repaired to the South Boundary.

West On the South Boundary of Section 25.

- 5-50 A Brook, 4 links, N.
- 7-50 Forks of Brook, 4 links, N.
- 20-50 A Chestnut, 26 inches diameter.
- 21-61 A Chestnut, 36 inches diameter.
- 26-73 A Hickory, 18 inches diameter.
- 43-94 A Beech, 11 inches diameter.
- 47-50 A Brook, 3 links, N.
- 48-98 A Gum, 22 inches diameter.
- 49-50 A W. Oak, 38 inches diameter.
- 54-50 A Brook, 3 links, N.
- 57-50 A Brook, 3 links, N.
- 68-13 A Maple, 12 inches diameter.
- 71-32 A Hickory, 12 inches diameter.

Township 8, Range 6-7 Ranges.

6hs. 1/2

- 72-53 A Hickory, 18 inches diameter.
- 75-66 A Chestnut, 18 inches diameter.
- 78-69 A W. Oak, 46 inches diameter.
- 80-00 5 Mile Post, corner to Section 25 & 31; where a Maple, 10 ins. diam. bears S. 35 E. 18 links, and a W. Oak, 17 ins. diam. bears N. 61 1/2 W. 29 links distant. Trees marked by plan.  
Over steep broken land, soil rich and stony; Timber, Beech, Chestnut, Sugar maple, Walnut, Poplar, Oak, Hickory, &c. 29th June, 1801.

West continued, on South Boundary of Section 31.

- 8-00 A Brook, 4 links, N.
- 29-00 A Spring, N.
- 33-00 A W. Oak, 15 inches diameter.
- 34-50 A Brook, 5 links, N.
- 42-50 A Brook, 5 links, N. 40 W.
- 48-00 A Creek, 50 links, S. 60 W.
- 59-41 A Beech, 12 inches diameter.
- 64-00 A Brook, 4 links, S.
- 66-00 6 Mile Post, S. W. Corner of Section 31; where a B. Walnut, 17 ins. diam. bears N. 71 E. 47 links, and an Elm, 14 ins. diam. bears S. 72 W. 54 links distant. Trees marked by plan.  
Over hilly land, soil thin and stony; Timber, Beech, Oak, Hickory, &c.

North On West Boundary of Section 31.

- 23-50 A Spring, E.
- 32-00 A W. Oak, 12 inches diameter.
- 80-00 1 Mile Post, corner to Section 31 & 32; where a Poplar, 7 ins. diam. bears S. 64 1/2 W. 21 1/2 links, and a W. Oak, 14 ins. diam. bears N. 41 E. 36 links distant. Trees marked by plan.



Township 8, Range 6-7 Ranges.

Over hilly land, soil of a middle quality, & stony; Timber, B. & W. Oak, Hickory, Poplar, Chestnut; undergrowth the same, and very thick set; some Spicewood.

North Continued, on West Boundary of Section 32.  
 19.17 A Hickory, 12 inches diameter.  
 33.00 A Spring, W.  
 36.59 A B. Oak, 16 inches diameter.  
 37.91 A Hickory, 8 inches diameter.  
 53.50 A Sugar tree, 24 inches diameter.  
 80.00 2 Mile Post, corner of Sections 32 & 33; where a W. Walnut, 8 ins. diam. bears S. 66 1/2 E. 27 links, and a Spruce, 12 ins. diam. bears S. 65 W. 33 1/2 links distant. Trees marked by plan.

Over hilly land, good soil; Timber, B. & W. Oak, Hickory, Poplar, Chestnut, Walnut, Sugar; undergrowth, Spicewood.

East Random Line.  
 66.00 Random Post.  
 80.00 N. Line, 6 S. 12 links.

West Between Sections 26 & 27.  
 7.91 A B. Oak, 35 inches diameter.  
 15.46 A Beech, 10 inches diameter.  
 24.50 A Brook, 18 links, S.  
 46.69 A Poplar, 36 inches diameter.  
 58.93 A Beech, 11 inches diameter.  
 60.50 A Brook, 10 links, S.  
 79.43 A Chestnut, 70 inches diameter.  
 80.00 5 Mile Post, corner to Sections 26, 27, 32, 33; from which a Beech, 14 ins. diam. bears

Township 8, Range 6-7 Ranges.

N. 40 W. 21 links, and a Maple, 12 ins. diam. bears S. 63 W. 22 links distant. - Trees marked by plan.

Over hilly land, soil poor, and stony, some large Rocks; Timber, generally Beech, Chestnut, and Poplar; undergrowth, Spicewood.

West Continued, between Sections 32 & 33.  
 6.50 Forks of a Brook, 4 links, S.  
 22.14 A Sugar tree, 10 inches diameter.  
 28.50 A Brook, 6 links, S.  
 29.73 An Ash, 11 inches diameter.  
 35.00 A Brook, 5 links, S.  
 38.20 An Ash, 18 inches diameter.  
 44.39 A B. Oak, 22 inches diameter.  
 66.00 6 Mile Post, already set.

Over hilly land, soil rich; Timber, Beech, Poplar, Walnut, Sugar, Spicewood.

North On West Boundary of Section 33.  
 1.76 A Sugar tree, 30 inches diameter.  
 16.21 A W. Walnut, 8 inches diameter.  
 28.04 A Beech, 32 inches diameter.  
 32.00 A Brook, 9 links, S. 60 W.  
 48.08 A Sugar tree, 23 inches diameter.  
 50.54 A Sugar tree, 15 inches diameter.  
 53.92 A Chestnut, 40 inches diameter.  
 80.00 3 Mile Post, corner to Sections 33 & 34; where a Sugar tree, 10 ins. diam. bears N. 89 W. 25 links, and a B. Oak, 8 ins. diam. bears S. 15 W. 11 links distant. Trees marked by plan.

Over hilly land, soil rich; Timber, Beech, Sugar, Poplar, Chestnut, and Spicewood.



## Township 8, Range 6-7 Ranges.

6th. Lk.  
 North On West Boundary of Section 34.  
 4.50 A Spring, E.  
 10.00 A Spring, E.  
 36.50 Forks of a Brook, - 10 W.  
 40.99 A Beech, 13 inches diameter.  
 57.70 A Hickory, 13 inches diameter.  
 60.50 A Brook, 3 links, E.  
 63.00 Spring, E.  
 74.12 A Sugar tree, 13 inches diameter.  
 76.98 A Sugar tree, 11 inches diameter.  
 80.00 4 Mile Corner - an Elm, 11 ins. diam; where  
 a Sugar tree, 8 ins. diam. bears N. 12 W.  
 22 1/2 links, and a B. Walnut, 14 ins. diam.  
 bears S. 24 E. 19 links distant. Trees marked  
 by plan.  
 Land the same.

East On Random Line.  
 66.00 Random Post.  
 80.80 N. Line, b. S. 18 links.

West Between Sections 28 & 29.  
 .67 A Hickory, 14 inches diameter.  
 6.50 A Spring, N.  
 9.50 A Beech, 17 inches diameter.  
 16.21 A Maple, 17 inches diameter.  
 21.50 A Brook, 3 links, N.  
 28.00 A Spring, N.  
 36.00 A Spring, N.  
 36.85 A Poplar, 40 inches diameter.  
 47.32 A Poplar, 32 inches diameter.  
 53.56 A Lym, 16 inches diameter.  
 68.00 A Brook, 7 links, S.  
 72.76 A Beech, 17 inches diameter.

## Township 8, Range 6-7 Ranges.

chs. Lk.  
 80.00 5 Mile Post, corner to Sections 28, 29, 34, 35;  
 where a Beech, 17 ins. diam. bears East  
 12 links, and a Beech, 8 ins. diam. bears  
 N. 85 1/2 W. 39 links distant.  
 Over uneven land, soil rich; Timber, Beech,  
 Ash and Poplar.  
 West continued, between Sections 34 & 35.  
 3.50 A Brook, 4 links, S.  
 30.00 A Brook, 8 links, S.  
 33.50 A Brook, 3 links, S.  
 40.87 A Sugar tree, 12 inches diameter.  
 44.30 A Beech, 13 inches diameter.  
 49.81 A Beech, 13 inches diameter.  
 46.00 A Brook, 4 links, S.  
 47.00 A Spring, S.  
 54.00 Forks of Brook, 6 links, S., and up left hand fork.  
 63.00 Leaving said Brook to the right.  
 66.80 6 Mile Corner, on an Elm.  
 Land the same.

North On West Boundary of Section 35.  
 16.22 A Buckeye, 14 inches diameter.  
 28.42 A Sugar tree, 14 inches diameter.  
 43.79 A Sugar tree, 10 inches diameter.  
 45.90 A Buckeye, 14 inches diameter.  
 63.50 A Brook, 9 links, W.  
 71.68 A Sugar tree, 10 inches diameter.  
 79.48 A Sugar tree, 17 inches diameter.  
 80.00 5 Mile Post, corner to Sections 35 & 36; where  
 a Beech, 7 ins. diam. bears N. 53 E. 17 links,  
 and a Beech, 18 ins. diam. bears S. 28 W. 18  
 links distant. Trees marked by plan.  
 Over uneven land, soil rich; Timber, Buckeye, Walnut, Sugar,  
 & Poplar.



Township 8, Range 6-7 Ranges.

6hs. 1/2s.  
 North Continued, on West Boundary of Section 36.  
 8.65 A Sugar tree, 13 inches diameter.  
 14.07 A Sugar tree, 14 inches diameter.  
 21.50 A Brook, 10 links, N.  
 28.16 A W. Walnut, 14 inches diameter.  
 29.81 A Locust, 12 inches diameter.  
 30.03 A Cherry tree, 16 inches diameter.  
 57.98 A Sugar tree, 13 inches diameter.  
 60.50 Town Line from the West.  
 66.50 6 Mile Post, N. W. corner of Section 36; where  
 a Poplar, 40 ins. diam. bears N. 76 E. 16 1/2 links,  
 and a Sugar tree, 8 ins. diam. bears S. 74 W. 50  
 links distant. Trees marked by plan.  
 Over hilly land, soil D rate; Timber, Beech,  
 Oak, Hickory, Poplar, &c. 1<sup>st</sup> July, 1801.

East On Random Line.  
 67.00 Random Post.  
 80.00 N. Line. Then -

West On North Boundary of Section 30.  
 1<sup>st</sup> 04 A Beech, 15 inches diameter.  
 18.30 A Brook, 3 links, N.  
 33.00 A Brook, 10 links, N. 30 E.  
 42.50 A Brook, 10 links, S.  
 60.32 A Buckeye, 26 inches diameter.  
 61.80 A Buckeye, 49 inches diameter.  
 63.11 A Buckeye, 28 inches diameter.  
 64.50 A Spring, S.  
 80.00 5 Mile Post, corner to Sections 30 & 36; where  
 a Beech, 11 ins. diam. bears N. 33 W. 5 1/2 links,  
 and a Beech, 7 ins. diam. bears S. 88 1/2 E.  
 36 links distant. Trees marked by plan.  
 Over hilly land, soil very rich; Timber, Sugar  
 tree, Beech, Walnut and Poplar.

Township 8, Range 6-7 Ranges.

6hs. 1/2s.  
 West Continued, on North Boundary of Sec. 36.  
 5.42 A Sugar tree, 8 inches diameter.  
 9.50 A Brook, 3 links, S.  
 14.50 A Brook, 3 links, S.  
 25.00 A Brook, 3 links, S.  
 29.19 A Sugar tree, 15 inches diameter.  
 45.00 A Spring, N.  
 67.50 6 Mile Post, N. W. corner of Section 36.  
 Over uneven land, soil rich; Timber, Sugar  
 tree, Poplar and Walnut.

Surveyed in 1801, by  
 Zachary Biggs,  
 Deputy Surveyor.



| Chs. Lks. | Subdivision of "2 Mile Blocks."   |
|-----------|---|
|           | South Random Line between Sections 6 & 10.<br>A Brook, 8 links wide, course East.   |
| 18.00     |   |
| 40.00     | Set temporary half mile Post. Rich Hill; W. Oak, Chestnut and Poplar.   |
| 48.50     | Cut a corn field.   |
| 80.00     | Set temporary center Post.<br>Level rich land; W. & B. Oak, Spice, &c.  |
|           | South continued Random Line between Secs. 5 & 11.   |
| 39.00     | A Brook, 5 links wide, course West - W. Oak.  |
| 40.00     | Set temporary Quarter Section Post.   |
| 68.16     | Hit Post, corner to Sections 4, 5, 10, 11.<br>W. & B. Oak timber.   |
|           | North On True Line between Secs. 5 & 11, T. 8, R. 6.<br>Moved temporary Quarter Section Post to average distance on true line.<br>Moved temporary center Post to true line. |
|           | North continued true line, between Secs. 6 & 12, and moved temporary Tr. Sec. Post to true line.<br>Continued North to corner, on Township line.                            |
|           | East Random Line between Sections 11 & 12, T. 8, R. 6.  |
| 8.25      | To a large road, on a rich bottom.  |
| 9.50      | A Brook, 50 links wide, course North.   |
| 28.00     | A Spring Run, 3 links wide, course South.   |
| 40.00     | Set temporary half mile Post. Rich Hill, W. Oak, Beech and Sugar.   |
| 48.50     | A Brook, 4 links wide, course South.  |
| 62.00     | A Brook, 8 links wide, course S. 80 W.  |
| 80.86     | Crossed the North and South Line.   |

| Chs. Lks. |  |
|-----------|--|
|           | East continued Random Line, between Secs. 5 & 6.   |
| 40.00     | Set temporary half mile Post. Rich Ridge; Timber, W. Oak, Poplar, Hickory and Spice.   |
| 73.20     | A Brook, 8 links wide, course S. 75 E.   |
| 79.81     | Fell 2 links South of Post, corner of Sections 5 & 6, T. 8, R. 6.  |
|           | West On True Line, between Sections 5 & 6.<br>Moved temporary Tr. Sec. Post, and set it at average distance, on true line; where a Poplar, 5 ins. diam. bears S. 36 E. 16 links, and a Poplar, 12 ins. diam. bears N. 36 W. 8 links distant.<br>Continued West, and fell 12 chs. 12 links North of temporary center Post. Moved it to intersection, corner to Sections 5, 6, 11, 12; where a W. Oak, 34 ins. diam. bears S. 30 W. 12 links, and a Hickory, 6 ins. diam. bears N. 15 E. 11 links distant. |
|           | South Between Sections 5 & 11, and moved Tr. Sec. Post to average measure; where a Sugar, 12 ins. diam. bears N. 40 W. 13 links, and a Sugar, 30 ins. diam. bears S. 13 W. 37 links distant.   |
|           | North Between Sections 6 & 12, and moved Tr. Sec. Post to average measure; where a W. Walnut, 15 ins. diam. bears N. 51 W. 13 links, and a W. Walnut, 15 ins. diam. bears S. 34 E. 24 links distant.   |
|           | West On true line between Secs. 11 & 12, and moved Tr. Sec. Post, and set it at average measure on true line; where a Hickory, 18 ins. diam. bears N. 52 E. 14 links, & a Sugar, 5 ins. diam. bears S. 70 E. 16 links distant.<br>Continued West to corner of Sections 11, 12, 17, 18.   |



## Township 8, Range 6-7 Ranges.

- Chs. Lk.  
West On Random Line between Sections 17 & 18.  
18.50 A Spring, course North.  
40.00 Set temporary Quarter Section Post. Rich hill, the  
Oak, Lym, Beech, Poplar & Sugar; undergrowth, Shives.  
80.00 Set temporary Center Post.  
Rich hill; Beech and Sugar; Shives.
- West Continued Random Line, between Sections 23 & 24.  
30.50 A Brook, 25 links wide, course North.  
36.50 A Spring, course S. E.  
40.00 Set temporary Quarter Section Post. Rich hill  
land; Timber, Beech.  
46.50 A Brook, 4 links wide, course South.  
48.50 A Brook, 4 links wide, course N. E.  
68.50 A Brook, 8 links wide, course South.  
83.00 Fell 3 links South of Post, corner of Sections  
23, 24, 29, 30, T. 8, R. 6.  
Rich hill land; Timber, Beech, &c.
- East On true line, between Sections 23 & 24.  
Moved the temporary Tr. Sec. Post to the average  
measure, on true line.  
Moved temporary Center Post to true line.
- East Continued true line between Sections 17 & 18.  
Moved the temporary Tr. Sec. Post to average  
measure, on true line.
- South Random Line between Sections 18 & 24.  
21.50 A Spring, course West.  
40.00 Set temporary Quarter Section Post. Good land  
Beech and Sugar timber.  
67.00 Crossed the East and West line.

## Township 8, Range 6-7 Ranges.

- Chs. Lk.  
South Continued Random Line, between Secs. 17 & 23.  
40.00 Set temporary Quarter Section Post.  
60.25 A Brook, 6 links wide, course East.  
81.25 Fell 1 chain West of the Post, corner of Sections  
16, 17, 22, 23, T. 8, R. 6.  
Rich hill land; Timber, Beech and Sugar.
- North On true line, between Sections 17 & 23, and  
moved Tr. Sec. Post, and set it at average  
measure, on true line; from which a Beech,  
8 ins. diam. bears N. 24 E. 13 links, and a  
Beech, 5 ins. diam. bears S. 9 E. 12 links  
distant.  
Continued North, and fell 1.72 links West of  
temporary Center Post. Moved it to intersection,  
corner to Sections 17, 18, 23, 24, from which  
a Sugar, 20 ins. diam. bears N. 66 E. 12 links,  
and a Sugar, 30 ins. diam. bears S. 47 W.  
26 links distant.
- East Between Sections 17 & 18, and moved the Tr.  
Sec. Post, and set it at average measure,  
on true line; from which a Lym, 40 ins.  
diam. bears N. 50 W. 9 links, and a Sugar,  
8 ins. diam. bears S. 16 E. 33 links distant.
- West Between Sections 23 & 24, and moved the tem-  
porary Tr. Sec. Post, and set it at average  
measure, on true line; from which a Beech,  
17 ins. diam. bears S. 28 E. 18 links, and a Sugar,  
12 ins. diam. bears N. 31 W. 12 links distant.
- North On true line between Sections 18 & 24, & moved  
temporary Tr. Sec. Post, and set it at average



Township 8, Range 6-7 Ranges.

| Chs. Lks. |   |
|-----------|---|
|           | measure, on true line; from which a Sugar, 6 ins. diam. bears N. 3 W. 13 links, and a Sugar, 8 ins. diam. bears S. 6 E. 24 links distant.                           |
| West      | Random Line between Sections 29 & 30.   |
| 1-00      | A Brook, 3 links wide, course South.  |
| 39-50     | A Brook, 4 links wide, course South.  |
| 40-00     | Set temporary Quarter Section Post. Rich hill, Timber, Sugar, Beech, and Spice.   |
| 80-00     | Set temporary Center Post. Rich hill; Poplar, Beech and Sugar timber.   |
| West      | Continued Random Line, between Sections 35 & 36.  |
| 40-00     | Set temporary Quarter Section Post. Rich land; Timber, Sugar and Poplar.  |
| 40-12     | A Spring, course S. W.  |
| 70-70     | Fell 100 links North of Post on Range Line, corner of Sections 35 & 36, T. 8, R. 6. Rich hill; Timber, Beech and Sugar.   |
| East      | On true line between Sections 35 & 36, and moved temporary Tr. Sec. Post to average measure, on true line. Moved temporary Center Post to true line.                |
| East      | Continued true line, between Sections 29 & 30. Moved temporary Tr. Sec. Post to average measure, on true line. Continued East to corner of Sections 23, 24, 29, 30. |
| South     | Random Line, between Sections 30 & 36.  |
| 14-50     | A Brook, 5 links wide, course East.   |
| 40-00     | Set temporary Quarter Section Post.   |
| 66-75     | Crossed the East and West Line.   |

Township 8, Range 6-7 Ranges.

| Chs. Lks. |   |
|-----------|---|
|           | Hilly and rich; Timber, Beech, Sugar, W. Walnut; Spice.   |
| South     | Continued Random Line, between Secs. 29 & 35.   |
| 10-00     | A Brook, 6 links wide, course E.  |
| 40-00     | Set temporary Quarter Section Post. Rich hill land; Beech, Sugar, White Walnut, Spice.  |
| 81-15     | Fell 88 links East of Post, corner of Sections 28, 29, 34, 35, T. 8, R. 6.  |
| North     | On True Line, between Sections 29 & 35, and moved the temporary Tr. Sec. Post to average distance, on true line; where a Hickory, 6 ins. diam. bears N. 42 W. 5 links, and a Beech, 5 ins. diam. bears S. 72 E. 24 links distant. Continued North, and fell 250 links West of temporary Center Post, and moved it to intersection, corner of Sections 29, 30, 35, 36; - where a Beech, 10 ins. diam. bears S. 45 E. 22 links, and a Beech, 3 ins. diam. bears S. 87 W. 2 links distant. |
| East      | Between Sections 29 & 30, and moved temporary Tr. Sec. Post, and set it at average measure on true line; where a Sugar, 14 ins. diam. bears S. 82 W. 3 links, and a W. Ash, 3 ins. diam. bears N. 74 E. 25 links distant.   |
| West      | Between Sections 35 & 36, and moved temporary Tr. Sec. Post, and set it at average distance on true line; where a Poplar, 20 ins. diam. bears N. 7 E. 24 links, and a B. Oak, 24 ins. diam. bears S. 18 E. 32 links distant.  |



## Township 8, Range 6-7 Ranges.

- chs. lbs.  
North On True line, between Sections 30 & 36, & moved temporary Dr. Sec. Post, and set it at average measure, on true line; where a Poplar, 8 ins. diam. bears S. 50 E. 12 links, and a Sugar, 5 ins. diam. bears N. 36 E. 14 links distant.
- East Random Line between Sections 33 & 34.  
8.00 A Brook, 5 links wide, course South.  
40.00 Set temporary Quarter Section Post. Hilly land; Timber, Poplar, Sugar, Beech; Underbrush, Spice.  
40.50 A Road, leading S. E. & N. W.  
80.00 Set temporary Center Post.  
Land hilly; Timber, W. Oak, B. Oak and Poplar.
- East Continued Random Line, between Secs. 27 & 28.  
9.50 A Brook, 5 links wide, course South.  
30.00 A Brook, 8 links wide, course S. E.  
40.00 Set temporary Quarter Section Post. Rich hill land; Lym, Hickory and Beech.  
49.50 A Brook, 8 links wide, course S. W.  
68.00 Fell 4 links North of Post, corner of Sections 21, 22, 27, 28.  
Good land; Timber, Beech, Poplar, Ash, Lym.
- West On True Line, between Sections 27 & 28.  
Moved temporary Dr. Sec. Post to average distance, on true line.  
Moved temporary Center Post on true line.
- West Continued true line, between Sections 33 & 34, and moved temporary Dr. Sec. Post to average distance, on true line.  
Continued True Line to the Section corner.

## Township 8, Range 6-7 Ranges.

- chs. lbs.  
North Random Line, between Sections 27 & 33.  
40.00 Set temporary Quarter Section Post. W. Oak and Poplar timber.  
61.00 A Brook, 8 links wide, course S. W. Hilly land; Timber, W. & B. Oak.  
80.50 Crossed the East and West Line.
- North Continued Random Line, between Secs. 28 & 34.  
12.50 A Brook, 5 links wide, course N. W.  
22.50 A Brook, 8 links wide, course N. W.  
40.00 Set temporary Quarter Section Post. Sand rich and hilly; Timber, Beech and Sugar.  
64.00 A Brook, 8 links wide, course West.  
80.50 Fell 50 links East of the Post, corner of Sections 28, 29, 34, 35.  
Good land; Timber, Beech; Spice.
- South Corrected the line between Sections 28 & 34, and moved Dr. Sec. Post, (temporary) and set it at average measure, on true line; where a Sugar, 6 ins. diam. bears N. 30 W. 2 links, and a Hickory, 12 ins. diam. bears S. 20 E. 30 links distant.  
Continued South, and fell 12 links West of temporary Center Post, and set it at intersection, corner to Sections 27, 28, 33, 34; where a Beech, 5 ins. diam. bears N. 40 E. 15 links, and a Sugar, 7 ins. diam. bears N. 55 W. 14 links distant.
- West Between Sections 33 & 34, and set Dr. Sec. Post at average measure, on true line; from which a Beech, 4 ins. diam. bears N. 6 E. 18 links, and a Sugar, 10 ins. diam. bears S. 10 E. 20 links distant.



## Township 8, Range 6-7 Ranges,

- Chs. Th.  
East Between Sections 27 & 28, and moved temporary Tr. Sec. Post, and set it at average distance, on true line; where a Sugar, 10 ins. diam. bears N. 20 W. 15 links, and a W. Ash, 20 ins. diam. bears S. 60 W. 28 Ms. distant.
- South On true line, between Sections 27 & 33, and moved temporary Tr. Sec. Post, and set it at average distance, on true line; where a Sugar, 8 ins. diam. bears S. 25 E. 15 links, and a Sugar, 15 ins. diam. bears S. 60 W. 26 Ms. distant. Continued South to Section Corner.
- East Random Line, between Sections 21 & 22.  
1.50 A Brook, 5 links wide, course South.  
17.50 A Road, leading S. E. & N. W.  
32.00 A Brook, 8 links wide, course S. E.  
40.00 Set temporary Tr. Sec. Post. Rich land; Timber, Beech.  
58.50 A Brook, 10 links wide, course North.  
80.00 Set temporary center Post.  
Level land; Beech, Ash, B. Walnut.
- East continued Random Line, between Secs. 15 & 16.  
40.00 Set temporary Quarter Section Post, in a Brook, 8 links wide, course S. E.  
68.00 A Brook, 8 links wide, course E.  
81.50 Fell 95 links North of Post, corner of Sections 9, 10, 15, 16, T. 8, R. 6.
- West On true line between Sections 15 & 16, and moved temporary Tr. Sec. Post to average measure on true line  
Continued West, and set temporary center Post on true line.

## Township 8, Range 6-7 Ranges.

- Chs. Th.  
West Continued true line, between Sections 21 & 22, and moved temporary Tr. Sec. Post to the true line; and closed the line to the corner of Sections 16, 17, 20, 21 - [So reads the original, but should be corner of 21, 22, 27, 28.]
- North Random Line between Sections 15 & 21.  
4.00 A Brook, 5 links wide, course East.  
40.00 Set temporary Quarter Section Post.  
77.50 A Brook, 4 links wide, course West.  
80.00 Crossed the East and West Line.  
Level rich land; Timber, Oak, Poplar & Sugar, with Spice.
- North continued Random line between Sections 16 & 22.  
22.00 A Brook, 5 links wide, course N. W.  
27.50 A Spring, course West.  
29.50 A Brook, 10 links wide, course North.  
40.00 Set temporary Quarter Section Post. A Brook, 10 links wide. Very rich land; Elm and Beech timber.  
42.00 A Brook, 3 links wide, course E.  
57.00 A Spring, course North.  
60.00 A Brook, 5 links wide, course E.  
79.46 Intersected the East and West line, 20 Ms. West of Post, corner of Sections 16, 17, 22, 23.
- South On True Line, between Sections 16 & 22, and moved temporary Tr. Sec. Post, and set it at average distance on true line; where a Beech, 20 ins. diam. bears N. 4 E. 27 links, and a Beech, 5 ins. diam. bears S. 15 E. 28 Ms. distant.  
Continued South, and fell 5 links East of temporary center Post, and set it at intersection,



## Township 8, Range 6-7 Ranges.

- Chs. Lks.  
 corner to Sections 15, 16, 21, 22; where a Beech, 24 ins. diam. bears N. 4 E. 12 Ms. and a Beech, 5 ins. diam. bears S. 27 W. 20 links distant.
- West Between Sections 21 & 22, and moved temporary Dr. Sec. Post, and set it at average distance, on true line; where a Beech, 10 ins. diam. bears N. 78 E. 10 links and a Beech 4 ins. diam. bears N. 52 W. 8 links distant.
- East Between Sections 15 & 16, and moved the temporary Dr. Sec. Post, and set it at average distance, on true line; where a Beech, 4 ins. diam. bears S. 21 E. 25 links, and a Sugar, 10 ins. diam. bears N. 31 E. 32 Ms. distant.
- South On true line between Sections 15 & 21, and moved temporary Dr. Sec. Post, and set it at average distance, on true line; where a Poplar, 6 ins. diam. bears S. 32 W. 15 links, and a Sugar, 15 ins. diam. bears N. 10 W. 25 links distant.
- West Random Line between Sections 25 & 26.  
 40.00 Set temporary Quarter Section Post. Timber, Oak.  
 62.00 A Brook, 15 links wide, course S.W. Rich Bottom  
 80.00 Set temporary Center Post.  
 Rich land; Timber, Sugar; Spice.
- West Continued Random line between Secs. 31 & 32.  
 20.00 Crossed a Brook 3 times, course S.W. Rich bottom.  
 40.00 Set temporary Quarter Section Post. Rich land, Timber, Sugar, Beech, &c.

## Township 8, Range 6-7 Ranges.

- Chs. Lks.  
 44.00 A Brook, 2 Ms. course S. E. Rich hill on West side.  
 65.70 Intersected the Range Line, 47 Ms. North of Post, corner of Sections 31 & 32, T. 8, R. 6.
- East On True line, between Sections 31 & 32, and moved temporary Dr. Sec. Post to average distance on true line.  
 Moved temporary Center Post to true line.
- East Continued true line between Sections 25 & 26, and moved the Dr. Sec. Post to the true line.
- South Random Line between Sections 26 & 32.  
 40.00 Set temporary Quarter Section Post.  
 80.00 Crossed the East and West line.
- South Continued Random line, between Secs. 25 & 31.  
 2.00 A Brook, 6 links wide, course S.W. Rich bottom.  
 13.00 A Brook, 25 links wide, course W.  
 40.00 Set temporary Quarter Section Post.  
 40.75 A fine Spring.  
 66.00 A Brook, 20 links wide, course West.  
 80.00 Fell 54 links West of Post on South Boundary, corner of Sections 25 & 31, T. 8, R. 6.
- North On true line between Sections 25 & 31, and moved temporary Dr. Sec. Post, and set it at average distance on true line; where a W. Oak, 13 ins. diam. bears N. 68 W. 19 links, and a W. Oak, 10 ins. diam. bears S. 45 W. 26 links distant.  
 Established Center Post at intersection, connects Sections 25, 26, 31, 32; where a W. Oak, 10 ins. diam. bears N. 84 E. 15 links, and a Sugar, 11 ins. diam. bears N. 37 W. 8 links distant.



| Chs. Lks. |   |
|-----------|---|
| East      | Between Sections 25 & 26, and moved temporary Dr. Sec. Post, and set it at average distance, on true line; where a W. Oak, 14 ins. diam. bears S. 40 W. 6 links, and a Beech, 10 ins. diam. bears S. 66 E. 25 Ms. distant.  |
| West      | Between Sections 31 & 32, and moved temporary Dr. Sec. Post, and set it at the average distance, on true line; where a Beech, 11 ins. diam. bears S. 50 E. 3 links, and a Beech, 5 ins. diam. bears N. 52 W. 20 links distant.  |
| North     | On true line between Sections 26 & 32, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; where a W. Oak, 11 ins. diam. bears N. 28 W. 13 links, and a Poplar, 18 ins. diam. bears S. 79 W. 15 links distant.<br>Continued North to corner of Secs. 26, 27, 32, 33 |
| East      | Randon Line between Sections 19 & 20.<br>5.50 A Brook, 5 links wide, course S. E.<br>16.00 Top of a handsome flat ridge; Sugar, Poplar, Chestnut and Oak.<br>40.00 Set temporary Quarter Section Post.<br>80.00 Set temporary Center Post.<br>Rich side hill.                                   |
| East      | Continued Randon Line, between Secs. 13 & 14.<br>40.00 Set temporary Quarter Section Post. Hill land.<br>45.00 A Brook, 3 links wide, course South.<br>79.40 Hit Post, corner of Sections 7, 8, 13, 14.<br>Good timbered land.  |
| West      | On true line, between Sections 13 & 14, and   |

| Chs. Lks. |  |
|-----------|--|
|           | moved temporary Dr. Sec. Post to the true line, at average measure.<br>Moved temporary Center Post to true line.   |
| West      | Continued on true line, between Secs. 19 & 20, and moved temporary Dr. Sec. Post to true line.<br>Continued West to Post, corner of Secs. 19, 20, 25, 26.  |
| South     | Randon Line between Sections 14 & 20.<br>23.00 A Brook, 5 links wide, course West.<br>40.00 Set temporary Quarter Section Post. Land hilly; W. Oak and Poplar timber.<br>60.00 A Brook, 5 links wide, course South. Hilly.<br>81.00 Crossed the East and West Line.  |
| South     | Continued Randon Line, between Secs. 13 & 19.<br>4.25 A Brook, 5 links wide, course South.<br>11.50 A Brook, 5 links wide, course South.<br>40.00 Set temporary Quarter Section Post. W. & B. Oak.<br>70.00 Over good land, to a Brook, 5 links wide, course East. W. Oak, with Spruce.<br>80.00 Fell 1 link East of Post on South Boundary, corner of Sections 13 & 19.       |
| North     | On true line, between Sections 13 & 19, and moved temporary Dr. Sec. Post to average distance, on true line; where a B. Oak, 24 ins. diam. bears N. 30 W. 25 links, and a Sugar, 4 ins. diam. bears S. 5 E. 22 links distant.<br>Continued true line, and fell 1/2 a link East of temporary Center Post. Set it at intersection, corner to Sections 13, 14, 19, 20; where a W. |



| Chs. Lks. |  |
|-----------|--|
|           | Oak, 15 ins. diam. bears N. 28 W. 12 links, and a Maple, 10 ins. diam. bears N. 65 E. 15 links distant.  |
| North     | Continued true line, between Sections 14 & 20, and moved temporary Dr. Sec. Post to average measure on true line; from which a Poplar, 8 ins. diam. bears S. 66 W. 12 lks., and a Poplar, 5 ins. diam. bears N. 19 W. 10 links distant.<br>Continued North, to corner of Secs. 14, 15, 20, 21. |
| East      | Between Sections 13 & 14, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; where a Sugar, 6 ins. diam. bears N. 26 E. 8 links, and a Beech, 8 ins. diam. bears S. 55 W. 7 links distant.  |
| West      | Between Sections 19 & 20, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; where a Chestnut, 13 ins. diam. bears S. 73 W. 16 links, and a Sugar, 7 ins. diam. bears N. 26 E. 16 links distant.  |
| East      | Random Line between Sections 7 & 8.  |
| 12.00     | A Brook, 8 links wide, course S. E. Hill land.   |
| 36.75     | A Brook, 5 links wide, course S. Hill land.  |
| 40.00     | Set temporary Quarter Section Post. Rich hill land; Timber, W. Oak.  |
| 65.00     | A Brook, 8 links wide, course South. Oak, hill land.   |
| 80.00     | Set temporary Center Post. Hill land; Oak.   |

| Chs. Lks. |  |
|-----------|--|
| East      | Continued Random Line, between Sections 14 & 20.   |
| 26.50     | A Brook, 9 links wide, course S. E. Rich side hill; Beech and Sugar.   |
| 40.00     | Set temporary Quarter Section Post. Rich hill.   |
| 57.50     | A Brook, 5 links wide, course South. A very bad gully on this part of the line.  |
| 80.40     | Fell 239 links South of Post, corner of Sections 14 & 20, on Range Line. Hill land; Timber, Oak.<br>[These two lines were probably corrected back on true line, and temporary Posts set thereon, as in other cases; but the original field notes are silent on the subject.] |
| South     | Random Line, between Sections 24 & 8.  |
| 40.00     | Set temporary Quarter Section Post.  |
| 80.00     | Crossed the East and West line. Broken, rich land.   |
| South     | Continued Random Line, between Secs. 14 & 7.   |
| 32.00     | A Brook, 35 links wide, course S. E. Rich Bottom; Timber, Beech.   |
| 40.00     | Set temporary Quarter Section Post, in bottom.   |
| 45.00     | A Brook, 6 links wide, course N. E. At point of a rich hill, nettles 6 feet high.  |
| 78.50     | Fell 100 links West of the Post, corner of Secs. 14 & 7, on South Boundary. Rich hills.  |
| North     | On true line, between Sections 14 & 7, and moved temporary Quarter Section Post to average measure; where a W. Oak, 14 ins. diam. bears N. 65 E. 18 links, and a Sugar, 8 ins. diam. bears S. 35 E. 21 links distant.<br>Continued true line, and fell 50 links East of      |



## Township 8, Range 6-7 Ranges.

| Ch. Lk. |   |
|---------|---|
|         | Oak, 15 ins. diam. bears N. 28 W. 12 links, and a Maple, 10 ins. diam. bears N. 65 E. 15 links distant.   |
| North   | Continued true line, between Sections 14 & 20, and moved temporary Dr. Sec. Post to average measure on true line; from which a Poplar, 8 ins. diam. bears S. 66 W. 12 links, and a Poplar, 5 ins. diam. bears N. 19 W. 10 links distant.<br>Continued North, to corner of Secs. 14, 15, 20, 21. |
| East    | Between Sections 13 & 14, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; where a Sugar, 6 ins. diam. bears N. 26 E. 8 links, and a Beech, 8 ins. diam. bears S. 55 W. 7 links distant.   |
| West    | Between Sections 19 & 20, and moved temporary Dr. Sec. Post, and set it at average measure, on true line; where a Chestnut, 13 ins. diam. bears S. 73 W. 16 links, and a Sugar, 7 ins. diam. bears N. 26 E. 16 links distant.   |
| East    | Random Line between Sections 7 & 8.   |
| 12.00   | A Brook, 8 links wide, course S. E. Hill land.  |
| 36.75   | A Brook, 5 links wide, course S. - Hill land.   |
| 40.00   | Set temporary Quarter Section Post. Rich hill land; Timber, W. Oak.   |
| 65.00   | A Brook, 8 links wide, course South. - Oak, hill land.  |
| 80.00   | Set temporary Center Post. Hill land; Oak.  |

## Township 8, Range 6-7 Ranges.

| Ch. Lk. |  |
|---------|--|
| East    | Continued Random Line, between Sections 14 & 20.   |
| 26.50   | A Brook, 9 links wide, course S. E. Rich side hill; Beech and Sugar.   |
| 40.00   | Set temporary Quarter Section Post. Rich hill.   |
| 57.50   | A Brook, 5 links wide, course South. A very bad gully on this part of the line.  |
| 80.40   | Fell 239 links South of Post, corner of Sections 14 & 20, on Range Line. Hill land; Timber, Oak.<br>[These two lines were probably corrected back on true line, and temporary Posts set thereon, as in other cases; but the original field notes are silent on the subject.] |
| South   | Random Line, between Sections 24 & 8.  |
| 40.00   | Set temporary Quarter Section Post.  |
| 80.00   | Crossed the East and West line. Broken, rich land.   |
| South   | Continued Random Line, between Secs. 14 & 7.   |
| 32.00   | A Brook, 35 links wide, course S. E. Rich Bottom; Timber, Beech.   |
| 40.00   | Set temporary Quarter Section Post, in bottom.   |
| 45.00   | A Brook, 6 links wide, course N. E. At point of a rich hill, settles 6 feet high.  |
| 78.50   | Fell 100 links West of the Post, corner of Secs. 14 & 7, on South Boundary. Rich hills.  |
| North   | On true line, between Sections 14 & 7, and moved temporary Quarter Section Post to average measure; where a W. Oak, 14 ins. diam. bears N. 65 E. 18 links, and a Sugar, 8 ins. diam. bears S. 35 E. 21 links distant.<br>Continued true line, and fell 50 links East of      |



Township 8, Range 6-7 Ranges.

Chs. Dis.  
 temporary center Post. Set it at intersection  
 corner to Sections 1, 2, 7, 8; where a W. Oak,  
 30 ins. diam. bears N. 19 E. 33 links, and a  
 W. Oak, 18 ins. diam. bears S. 57 W. 36 links  
 distant.

North continued true line, between Sections 2 & 8,  
 and moved temporary Dr. Sec. Post, and  
 set it at average measure, on true line;  
 where a Sugar, 11 ins. diam. bears N. 10 E.  
 17 links, and a Hickory, 5 ins. diam. bears  
 S. 55 W. 10 links distant.  
 continued North, to corner of Secs. 2, 3, 8, 9.

East Between Sections 1 & 2, and moved temporary  
 Dr. Sec. Post, and set it at average mea-  
 sure, on true line; where a W. Oak, 24  
 ins. diam. bears N. 18 W. 44 links, and a  
 Dogwood, 7 ins. diam. bears S. 28 E. 32  
 links distant.

West Between Sections 7 & 8, and moved temporary  
 Dr. Sec. Post, and set it at average dis-  
 tance, on true line; where a Beech, 6 ins.  
 diam. bears S. 25 W. 31 links, and a W.  
 Oak, 18 ins. diam. bears N. 54 E. 11 links  
 distant.

East Random Line between Sections 9 & 10, T. 8, R. 6.  
 8.00 A Brook, 6 links wide, course North.  
 17.00 A Brook, 5 links wide, course N. N. W.  
 36.00 A Brook, 5 links wide, course S. W.  
 40.00 Set temporary Quarter Section Post. Rich  
 land; Poplar and Beech.

Township 8, Range 6-7 Ranges.

Chs. Dis.  
 50.00 A Brook, 5 links wide, course N.  
 51.00 A great Road, leading N. 68 W.  
 80.00 Set temporary center Post.  
 Good land; Sugar and Beech timber.

East continued Random line between Sections 3 & 4.  
 3.00 A Brook, 10 links wide, course South.  
 34.50 A Brook, 8 links wide, course South.  
 40.00 Set temporary Quarter Section Post.  
 52.50 A Brook, 8 links wide, course South.  
 79.35 Intersected Range Line 4 links South of Post,  
 corner of Sections 3 & 4, T. 8, R. 6.  
 Wily land; Timber, W. Oak.

West On true line, between Sections 3 & 4, I moved  
 temporary Dr. Sec. Post on true line, at  
 average distance.  
 Moved temporary center Post to true line.

West continued true line between Sections 9 & 10, and  
 moved Dr. Sec. Post to average distance on  
 true line.  
 continued West to corner of Sections 9, 10, 15, 16.

North Random Line between Sections 3 & 4.  
 33.50 A Brook, 5 links wide, course S. E.  
 40.00 Set temporary Quarter Section Post. W. Oak  
 and Beech timber.  
 70.00 A Spring, course East. Land hilly; Beech.  
 80.50 Crossed the East and West Line.

North continued Random Line between Secs. 4 & 10.  
 3.50 A Brook, 5 links wide, course South.  
 30.51 A Brook, 5 links wide, course S. E.



## Township 8, Range 6-7 Ranges.

Chs. Lks.  
 40.00 Set temporary Quarter Section Post. Rich level  
 land; Beech, Sugar, B. Oak.  
 40.60 A Spring, course East.  
 48.50 Great Road, leading E. & W.  
 65.00 A Spring, course West.  
 75.00 A Brook, 8 links wide, course W.  
 80.00 Hit the Post, corner of Sections 4, 5, 10, 11.

South Blazed the line between Sections 4 & 10, and es-  
 tablished Dr. Sec. Post at the average dis-  
 tance, on true line; where a Red Oak, 24  
 ins. diam. bears S. 81 E. 5 links, and a W.  
 Oak, 5 ins. diam. bears N. 41 W. 17 links  
 distant.

Continued South, and established better Post  
 at the intersection of the line, for corner  
 to Sections 3, 4, 9, 10; from which a Beech,  
 20 ins. diam. bears N. 88 E. 14 links, and  
 a Sugar, 5 ins. diam. bears N. 56 W. 16  
 links distant.

West Between Sections 9 & 10, and moved the  
 temporary Dr. Sec. Post, and set it at  
 average measure, on true line; from which  
 a Beech, 5 ins. diam. bears S. 38 W. 9 links,  
 and a Hickory, 3 ins. diam. bears N. 86  
 13 links distant.

East Between Sections 3 & 4, and moved the  
 temporary Dr. Sec. Post, and set it at av-  
 erage measure, on true line; from which  
 a W. Oak, 10 ins. diam. bears N. 55 E. 10  
 links, and a W. Oak, 8 ins. diam. bears S.  
 43 W. 24 links distant.

## Township 8, Range 6-7 Ranges.

South On True Line, between Sections 3 & 9, and  
 moved temporary Dr. Sec. Post, and set  
 it at average measure, on true line;  
 from which a Gum, 4 ins. diam. bears  
 S. 37 E. 15 links, and a Gum, 4 ins. diam.  
 bears N. 45 W. 12 links distant.  
 Blazed the line South, to the corner of Sec-  
 tions 2, 3, 8, 9, T. 8, R. 6.

Surveyed in 1806, by  
 Phillip Greene,  
 Deputy Surveyor.