

East Boundary.

South 3<sup>d</sup> Mile - [East side of Section 11.]

80.00 Set Post, [corner to Sections 3 & 4,] from which a W. Oak, 20 ins. diam. bears S. 4 1/2 E. 16 links, and a B. Oak, 18 ins. diam. bears N. 6 1/2 E. 28 links distant.

South 4<sup>th</sup> Mile - [East side of Section 3.]

14.24 A B. Oak, 24 inches diameter

17.87 A Hickory, 24 inches diameter.

54.48 A W. Oak, 36 inches diameter.

61.33 A W. Oak, 54 inches diameter.

80.00 Set Post, [corner to Sections 2 & 3,] from which a W. Oak, --- ins. diam. bears N. 41 1/4 W. 53 links, and a W. Oak, 14 ins. diam. bears S. 48 W. 73 links distant. The corner is a W. Oak, broken off 30 feet from the ground. Land of an excellent quality, proper for raising tobacco, hemp, wheat, &c., covered with lofty Oaks, Hickory, &c.

South 5<sup>th</sup> Mile - [East side of Section 2.]

15.48 A W. Oak, 30 inches diameter.

34.10 A . . . 13 inches diameter.

54.20 A Brook, 10 yards wide, runs East, with sufficient water to supply a mill.

57.12 A Hickory, 14 inches diameter.

80.00 Set Post, [corner to Sections 1 & 2,] from which a B. Oak, 20 ins. diam. bears N. 29 W. 30 1/2 links, and a W. Oak, 14 ins. diam. bears S. 70 3/4 E. 32 1/2 links distant.



Township 9, Range 5-7 Ranges.

600. Lhs. Along this mile is good land for indian corn, wheat, or any other grain, level enough for improvement, covered with Oak, Hickory and Dogwood.

South 6th Mile - [East side of Section 1.]  
28.37 A W. Oak, 14 inches diameter.  
54.56 A W. Oak, 14 inches diameter.  
70.89 A W. Oak, 18 inches diameter.  
80.00 Set Post from which a W. Oak, --- ins. diam. bears S. 28 1/2 E. 16 1/2 links, and a W. Oak, 17 ins. diam. bears N. 26 1/2 W. 34 links distant.  
The land of this mile is similar to the 5th mile, timbered with Oak and Hickory.

South Boundary.

From Post Thence  
West 1st Mile - [South side of Section 1.]  
7.58 A W. Oak, 12 inches diameter  
80.00 Set Post, [corner of Sections 1 & 7,] from which a W. Oak, 36 ins. diam. bears N. 74 W. 13 lbs., and a W. Oak, 30 ins. diam. bears S. 74 E. 35 links distant.  
The soil along the line for this mile is generally good for raising wheat, rye and indian corn, and covered with Oak, Hickory, Ash and White Walnut.

West 2nd Mile - [South side of Section 7.]  
36.51 A W. Oak, 12 inches diameter.  
80.00 Set Post, [corner to Sections 7 & 13,] from which a W. Oak, 30 ins. diam. bears N. 84 1/2 E. 42 lbs., and a W. Oak, 36 ins. diam. bears S. 37 W. 9 lbs. distant.

600. Lhs. The soil for this mile is generally of a good quality, proper for the cultivation of wheat, rye, indian corn, hemp and tobacco, covered with Oak, Hickory, W. Walnut, Cherry, Plum and Thorn.

West 3rd Mile - [South side of Section 13.]  
55.42 A W. Oak, 12 inches diameter.  
80.00 Set Post, [corner to Sections 13 & 19,] from which a W. Oak, 20 ins. diam. bears S. 81 1/2 E. 29 lbs., and a W. Oak, 20 ins. diam. bears N. 30 W. 20 links distant.

Eleven-sixteenths of this mile is upland of a good quality but hilly; the soil proper for the cultivation of wheat, rye, indian corn, &c. The remainder of the mile is rich bottom land, suitable for pasturage and meadows.

West 4th Mile - [South side of Section 19.]  
42.93 A W. Oak, 11 inches diameter.  
69.20 A W. Oak, 10 inches diameter.  
80.00 Set Post, [corner to Sections 19 & 25,] from which a W. Oak, 10 ins. diam. bears - 51 1/2 W. 16 links, and a W. Oak, 10 ins. diam. bears S. 54 1/2 E. 17 links distant.

The soil along the line for this mile is generally of a good quality, proper for the cultivation of indian corn, hemp, tobacco, wheat and rye, covered with Oak, Hickory, Ash and Chestnut.

West 5th Mile - [South side of Section 25.]  
39.50 A Deer Lick in the line.  
80.00 A Beech, 3 ins. diam. [corner of Sections 25 & 31,]



Township 9, Range 5-7 Ranges.

Chs. Lks.

from which a Beech, 20 ins. diam. bears N. 76 E. 14 links, and a Gum, - ins. diam. bears S. 49 W. 50 links distant.

The soil along the line for this rule, is generally thin, but sufficiently rich to produce good crops of wheat and rye, for a few years without manure.

West 6th Mile - [South side of Section 31.]

41.09 A B. Oak, 14 inches diameter.

61.09 A W. Oak, 11 inches diameter.

80.00 A Hickory, 12 ins. diam. [stands for a corner] from which a W.

Oak, 24 ins. diam. bears N. 85 E. 45 links, and a W. Oak, 14 ins. diam. bears S. 79 W. 22 links distant. And 5 chains intersect the S. line meaning probably the West boundary line) of the 5th Range, 13 chs 68 lks. South of the corner - [What corner?]

West Boundary. [Course not given]

From Post Thence -

1st Mile - [West side of Section .]

9.79 A W. Oak, 32 inches diameter.

15.84 A B. Oak, 20 inches diameter.

37.37 A W. Oak, 18 inches diameter.

43.98 A W. Oak, 14 inches diameter.

80.00 Set Post, [corner to Sections .] from which a B. Oak, 18 ins. diam. bears N. 19 1/2 W. 37 lks. and a B. Oak, 18 ins. diam. bears N. 61 1/2 E. 27 links distant.

All fine wheat land; Timber, B. & W. Oak, Chestnut, with much Grape Vines, also brushy for about 10 chains, where all the

Township 9, Range 5-7 Ranges.

Chs. Lks.

Large timber has been destroyed and fallen by fires.

2d Mile - [West side of Section .]

15.48 A W. Oak, 14 inches diameter.

44.35 A W. Oak, 13 inches diameter.

54.97 A W. Oak, 36 inches diameter.

74.40 A W. Oak, 15 inches diameter.

80.00 Set Post, corner to Sections .] from which a W. Oak, 15 ins. diam. bears S. 46 W. 15 lks. and a W. Oak, 15 ins. diam. bears S. 23 1/2 E. 30 1/2 links distant.

Excellent wheat land, but a little rocky; Timber, good sized Oak and Hickory. There is rich wheat - [perhaps rich-weed is meant] a never-failing sign of rich land; it grows more or less in every rule I have passed over.

3d Mile - [West side of Section .]

30.07 A B. Oak, 12 inches diameter.

37.54 A Sugar, 18 inches diameter.

62.25 A Sugar, 32 inches diameter.

78.32 A B. Oak, 13 inches diameter.

80.00 Set Post, [corner of Sections 33 & 34] from which a W. Oak, - ins. diam. bears N. 47 1/2 W. 25 1/2 links, and a W. Oak, 17 ins. diam. bears N. 56 1/4 E. 55 1/2 links distant.

The line near a pretty bottom, which appears well timbered and of rich soil. The upland has large Oak and Hickory; is all arable, and most excellent wheat land.



Township 9, Range 5-7 Ranges.

Chs. Lhs.  
 4<sup>th</sup> Mile [West side of Section .]  
 15.08 A W. Oak, 11 inches diameter.  
 25.87 A W. Oak, 15 inches diameter.  
 40.89 A Gum, 14 inches diameter.  
 56.40 A W. Oak, 17 inches diameter.  
 80.00 Set Post, [corner to Section .] from which  
 a Lynn, 17 ins. diam. bears N. 32 $\frac{1}{2}$  W.  
 22 $\frac{1}{2}$  links, and a W. Ash, — ins. diam. bears  
 N. 50 $\frac{1}{2}$  E. 44 $\frac{1}{2}$  links distant.  
 Fine wheat land, very little broken, timbered  
 with Oak and Hickory. In the run of wa-  
 ter there is much limestone, and some coal  
 brought down from the hills. Both these  
 are frequently seen in the stream.

5<sup>th</sup> Mile [West side of Section .]  
 18.12 A Hickory, 11 inches diameter.  
 18.83 A W. Oak, 24 inches diameter.  
 62.58 A Hickory, 14 inches diameter  
 65.44 A W. Oak, 42 inches diameter  
 80.00 Set Post, [corner to Section .] from which  
 a W. Oak, 20 ins. diam. bears N. 86 $\frac{1}{2}$  E. 47  
 links, and a W. Oak, 16 ins. diam. bears  
 S. 15 $\frac{1}{2}$  E. 61 $\frac{1}{2}$  links distant.  
 This mile has one or two steep hills, but all  
 in the highest degree rich. The upland is  
 timbered with large B. & W. Oak, Hickory, Su-  
 gar, Walnut, Ash; and streams bounding with  
 limestone. In the little bottom are Ash,  
 Elm, Lynn, B. Walnut and Sugar.

6<sup>th</sup> Mile [West side of Section .]  
 3.69 A W. Oak, 10 inches diameter.  
 16.40 A W. Oak, 15 inches diameter.

Township 9, Range 5-7 Ranges.

Chs. Lhs.  
 22.28 A Hickory, 10 inches diameter.  
 71.38 A W. Oak, 10 inches diameter.  
 80.00 Set Post  
 a Hickory, 14 ins. diam. bears S. 43 $\frac{1}{2}$  W. 21  
 links, and a Hickory, 12 ins. diam. bears  
 N. 34 $\frac{1}{2}$  W. 34 $\frac{1}{2}$  links distant.  
 The land on this mile is not equal to  
 the last, but is very fine wheat land. —  
 Some of the soil is rich enough for corn  
 and tobacco; timbered generally with B. &  
 W. Oak and Hickory.

[The original Field Notes do not show  
 whether this line is run North or South, and  
 there is nothing in the notes by which it can  
 be determined. The course is therefore left  
 blank in the Record. — S. Williams.]

Surveyed in 1786, by  
 Absalom Martin,  
 Surveyor from New Jersey.



Township 9, Range 5-7 Ranges

chs. lks.

November 15<sup>th</sup>, 1881.

Beginning at the South East corner of Section No. 1, in Township No. 9, of the 5<sup>th</sup> Range; where a W. Oak, 12 ins. diam. bears N. 78. 40 links, and a W. Oak, 8 ins. diam. bears S. 40 1/2 W. 24 links distant. Trees marked by plan.

North On East Boundary of Section 1.

8.00 A Spring, W.

9.17 A W. Oak, 14 inches diameter.

37.00 A Wagon Road.

51.24 A W. Oak, 13 inches diameter.

51.88 A W. Oak, 10 inches diameter.

79.52 A W. Oak, 12 inches diameter.

80.00 1 Mile Post, corner to Sections 1 & 2; from which a W. Oak, 9 ins. diam. bears S. 25 E. 14 1/2 lks., and a W. Oak, 8 ins. diam. bears N. 9 1/2 E. 25 1/2 links distant. Trees marked by plan. Over good Oak land.

North Continued, on East Boundary of Section 2.

21.89 A Hickory, 12 inches diameter.

25.00 Wheeling Creek, 40 links, E.

42.70 A W. Oak, 15 inches diameter.

45.04 A Hickory, 9 inches diameter.

45.92 A W. Oak, 11 inches diameter.

54.00 A W. Oak, 20 inches diameter.

64.62 A W. Oak, 20 inches diameter.

70.93 A W. Oak, 14 inches diameter.

80.00 2 Mile Post, corner to Sections 2 & 3; from which a W. Oak, 10 ins. diam. bears N. 17 1/2 E. 33 lks., and a W. Oak, 6 ins. diam. bears S. 17 1/2 W. 22 links distant. Trees marked by plan. Over level 2<sup>d</sup> rate W. Oak land; creek hills low.

Township 9, Range 5-7 Ranges

chs. lks.

North On East Boundary of Section 3.

18.42 A W. Oak, 40 inches diameter

21.50 A Brook, 4 links, E.

25.38 A W. Oak, 35 inches diameter.

35.00 A Brook, 6 links, E.

42.74 A B. Oak, 14 inches diameter.

62.19 A Hickory, 14 inches diameter.

80.00 3 Mile Post, corner to Sections 3 & 4; from which a W. Oak, 9 ins. diam. bears N. 77 E. 47 links, and a W. Oak, 10 ins. diam. bears S. 80 W. 34 lks. distant. Trees marked by plan.

Over good Oak land, some Hickory timber.

x x x x x x x x x x

West On South Boundary of Section 1.

9.00 A Brook, 15 links, nearly dry

34.00 Short Creek Road.

63.00 A Brook, 6 links, S.

71.00 A Brook, 15 links, S.

80.00 1 Mile Post, corner to Sections 1 & 7; from which a W. Oak, 15 ins. diam. bears N. 3 E. 42 lks., and a W. Oak, 36 ins. diam. bears S. 6 E. 4 1/2 links distant. Trees marked by plan. Over uneven thin W. Oak land.

West Continued, on South Boundary of Section 7.

43.50 A Brook, 6 links, S.

66.50 A Brook, 30 links, S.

80.00 2 Mile Post, corner to Sections 7 & 13; from which a W. Oak, 14 ins. diam. bears N. 71 E. 5 links, and a W. Oak, 12 ins. diam. bears S. 64 W. 20 1/2 links distant. Trees marked by plan.

Land the same.



## Township 9, Range 5-7 Ranges.

Chs. No.  
 North Between Sections 7 & 13.  
 4.00 A Brook, 30 links, E.  
 4.61 A Sugar tree, 12 inches diameter.  
 10.00 A Brook, 5 links, S. 20 E. crossed two times.  
 33.42 A W. Oak, 18 inches diameter.  
 49.50 A Brook, 10 links, E.  
 50.00 A Sugar tree, 10 inches diameter.  
 53.68 A W. Oak, 28 inches diameter.  
 53.35 A W. Oak, 26 inches diameter.  
 60.28 A W. Oak, 10 inches diameter.  
 79.40 A B. Oak, 12 inches diameter.  
 80.00 1 Mile Post, corner to Sections 7, 8, 13, 14; from which a W. Oak, 12 ins. diam. bears S. 11 E. 25 links, and a B. Oak, 16 ins. diam. bears N. 45 W. 23 links distant. Trees marked by plan. Over uneven land, soil thin; Timber, W. Oak.

North continued, between Sections 8 & 14.  
 5.98 A W. Ash, 13 inches diameter.  
 17.31 A W. Oak, 36 inches diameter.  
 22.50 A Brook, 10 links, E.  
 34.50 A Brook, 5 links, W.  
 80.00 2 Mile Post, corner to Sections 8, 9, 14, 15; from which a W. Oak, 13 ins. diam. bears N. 22 E. 4 1/4 M., and a W. Oak, 10 ins. diam. bears S. 51 W. 36 links distant. Trees marked by plan. Over tolerable good Oak land.

East On Railroad between Sections 8 & 9.  
 80.00 Railroad Post.

East Continued, between Sections 2 & 3  
 80.00 N. Line, ~~at~~ corner N. 150 links.

## Township 9, Range 5-7 Ranges. 599

Chs. No.  
 West Between Sections 2 & 3.  
 15.62 A W. Oak, 13 inches diameter.  
 29.50 A Lick, W.  
 30.50 A Brook, 40 links, S. 12th Nov. 1861.  
 43.82 A W. Oak, 12 inches diameter.  
 60.50 A Brook, 6 links, S.  
 62.11 A W. Oak, 12 inches diameter.  
 79.00 A Brook, 10 links, S.  
 80.00 1 Mile Post, corner to Sections 2, 3, 8, 9; from which a Sugar tree, 13 ins. diam. bears N. 60 W. 37 links, and a Sugar tree, 11 ins. diam. bears S. 89 E. 60 links distant. Trees marked by plan. Over uneven thin W. Oak land.

West Continued between Sections 8 & 9.  
 20.21 A W. Oak, 14 inches diameter.  
 29.00 A Brook, 4 links, S.  
 31.50 A Brook, 12 links, S. 60 E.  
 47.59 A W. Oak, 12 inches diameter.  
 50.13 A W. Oak, 15 inches diameter.  
 56.35 A B. Oak, 12 inches diameter.  
 63.50 A Brook, 6 links, S.  
 75.12 A W. Oak, 12 inches diameter.  
 80.00 2 Mile Post, corner made. Over tolerable good Oak land.

North Between Sections 9 & 15.  
 6.91 A W. Oak, 12 inches diameter.  
 23.77 A W. Oak, 12 inches diameter.  
 28.57 A W. Oak, 12 inches diameter.  
 35.00 A Brook, 8 links, E.  
 37.00 A Brook, 12 links, S. 70 E.  
 55.77 A W. Oak, 16 inches diameter.



Chs. Lks.  
 70.00 A Brook, 12 links, S. 30 E.  
 71.26 A W. Oak, 13 inches diameter.  
 75.24 A W. Oak, 12 inches diameter.  
 80.00 3 Mile Post, corner to Sections 9, 10, 15, 16; from  
 which a W. Oak, 14 ins. diam. bears S. 33 1/2  
 E. 11 links and a W. Oak, 14 ins. diam. bears  
 N. 28 1/2 W. 22 links distant. Trees marked  
 by plan.

Over tolerable good Oak land.

+ + + + +

17th November, 1801.

West On South Boundary of Section 13.

2.50 Post.  
 30.00 A Brook, 4 links, S.  
 63.00 A Brook, 4 links, S.  
 70.50 A Brook, 12 links, S. 60 E.  
 80.00 3 Mile Post, corner to Sections 13 & 19; from  
 which a W. Oak, 12 ins. diam. bears N.  
 89 1/2 E. 22 links, and a W. Oak, 14 ins. diam.  
 bears N. 60 1/2 W. 27 links distant.

Over tolerable good Oak land.

West Continued, on South Boundary of Sec. 19.

38.93 A W. Oak, 11 inches diameter.  
 60.00 A Brook, 6 links, S.  
 64.64 A W. Oak, 12 inches diameter.  
 80.00 4 Mile Post, corner to Secs. 19 & 25; from which  
 a B. Oak, 18 ins. diam. bears S. 75 E. 17 1/2 lks.,  
 and a B. Oak, 18 ins. diam. bears N. 41 1/2 W.  
 65 links distant. Trees marked by  
 plan. Over very good Oak land.

North Between Sections 19 & 25.

4.90 A W. Oak, 11 inches diameter.

Chs. Lks.  
 5.76 A Hickory, 13 inches diameter.  
 26.14 A Poplar, 30 inches diameter.  
 39.98 A W. Oak, 9 inches diameter.  
 52.50 A Brook, 12 links wide, nearly dry.  
 77.40 A B. Oak, 27 inches diameter.  
 80.00 1 Mile Post, corner to Sections 19, 20, 25, 26; from  
 which a W. Oak, 15 ins. diam. bears N. 57 1/2 W.  
 29 links, and a Hickory, 15 ins. diam. bears  
 S. 64 E. 51 links distant. Trees marked by plan.  
 Over hilly land, soil good; Timber, Oak & Hickory.

North Continued, between Sections 20 & 26

1.50 A Brook, 5 links, W.  
 12.50 A W. Oak, 36 inches diameter.  
 34.00 A Brook, 4 links, N. 20 W.  
 40.00 A Brook, 4 links, W.  
 47.00 A Spring, W.  
 49.50 A Brook, 10 links, S. 60 W.  
 72.00 A B. Oak, 30 inches diameter.  
 80.00 4 Mile Post, corner to Sections 20, 21, 26, 27;  
 from which a W. Oak, 12 ins. diam. bears N.  
 76 W. 19 1/2 links, and a Poplar, 18 ins. diam.  
 bears S. 51 E. 70 links distant. Trees marked  
 by plan.  
 Over hilly land, soil tolerable; Timber, Oak,  
 Hickory, Poplar, &c.

East On Random line between Secs. 20 & 21.

80.00 Random Post.

East Continued Random between Secs. 14 & 15.

79.85 N. & S. Line Corner, N. 107 links.



Township 9, Range 5-7 Ranges.

6 hrs. 2 hrs.  
 West Between Sections 14 & 15.  
 22.44 A Hickory, 12 inches diameter.  
 42.78 A Chestnut, 30 inches diameter.  
 48.50 A Brook, 6 links, S.  
 52.14 A B. Oak, 20 inches diameter.  
 53.06 A B. Oak, 18 inches diameter.  
 70.00 A B. Oak, 14 inches diameter.  
 80.00 3 Mile Post, [corner to Sections 14, 15, 20, 21] from which a W. Oak, 13 ins. diam.; from which a W. Oak, 13 ins. diam. bears S. 40 E. 59 links, and a W. Oak, 28 ins. diam. bears N. 8 1/2 E. 50 links distant. Trees marked by plan.  
 Over good Oak land.

West continued, between Sections 20 & 21.  
 36.30 A Hickory, 30 inches diameter.  
 47.00 A Brook, 4 links, N.  
 50.68 A B. Oak, 48 inches diameter.  
 64.55 A W. Oak, 14 inches diameter.  
 68.89 A B. Oak, 28 inches diameter.  
 79.10 A W. Oak, 48 inches diameter.  
 80.00 4 Mile Post. Corner made.  
 Over hilly land, soil good; Timber, Oak, Hickory, Chestnut, &c.

West continued between Sections 26 & 27.  
 16.50 A Brook, 6 links, S.  
 20.79 A Hickory, 13 inches diameter.  
 38.00 A Brook, 4 links, W.  
 42.50 A Brook, 10 links, S.  
 67.56 A W. Oak, 15 inches diameter.  
 69.00 A Brook, 8 links, S.  
 80.00 5 Mile Post, corner to Sections 26, 27, 32, 33; from which a Poplar, 10 ins. diam. bears S.

Township 9, Range 5-7 Ranges.

6 hrs. 2 hrs.  
 12 E. 21 links, and a Hickory, 10 ins. diam. bears N. 13 W. 37 1/2 links distant. Trees marked by plan.  
 Over hilly land, soil rich; Timber, Oak and Hickory, Poplar, &c.

West continued between Sections 32 & 33.  
 10.00 A Brook, 6 links, S.  
 37.50 A Brook, 9 links, S.  
 49.42 A W. Oak, 12 inches diameter.  
 51.25 A W. Oak, 12 inches diameter.  
 68.00 A Brook, 30 links, N. 60 W.  
 76.50 6 Mile Post, corner to Sections 32 & 33; from which an Elm, 9 ins. diam. bears N. 63 1/2 W. 1 1/2 links, and a Sugar tree, 12 ins. diam. bears N. 83 1/2 E. 45 links distant. Trees marked by plan.  
 Over hilly land, soil rich; Timber, Oak, Hickory, Sugar tree, Walnut, &c.

North Between Sections 21 & 27.  
 38.30 A Hickory, 14 inches diameter.  
 49.94 A W. Oak, 16 inches diameter.  
 57.50 A Brook, 4 links, E.  
 59.50 A Brook, 12 links, N. 45 W.  
 60.28 A Hickory, 12 inches diameter.  
 80.00 3 Mile Post, corner to Sections 21, 22, 27, 28; from which a W. Oak, 36 ins. diam. bears S. 37 W. 38 links, and a W. Oak, 12 ins. diam. bears N. 41 E. 48 links distant. Trees marked by plan.  
 Over uneven thin W. Oak land.

West On South Boundary of Section 25.  
 2.40 Post. Corner made.



Township 9, Range 5-7 Ranges.

6.00 A Brook, 4 links, S.  
 11.00 A Brook, 3 links, S. 80 E.  
 72.00 A Brook, 6 links, S.  
 80.00 5 Mile Post, corner to Sections 25 & 31; from which a W. Oak, 18 ins. diam. bears S. 5 1/2 W. 35 links, and a W. Oak, 14 ins. diam. bears N. 32 W. 33 links distant. Trees marked by plan.  
 Over hilly land, soil good; Timber, Oak and Hickory.

West Continued, South Boundary of Section 31.

28.00 A Brook, 9 links, S.  
 31.80 A Walnut, 13 inches diameter.  
 34.00 A Brook, 3 links, S. 80 E.  
 51.26 A W. Oak, 12 inches diameter.  
 56.00 A Brook, 9 links, S.  
 69.61 Town Corner, not intersected.  
 74.40 6 Mile Post, corner made; from which a W. Oak, 10 ins. diam. bears N. 19 E. 21 links, and a W. Oak, 9 ins. diam. bears S. 65 1/2 W. 24 links distant. Land the same.

North On West Boundary of Section 31.

13.25 Town Corner on the left.  
 21.54 A W. Oak, 10 inches diameter.  
 55.00 A Brook, 5 links, W.  
 68.64 A Hickory, 10 inches diameter.  
 70.50 A Brook, 6 links, W.  
 74.28 A W. Oak, 13 inches diameter.  
 80.00 1 Mile Post, corner to Sections 31 & 32; from which a Poplar, 72 ins. diam. bears S. 64 W. 36 links, and an Ash, 13 ins. diam. bears N. 40 E. 37 1/2 links distant. Trees marked, &c.  
 Over hilly land, soil good; Timber, Oak & Hickory.

Township 9, Range 5-7 Ranges.

North Continued, on West Boundary of Section 32.  
 1.66 A W. Oak, 10 inches diameter.  
 24.06 A W. Oak, 36 inches diameter.  
 26.88 A Hickory, 14 inches diameter.  
 34.50 A Brook, 3 links, N. 10 E.  
 40.00 A Brook, 4 links, S. Limestone rocks.  
 60.00 A Brook, 4 links, S. A Coal bed.  
 68.90 A W. Oak, 30 inches diameter.  
 69.61 A Hickory, 10 inches diameter.  
 77.50 2 Mile Post. Corner made.  
 Over hilly land, soil rich; Timber, Oak, Hickory, some Sugar tree and Walnut.

North Continued, West Boundary of Section 33.

3.51 An Elm, 56 inches diameter.  
 9.00 A Brook, 40 links wide - what is called Boggy' fork of Stillwater.  
 9.25 Carpenter's Trail. 21<sup>st</sup> Nov. 1801.  
 15.48 An Elm, 13 inches diameter.  
 18.29 A W. Oak, 12 inches diameter.  
 32.07 A W. Oak, 13 inches diameter.  
 39.00 A Brook, 3 links, W.  
 41.93 A W. Oak, 11 inches diameter.  
 45.86 A W. Oak, 10 inches diameter.  
 47.14 A Gum, 12 inches diameter.  
 54.00 A W. Oak, 16 inches diameter.  
 61.00 A Brook, 10 links, S. 20 W.  
 61.59 A W. Oak, 12 inches diameter.  
 72.02 A W. Oak, 10 inches diameter.  
 74.50 A Brook, 4 links, S. 20 E.  
 80.00 3 Mile Post, corner to Sections 33 & 34; from which a W. Oak, 12 ins. diam. bears N. 35 W. 32 links, and a W. Oak, 18 ins. diam. bears S. 25 E. 26 links distant. Trees marked, &c.  
 Over uneven thin W. Oak land.



Surveyed in November, 1801, by  
Lucchus Biggs,  
Deputy Surveyor.

Chain 2 1/2.

Subdivisions of "2 Mile Blocks."

x x x x x x x x x x  
 South Random Line between Sections 27 & 33.  
 27.20 A Brook, 8 links wide, runs S. 80 W.  
 40.00 Set temporary Quarter Section Post.  
 83.50 Fell 193 links West of Post, corner of Sections  
 26, 27, 32, 33, T. 9, R. 5.  
 On a ridge of B. Oak land; Dogwood, &c.

May 13, 1805.

From Post, corner of Secs. 26, 27, 32, 33 -  
 North corrected the line between Secs. 27 & 33, true 40.  
 42.50 Moved temporary 1/4 Sec. Post, and set it on true line.  
 75.75 A W. Oak, 18 inches diameter.  
 81.75 Moved temporary Quarter Post to average measure  
 on true line.

x x x x x x x x x x

May 17, 1805.

From Post, corner of Secs. 27, 28, 29, 30, ran-  
 West Between Sections 27 & 28, Random Line.  
 1.40 A Brook, 8 links wide, runs S. 25 W.  
 24.50 Same Brook, 30 links wide, runs N. 35 W.; bot-  
 tom on the West, 5 chains wide.  
 40.00 Set temporary Quarter Section Post.  
 81.15 Crossed North and South Line.  
 Land hilly and rich; Timber, W. Oak, B. Oak,  
 Dogwood, Sugar, Spice, &c.

West continued Random Line between Secs. 33 & 34  
 8.75 A Brook, 3 links wide, runs South.  
 29.50 A Brook, 3 links wide, runs S. 10 W.  
 40.00 Set temporary Quarter Section Post.  
 45.00 A Brook, 3 links wide, runs South.  
 63.50 A Brook, 2 W. wide, runs S. 30 W.; the Spring is just above.



Township 9, Range 5-7 Ranges.

608  
76.90 Fell 18 links South of Post on Range Line, corner of Sections 33 & 34. Open hilly land, good soil; Timber, W. Oak, Hickory, Dogwood, Spice, &c.

May 20, 1805.

From Post on Range Line, corner of Sects. 33 & 34, corrected the line between Sections 33 & 34.

East 31.85 A Hickory, 12 inches diameter.

38.45 Moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 13 ins. diam. bears N. 56 W. 11 1/2 links, and a W. Oak, 12 ins. diam. bears N. 77 E. 25 1/2 links distant.

76.90 Fell 10 links North of temporary Center Post. Moved it to the Center, at intersection of lines, corner to Sections 27, 28, 33, 34; from which a W. Oak, 20 ins. diam. bears N. 32 E. 7 links, and a W. Oak, 14 ins. diam. bears S. 42 1/2 W. 26 1/2 links distant.

x x x x x x x x x x  
Traveled South, between Sects. 27 & 33, and moved temporary In. Sec. Post, and set it at average distance on true line; from which a W. Oak, 24 ins. diam. bears East 13 links, and a Hickory, 11 ins. diam. bears S. 8 W. 30 links distant.

East continued true line between Sects. 27 & 28

6.30 A W. Oak, 15 inches diameter.

39.60 A Hickory, 24 inches diameter.

40.57 1/2 Moved temporary In. Sec. Post, and set it at average measure on true line; from which a W. Oak, 18 ins. diam. bears N. 26 1/2 W. 14 links, and a Hickory, 11 ins. diam. bears S. 51 E. 20 links distant.

Township 9, Range 5-7 Ranges. 609

609  
81.15 To Post, corner of Sects. 21, 22, 27, 28, 34, R. 5.

May 13, 1805.

From Post, corner of Sects. 26, 27, 32, 33, ran South Random Line between Sects. 26 & 32.

30.00 A Brook, 10 links wide, runs S. 45 W.

40.00 Set temporary Quarter Section Post.

63.50 A Brook, 15 links wide, runs N. 45 W. Trail fork of Stillwater brook.

80.00 Set temporary Center Post, 75 links West of a Spring, running S. 45 E.

Land hilly, soil good; Timber, W. Oak, B. Oak, Ash, Walnut, Dogwood, Spice, Sugar, &c.

South continued Random Line between Sects. 25 & 31.

32.25 A Brook, 2 links wide, runs South, Spring 2 ch. S. E.

40.00 Set temporary Quarter Section Post, near the brook.

46.50 Another Brook, 4 links wide, runs S. 45 W. The mouth of the former brook, 25 links above the line.

82.00 Fell 35 links West of Post, corner of Sections 25 & 31, on Township Line.

Land hilly, soil thin; Timber, W. Oak, B. Oak, Hickory, Beech, Poplar, Dogwood, &c.

From Post, corner of Sections 25 & 31, on Township Line, corrected the line between Sects. 25 & 31.

North 19.00 A Poplar, 14 inches diameter.

42.00 Moved temporary In. Sec. Post to true line.

70.54 A W. Oak, 26 inches diameter.

81.00 Moved temporary Center Post to average measure on true line.

North continued true line, between Sections 26 & 32.

19.45 A Sugar, 11 inches diameter.



Township 9, Range 5-7 Ranges.

61.00 Mored temporary In. Sec. Post to true line  
81.00 To Post, corner of Secs. 26, 27, 32, 33.

May 22, 1805.

West From Post, corner of Sections 19, 20, 25, 26, ran-  
Random Line between Sections 25 & 26.

50 A Brook, 5 links wide, runs S. 40 W.; cross it  
4 times within 150 links.

40.00 Set temporary Quarter Section Post.

47.00 A Brook, 12 links wide, runs N. 30 W.

52.25 A Large Spring, runs N. 20 E.

76.00 A Brook, 4 links wide, runs N.; Spring 2 chs. above.

78.40 A Brook, 5 links wide, runs N. 45 E.

81.25 Cross North and South Line.

Land hilly and rich; Timber, B. Oak, Hickory,  
Poplar, Sugar, Ash, Dogwood, Spice.

West Continued Random line between Secs. 31 & 32.

40.00 Set temporary Quarter Section Post.

71.50 A Brook, 4 links wide, runs S. 20 W.

76.50 Fell 144 links South of Post, on Range line,  
corner of Sections 31 & 32, T. 9, R. 5.

Land hilly, first half mile, in places stony soil  
good; Timber, B. Oak, Chestnut, Ash, Poplar,  
Dogwood, &c.

May 22, 1805.

East From Post on Range Line, corner of Secs. 31 & 32 -  
Corrected the line between Secs. 31 & 32. Van. 0:31.

18.50 A Chestnut, 48 inches diameter.

38.25 Mored temporary In. Sec. Post, and set it at av-  
erage measure on true line; from which a W.  
Oak, 40 ins. diam. bears S. 61 W. 8 links, and a W. Oak,  
24 ins. diam. bears N. 6 3/4 E. 18 links distant.

Township 9, Range 5-7 Ranges.

61.00 A Chestnut, 20 inches diameter.  
65.50 A B. Oak, 45 inches diameter.  
76.50 Fell 62 links North of temporary Quarter Post.

Moved it to center, at intersection of line,  
corner to Sections 25, 26, 31, 32; from which  
a Poplar, 22 ins. diam. bears S. 47 E. 15 W.,  
and a W. Oak, 28 ins. diam. bears N. 30 W.  
30 links distant.

Traveled North between Sections 26 & 32, and  
mored temporary In. Sec. Post, and set it  
at average measure on true line; from which  
a Hickory, 11 ins. diam. bears N. 28 1/2 E. 40  
links, and a B. Oak, 16 ins. diam. bears N.  
89 W. 31 links distant.

Traveled South, between Secs. 25 & 31, and  
mored temporary In. Sec. Post, and set it  
at average measure on true line; from which  
a W. Oak, 24 ins. diam. bears N. 12 E. 34 W.,  
and a Hickory, 6 ins. diam. bears S. 13 1/2  
E. 16 links distant.

East Continued true line between Sections 25 & 26.

39.80 A Sugar, 20 inches diameter.

40.62 1/2 Mored temporary In. Sec. Post, and set it at  
average measure on true line; from which  
a Spruce, 14 ins. diam. bears N. 15 E. 20 W.,  
and a W. Oak, 22 ins. diam. bears S. 23 1/2 W.  
59 links distant.

81.25 To Post, corner of Secs. 19, 20, 25, 26, T. 9, R. 5.  
(See page 622.) x x x x x x  
x x x x x x

May 17, 1805.

From Post, corner of Secs. 9, 10, 15, 16, ran-



Township 9, Range 5-7 Ranges.

6 hrs. Sh.  
 West Random Line between Sections 15 & 16.  
 2.80 A Brook, 9 links wide, near South.  
 24.30 A Brook, 3 links wide, near S.  
 40.00 Set temporary Quarter Section Post.  
 43.10 A Brook, 4 links wide, S. 35 E.  
 60.50 A Brook, 4 links wide, near S. 40 E.  
 80.00 Cross North and South Lines.  
 Land tolerably level and good; Timber, W. Oak,  
 B. Oak, Hickory, Ash, Dogwood, Thorn, Crab  
 Apple, Hurd, &c.

West Continued Random Line, between Secs. 21 & 22.  
 .50 A Brook, 3 links wide, near S. 70 E.; Spring 1  
 chain above.  
 40.00 Set temporary Quarter Section Post.  
 45.90 A Brook, 6 links wide, near S. 20 W.  
 46.10 A Brook, 4 links wide, near S. 20 E., and joins  
 the other 2 chains below.  
 81.00 Fell 150 links South of Post, corner to Secs.  
 21, 22, 27, 28, T. 9, R. 5.  
 Over hill land, soil 2<sup>d</sup> rate; Timber, W. Oak, B. Oak,  
 Dogwood, &c.

May 20, 1805.

From Post, corner to Secs. 21, 22, 27, 28-  
 East Corrected the line between Sections 21 & 22.  
 30.20 A Poplar, 18 inches diameter.  
 39.55 A Poplar, 9 inches diameter.  
 40.50 Moved temporary Tr. Sec. Post, and set it at  
 average measure on true line; from which  
 a B. Oak, 10 ins. diam. bears N. 66 1/2 W. 26  
 links, and a B. Oak, 9 ins. diam. bears S. 21 E.  
 38 1/2 links distant.  
 45.55 A Hickory, 24 inches diameter.

Township 9, Range 5-7 Ranges.

6 hrs. Sh.  
 54.60 A B. Oak, 30 inches diameter.  
 77.25 A W. Oak, 32 inches diameter.  
 81.00 Fell 12 links South of temporary Center  
 Post. Set Post at Center, at intersection of  
 lines, corner to Sections 15, 16, 21, 22; from  
 which a W. Oak, 10 ins. diam. bears N.  
 8 1/2 W. 14 links, and a W. Oak, 24 ins. diam.  
 bears S. 21 E. 31 links distant.

x + + + + +  
 Moved South, between Sections 15 & 21, and  
 moved temporary Tr. Sec. Post, and set it at  
 average measure on true line; from which  
 a B. Oak, 26 ins. diam. bears S. 12 W. 16 links,  
 and a W. Oak, 40 ins. diam. bears N. 29 E. 27  
 links distant.

East Continued true line between Secs. 15 & 16.  
 19.12 A W. Oak, 12 inches diameter.  
 41.00 Moved temporary Tr. Sec. Post, and set it at av-  
 erage measure on true line; from which a W.  
 Oak, 12 ins. diam. bears N. 17 W. 14 1/2 links,  
 and a W. Oak, 12 ins. diam. bears S. 3 1/2 E.  
 26 links distant.

82.00 To Post, corner of Sections 9, 10, 15, 16, T. 9, R. 5.

May 14, 1805.

From Post, corner of Sections 14, 15, 20, 21, ran-  
 South Random Line between Sections 14 & 20.  
 40.00 Set temporary Quarter Section Post.  
 67.50 A Brook, 10 links wide, near S. 40 E., br. of M. Spring.  
 80.00 Set temporary Center Post.  
 Land tolerably level, soil 2<sup>d</sup> rate; Timber, W.  
 Oak, Dogwood, &c.



Township 9, Range 5-7 Ranges.

Chs. Lk.  
 South Continued Random line, between Secs. 13 & 19.  
 9.50 A Brook, 5 links wide, runs S. 78 E.  
 40.00 Set temporary Quarter Section Post.  
 57.00 A Brook, 2 links wide, runs S. 60 E.  
 69.60 A Brook, 6 links wide, runs S. 40 E.  
 72.50 A Brook, 3 links wide, runs E.  
 82.10 Fell 138 links West of Post, on Township  
 Line, corner of Sections 13 & 19.  
 Land uneven, 2<sup>d</sup> rate; Timber principally W.  
 Oak, Dogwood, &c.

From Post on Township Line, corner of Secs. 13 & 19.  
 North Corrected the line between Sections 13 & 19.  
 39.00 A W. Oak, 11 inches diameter.  
 40.00 Moved temporary In. Sec. Post to true line.  
 81.05 Moved temporary Center Post to average mea-  
 sure on true line.

North Continued true line between Secs. 14 & 20.  
 40.50 Moved temporary In. Sec. Post to true line.  
 59.00 A W. Oak, 14 inches diameter.  
 78.44 A W. Oak, 18 inches diameter.  
 81.05 To Post, corner of Secs. 14, 15, 20, 21, T. 9, R. 5.

May 22, 1805.

From Post, corner of Secs. 7, 8, 13, 14, ran-  
 West Random line between Secs. 13 & 14.  
 14.50 A Brook, 4 links wide, runs S. 20 E.  
 39.50 A Brook, 4 links wide, runs South.  
 40.00 Set temporary Quarter Section Post.  
 51.50 A Spring; branch from it, 2 links wide, runs West.  
 60.50 A Brook, 6 links wide, runs S. 10 W.  
 77.00 A Brook, 10 links wide, runs S. 45 E.  
 81.00 Crossed North and South Line.

Township 9, Range 5-7 Ranges.

Chs. Lk.  
 Over uneven land, soil good; Timber, W. Oak, B.  
 Oak, Ash, Dogwood, Ironwood, Spice, &c.  
 West Continued Random Line between Secs. 19 & 20.  
 40.00 Set temporary Quarter Section Post.  
 51.50 A Brook, 4 links wide, runs S. 80 E.; cross it  
 4 times in 2 chains.  
 35.00 A Brook, 3 links wide, runs N. 50 E.; falls in  
 to the other about 40 links below.  
 81.75 Fell 71 links North of Post, corner of Secs.  
 19, 20, 25, 26.  
 Land uneven, soil 2<sup>d</sup> rate; Timber, <sup>W.</sup> Oak, W.  
 Oak, Ironwood, Dogwood, &c.

May 22, 1805.

From Post, corner of Secs. 19, 20, 25, 26-  
 East Corrected the line between Sections 19 & 20.  
 34.00 A Beech, 18 inches diameter.  
 37.00 A W. Oak, 24 inches diameter.  
 40.87 1/2 Moved temporary In. Sec. Post, and set it at average  
 measure on true line; from which a W. Oak 18 in.  
 diam. bears S. 37 E. 38 links, and a B. Oak 18 in.  
 diam. bears N. 4 W. 43 1/2 links distant.  
 80.10 A W. Oak, 15 inches diameter.  
 81.75 Fell 33 links South of temporary Center Post. Moved  
 it to center, at intersection of lines, corner to  
 Sections 13, 14, 19, 20; from which a W. Oak, 12  
 in. diam. bears N. 48 1/2 E. 9 1/2 links, and a W.  
 Oak, 20 in. diam. bears S. 48 W. 4 2 1/2 links  
 distant.

Traveled North between Sections 14 & 20, and moved  
 temporary In. Sec. Post, and set it at average  
 measure on true line; from which a W. Oak,



Township 9, Range 5-7 Ranges.

6h. 2h. 14 ins. diam. bears S. 31 1/2 E. 9 1/2 links, and a Maple, 9 ins. diam. bears S. 55 W. 15 links distant.

Traveled South between Sections 13 & 19, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 12 ins. diam. bears N. 11 W. 22 links, and a Chestnut, 16 ins. diam. bears S. 30 1/2 W. 25 links distant.

East continued true line between Sections 13 & 14.

44.45 A W. Oak, 15 inches diameter.

40.50 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 18 ins. diam. bears S. 30 E. 26 1/2 links, and a W. Oak, 22 ins. diam. bears N. 78 W. 50 links distant.

76.55 A B. Oak, 15 inches diameter.

81.00 To Post, corner to Sections 7, 8, 13, 14, S. 9, R. 5.

+ + + + +

South continued Random line between Secs. 3 & 9.

28.50 Wheeling Creek, 30 links wide, runs S. 80 E.

40.00 Set temporary Dr. Sec. Post.

60.40 A Brook, 2 links wide, runs S. 80 W.

73.00 A Brook, 2 Ws. wide, runs S. 5 W. Spring 4 chs. above.

78.00 Cross same Brook, 6 links wide, runs S. 10 E.

79.00 A Brook, 3 links wide, runs East; Spring just above.

80.00 Fell 90 links West of Post, corner of Sections 2, 3, 8, 9, S. 9, R. 5.

Land tolerably level; Timber, W. Oak, Dogwood, &c.

From Post, corner of Sections 2, 3, 8, 9, North corrected the line between Sections 3 & 9.

Township 9, Range 5-7 Ranges. 617

6h. 2h. 12.40 A W. Oak, 12 inches diameter.

30.50 A W. Oak, 13 inches diameter.

40.00 Moved temporary Dr. Sec. Post to true line.

80.00 Moved temporary Center Post to true line.

+ + + + +

May 18, 1805.

From Post on Range Line, corner of Secs. 3 & 4 - West Random Line between Sections 3 & 4.

15.50 A Brook, 5 links wide, runs South.

22.50 A Brook, 3 Ws. wide, runs S. 50 E. Spring 2 chs. above.

40.00 Set temporary Quarter Section Post.

48.50 A Brook, 10 links wide, runs S. 45 W.

61.00 A Brook, 10 links wide, runs S. 35 E.

80.75 Cross North and South Line.

West continued Random Line between Sections 9 & 10.

10.00 Wheeling Creek, 25 links wide, runs S. 25 E.

40.00 Set temporary Quarter Section Post.

57.00 A Brook, 4 links wide, runs S. 30 E.

80.75 Fell 145 links South of Post, corner of Secs. 9, 10, 15, 16. Land tolerably level, soil 2<sup>d</sup> rate; Timber, W. Oak, Hickory, Dogwood, Thorn and Hard.

May 20, 1805.

From Post, corner of Sections 9, 10, 15, 16, S. 9, R. 5 - East corrected the line between Sections 9 & 10.

40.37 1/2 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a Hickory, 15 ins. diam. bears N. 52 E. 19 1/2 links, and a W. Oak, 11 ins. diam. bears S. 22 W. 30 links distant.

80.75 Fell 9 links South of temporary Center Post, Moved it to Center, at intersection of lines, corner of Sections 3, 4, 9, 10; from which a W. Oak, 20 ins. diam. bears N. 45 W. 1 link, and



Township 9, Range 5-7 Ranges.

Chs. Lks.  
 a Hickory, 11 ins. diam. bears S. 82 E. 13 links distant.  
 + + + + +  
 Traveled South, between Sections 3 & 4, & moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 20 ins. diam. bears S. 81 E. 18 links, and a Hickory, 12 ins. diam. bears N. 45 1/2 W. 31 links distant.

East Continued true line between Sections 3 & 4.  
 23.70 A W. Oak, 22 inches diameter.  
 40.37 1/2 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 11 ins. diam. bears S. 54 E. 1 1/2 links, and a B. Oak, 22 ins. diam. bears S. 56 W. 7 links distant.

51.05 A W. Oak, 14 inches diameter.  
 79.90 A B. Oak, 18 inches diameter.  
 80.75 To Post, corner of Sections 3 & 4, on Range line.

May 21, 1805.

South Randon Line between Sections 2 & 8.  
 40.00 Set temporary Quarter Section Post, in a Brook, 12 links wide, running S. 50 E.  
 46.50 A Brook, 3 links wide, runs N. 50 E.  
 56.25 A Brook, 3 links wide, runs N. 30 W. - Spring 5 chains above.  
 72.25 A Brook, 3 links wide, runs S. 40 E. - Spring 4 chains above.  
 80.00 Set temporary Center Post.  
 Land tolerably level; Timber, W. Oak, B. Oak, Ash, Dogwood, &c.

Township 9, Range 5-7 Ranges. 619

Chs. Lks.  
 South Continued Randon Line between Secs. 1 & 7.  
 40.00 Set temporary Quarter Section Post.  
 64.25 A Brook, 3 links wide, runs S. 55 W.  
 65.50 A Brook, 8 links wide S. 35 E.  
 69.50 A Brook, 3 links wide, runs N. 70 E.  
 80.00 Fell 159 links West of Post on Township line, corner of Sections 1 & 7.  
 Land tolerably level; Timber, W. Oak, B. Oak, Dogwood, Poplar, &c.

From Post on Township line, corner of Secs. 1 & 7 -  
 North Corrected the line between Sections 1 & 7.  
 .50 A W. Oak, 26 inches diameter.  
 40.00 Moved temporary Dr. Sec. Post to true line.  
 42.75 A W. Oak, 20 inches diameter.  
 80.00 Moved temporary Center Post to true line.

North Continued true line between Sections 2 & 8.  
 28.95 A W. Oak, 10 inches diameter.  
 40.00 Set temporary Dr. Sec. Post on true line.  
 48.95 A W. Oak, 13 inches diameter.  
 66.10 A W. Oak, 18 inches diameter.  
 80.00 To Post, corner of Sections 2, 3, 8, 9.

From Post on Range Line, corner of Secs. 1 & 2.  
 West Randon Line between Sections 1 & 2.  
 34.75 A Brook, 3 links wide, runs N. 55 E.  
 40.00 Set temporary Quarter Section Post.  
 67.00 A Brook, 3 links wide, runs South.  
 73.50 A Brook, 4 links wide, runs S. 70 E.  
 80.30 Crossed North and South Line.  
 Land tolerably level and good; Timber, W. Oak, B. Oak, Ash, Dogwood.



6 hrs. 20 min.  
 West Continued Random Line between Sections 7 & 8.  
 11.50 A Brook, 2 links wide, minus S. 35 W.  
 27.50 A Brook, 2 links wide, minus S. 30 E.  
 40.00 Set temporary Quarter Section Post.  
 44.65 A Brook, 2 links wide; minus S. 40 W.  
 63.00 A Brook, 12 links wide, minus S. 10 E.  
 80.30 Fell 20 links North of Post, corner of Sections 7, 8, 13, 14.  
 Over uneven, thin land; Timber, B. Oak, W. Oak, Dogwood, &c.

From Post, corner of Sections 7, 8, 13, 14—  
 East Corrected the line between Sections 7 & 8.  
 36.50 A W. Oak, 15 inches diameter.  
 40.15 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 11 ins. diam. bears S. 73 E. 32 1/2 links, and a Poplar, 12 ins. diam. bears S. 56 W. 33 links distant.

80.30 Fell 10 links South of temporary Center Post. Moved it to center, at intersection of lines, corner to Sections 1, 2, 7, 8; from which a W. Oak, 12 ins. diam. bears N. 21 W. 21 1/2 links, and a W. Oak, 11 ins. diam. bears 32 links distant.

Traveled North, between Secs. 2 & 8, and moved temporary Dr. Sec. Post, and set it at average measure on true line; from which an Elm, 9 ins. diam. bears S. 71 E. 47 1/2 links, and a Hickory, 11 ins. diam. bears N. 10 E. 29 1/2 links distant.

6 hrs. 20 min.

Traveled South, between Sections 1 & 7, & moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a W. Oak, 40 ins. diam. bears N. 73 W. 52 links, and a Poplar, 15 ins. diam. bears S. 73 1/2 E. 22 links distant.

East Corrected the line between Secs. 1 & 2.  
 36.25 A B. Oak, 22 inches diameter.  
 40.15 Moved temporary Dr. Sec. Post, and set it at average measure on true line; from which a Chestnut, 48 ins. diam. bears S. 49 E. 18 links, and a W. Oak, 11 ins. diam. bears S. 18 E. 16 1/2 links distant.  
 73.40 A W. Oak, 11 inches diameter.  
 80.30 To Post, on Range Line, corner to Secs. 1 & 2.

Surveyed in May, 1805, by  
 Benjamin Hough,  
 Deputy Surveyor.



(Omitted at page 611.)

South Continued Random Line between Secs. 15 & 21.  
 2.00 A Brook, 3 links wide, runs S. 70 E.  
 4.50 A Brook, 2 links wide, runs N. 80 E.  
 40.00 Set temporary Quarter Section Post.  
 81.80 Set 180 links West of Post, corner of Sections  
 14, 15, 20, 21, T. 9, R. 5.  
 Land tolerably level, soil 2<sup>d</sup> rate; Timber, B. Oak,  
 W. Oak, Hickory, Poplar, Dogwood, &c.

From Post, corner of Sections 14, 15, 20, 21 -  
 North Corrected the line between Sections 15 & 21.  
 42.10 Moved temporary Dr. Sec. Post to true line.  
 80.90 Moved temporary Center Post to average mea-  
 sure, on true line.

chs. lks.

North Boundary.

[From Post  
 1<sup>st</sup> Mile [North side of Section 36.] Thence]

East 18.37 A Large Brook, sufficient water to turn a mill.  
 34.00 A W. Oak, 12 inches diameter.  
 54.43 A B. Oak, 30 inches diameter.  
 80.00 Set Post, [corner to Sections 30 to 36] from which  
 a Poplar, 24 ins. diam. bears S. 15 1/2 E. 8 links,  
 and a Hickory, 12 ins. diam. bears N. 67 1/2 W.  
 34 links distant.  
 Land, first 20 chs. is rich bottom; the remaining  
 60 chs. hilly, and broken with stones; thin soil;  
 Timber, Oak, Beech, Poplar, &c.

East 2<sup>d</sup> Mile [North side of Section 30.]

20.18 A Beech, 8 inches diameter.  
 48.90 A Chestnut, 36 inches diameter.  
 71.48 A Chestnut Oak, 12 inches diameter.  
 80.00 Set Post, [corner to Sections 24 & 30] from which a  
 Hickory, 20 ins. diam. bears N. 62 W. 2 links, &  
 a W. Walnut, - ins. diam. bears S. 65 E. 24 W.  
 distant.  
 Land hilly, and broken with stones; Timber, Oak,  
 Hickory, Beech and Walnut.

East 3<sup>d</sup> Mile [North side of Section 24.]

23.84 A W. Oak, 10 inches diameter.  
 55.15 A W. Oak, 15 inches diameter.  
 80.00 Set Post, [corner to Sections 18 & 24] from which  
 a Spanish Oak, 24 ins. diam. bears N. 64 1/2 E.  
 3 1/2 links, and a Red Oak, 24 ins. diam. bears  
 S. 11 1/2 W. 21 links distant.  
 The first 60 chs. along this mile is very hilly  
 land; the remainder is soil of a good quality;